01

Recessed Spots Fixed

Pages 03-38

MR11 | MR16 | G4 | GU4 | GU5,3 | GU10

Die cast | Aluminium | Gypsum | Steel | Semi trimless

IP20 IP43 IP44 IP65

DARK LIGHT CE 5 YEAR



The Star Light G4

10102 | 20W | G4 | Die cast

IP20

offer

Suitable for
G4 LED lamp.



Order Code	Colour	Watts	Input	Class					Notes
10102/BS	Brass	20W	12V	III	40cm	24mm	30mm	100	-

10105X/W

10105X | 50W | MR16 | GU5,3 | Die cast

CE 5 YEAR

IP20



new 10105X/B

78mm

22mm

10105X/MC

10105X | 50W | MR16 | GU5,3 | Die cast

CE 5 YEAR

IP20

offer

offer 10105X/C

76mm

22mm

10105XS/C

10105XS | 50W | MR16 | GU5,3 | Pressed metal

CE 5 YEAR

IP20

offer



offer 10105XS/MC

76mm

22mm

Order Code	Colour	Watts	Input	Class					Notes
10105X/W	White	50W	12V	III	40cm	63mm	60mm	100	-
10105X/B	Black	50W	12V	III	40cm	63mm	60mm	100	-
10105X/C	Chrome	50W	12V	III	40cm	63mm	60mm	100	-
10105X/MC	Brushed chrome	50W	12V	III	40cm	63mm	60mm	100	-
10105XS/C	Chrome	50W	12V	III	40cm	63mm	60mm	100	-
10105XS/MC	Brushed chrome	50W	12V	III	40cm	63mm	60mm	100	-

The Classic MR11 & MR16
12V

10103 | 35W | MR11 | GU4 | Die cast

CE 5 YEAR

IP20

offer

Suitable for MR11 LED lamp.

10105/W

10105 | 50W | MR16 | GU5,3 | Die cast

CE 5 YEAR

IP20

10105/MC

10105 | 50W | MR16 | GU5,3 | Die cast

CE 5 YEAR

IP20

Order Code	Colour	Watts	Input	Class					Notes
10103/BS	Brass	35W	12V	III	40cm	51mm	45mm	100	-
10105/W	White	50W	12V	III	40cm	70mm	60mm	100	-
10105/MC	Brushed chrome	50W	12V	III	40cm	70mm	60mm	100	-

10105GU/W

10105GU | 10W | MR16 | GU10 | Die cast

5 YEAR

IP20

Complete with 0950G.

10105GU/G

10105GU | 10W | MR16 | GU10 | Die cast

5 YEAR

IP20

offer

Complete with 0950G.



Order Code	Colour	Watts	Input	Class					Notes
10105GU/W	White	10W	100-240V		15cm	70mm	150mm	100	-
10105GU/G	Grey	10W	100-240V		15cm	70mm	150mm	100	-

The Cement Range

10105CM | 10W | MR16 | GU10 | Cement + aluminium reflector

5 YEAR

DARK LIGHT

IP20

offer



Order Code	Colour	Watts	Input	Class					Notes
10105CM	Cement	10W	100-240V	⏚	15cm	95mm	120mm	12	-

The Dual Ring Range
Aluminium

10105A1/W

10105A1 | 10W | MR16 | GU10 | Aluminium

IP20

Complete with 0950G.

10105A1/B

10105A1 | 10W | MR16 | GU10 | Aluminium

IP20

Complete with 0950G.

Order Code	Colour	Watts	Input	Class					Notes
10105A1/W	White	10W	100-240V		15cm	68mm	120mm	100	-
10105A1/B	Black	10W	100-240V		15cm	68mm	120mm	100	-

The Dark Light Dual Ring
Aluminium

10105ALG/W

10105ALG | 10W | MR16 | GU10 | Aluminium

5 YEAR

DARK LIGHT

IP20

Complete with 0950GB.



10105ALG/B

10105ALG | 10W | MR16 | GU10 | Aluminium

5 YEAR

DARK LIGHT

IP20

10105ALG/AL

50105ALG/W

50105ALG | 10W | MR16 | GU10 | Aluminium

5 YEAR

DARK LIGHT

IP20

Complete with 0950GB.

50105ALG/AL

50105ALG | 10W | MR16 | GU10 | Aluminium

5 YEAR

DARK LIGHT

IP20

offer

Complete with 0950GB.

Order Code	Colour	Watts	Input	Class					Notes
10105ALG/W	White	10W	100-240V		15cm	78mm	150mm	50	-
10105ALG/B	Black	10W	100-240V		15cm	78mm	150mm	50	-
10105ALG/AL	Aluminium	10W	100-240V		15cm	78mm	150mm	50	-
50105ALG/W	White	10W	100-240V		15cm	78mm	150mm	50	-
50105ALG/AL	Aluminium	10W	100-240V		15cm	78mm	150mm	50	-

The Dark Light Dual Ring
Aluminium

10105ALG/W/B

10105ALG | 10W | MR16 | GU10 | Aluminium

Complete with 0950GB.

10105ALG/W/GL

10105ALG | 10W | MR16 | GU10 | Aluminium

Complete with 0950GB.

10105ALG/B/GL

10105ALG | 10W | MR16 | GU10 | Aluminium

Complete with 0950GB.

Order Code	Colour	Reflector	Watts	Input	Class				Notes
10105ALG/W/B	White	Black	10W	100-240V		15cm	78mm	150mm	50	-
10105ALG/W/GL	White	Gold	10W	100-240V		15cm	78mm	150mm	50	-
10105ALG/B/GL	Black	Gold	10W	100-240V		15cm	78mm	150mm	50	-

The Semi Trimless Dark Light

10105DG | 10W | MR16 | GU10 | Semi trimless | Aluminium

5 YEAR

DARK LIGHT

IP20

Complete with 0950G.



10105TG/W

10105TG | 10W | MR16 | GU10 | Semi trimless | Aluminium

5 YEAR

DARK LIGHT

IP20

Complete with 0950G.

10105TG/B

10105TG | 10W | MR16 | GU10 | Semi trimless | Aluminium

5 YEAR

DARK LIGHT

IP20

Complete with 0950G.



50105TG | 10W | MR16 | GU10 | Semi trimless | Die cast

5 YEAR

DARK LIGHT

IP20

Complete with 0950G.

Order Code	Colour	Watts	Input	Class					Notes
10105DG/W	White	10W	100-240V		15cm	76mm	155mm	50	-
10105TG/W	White	10W	100-240V		15cm	75mm	150mm	50	-
10105TG/B	Black	10W	100-240V		15cm	75mm	150mm	50	-
50105TG/W	White	10W	100-240V		15cm	76x76mm	140mm	50	-

The Semi Dark Light Range
Aluminium

10105D1/W

10105D1 | 10W | MR16 | GU10 | Aluminium

5 YEAR

IP20

10105D1/B

Complete with 0950GB.



10105D2/W

10105D2 | 10W | MR16 | GU10 | Aluminium

5 YEAR

IP20

10105D2/B

Complete with 0950G.



10105D4/W

10105D4 | 10W | MR16 | GU10 | Aluminium

5 YEAR

DARK LIGHT

IP20

10105D4/B

Complete with 0950G.



Order Code	Colour	Watts	Input	Class					Notes
10105D1/W	White	10W	100-240V		15cm	62mm	135mm	50	-
10105D1/B	Black	10W	100-240V		15cm	62mm	135mm	50	-
10105D2/W	White	10W	100-240V		15cm	62mm	120mm	50	-
10105D2/B	Black	10W	100-240V		15cm	62mm	120mm	50	-
10105D4/W	White	10W	100-240V		15cm	68mm	140mm	50	-
10105D4/B	Black	10W	100-240V		15cm	68mm	140mm	50	-



The Mix & Match Range

10105H/W

10105H | 10W | MR16 | GU10 | Die cast

LED version on page 50.

5 YEAR

DARK LIGHT

IP20

Complete with 0950GB.



10105H/B

10105H | 10W | MR16 | GU10 | Die cast

LED version on page 50.

5 YEAR

DARK LIGHT

IP20

Complete with 0950GB.



10105H/BS

10105H | 10W | MR16 | GU10 | Die cast

5 YEAR

DARK LIGHT

IP20

Complete with 0950GB.



Order Code	Colour	Watts	Input	Class					Notes
10105H/W	White	10W	100-240V		15cm	64mm	100mm	50	-
10105H/B	Black	10W	100-240V		15cm	64mm	100mm	50	-
10105H/BS	Brass	10W	100-240V		15cm	64mm	100mm	50	-

The Mix & Match Range

10105H/B + 050182/W + 050182R/W

050182 | Rings for 10105H | Aluminium

050182/W White

IP20

050182/B Black

050182/BS Brass



050182R | Round base for 10105H | Aluminium

050182R/W White

IP20

050182R/B Black

050182R/BS Brass



050182RA | Square base for 10105H | Aluminium

050182RA/W White

IP20

050182RA/B Black

050182RA/BS Brass



050182RB | Double Square base for 10105H | Aluminium

050182RB/W White

IP20

050182RB/B Black

050182RB/BS Brass



Recessed Cylinders
Aluminium

10105D9/W/B

10105D9 | 10W | MR16 | GU10 | Aluminium

5 YEAR

DARK LIGHT

IP20

Complete with 0950GB.



10105D9/W/GL

10105D9 | 10W | MR16 | GU10 | Aluminium

5 YEAR

DARK LIGHT

IP20

Complete with 0950GB.



10105D9/B/B

10105D9 | 10W | MR16 | GU10 | Aluminium

5 YEAR

DARK LIGHT

IP20

Complete with 0950GB.



10105D9/B/GL

10105D9 | 10W | MR16 | GU10 | Aluminium

5 YEAR

DARK LIGHT

IP20

Complete with 0950GB.



Order Code	Colour	Reflector	Watts	Input	Class				Notes
10105D9/W/B	White	Black	10W	100-240V		15cm	62mm	100mm	50	-
10105D9/W/GL	White	Gold	10W	100-240V		15cm	62mm	100mm	50	-
10105D9/B/B	Black	Black	10W	100-240V		15cm	62mm	100mm	50	-
10105D9/B/GL	Black	Gold	10W	100-240V		15cm	62mm	100mm	50	-

Recessed Cut Cylinders
Aluminium

10105E1/W/B

10105E1 | 10W | MR16 | GU10 | Aluminium

5 YEAR

DARK LIGHT

IP20

Complete with 0950GB.



10105E1/B/GL

10105E1 | 10W | MR16 | GU10 | Aluminium

5 YEAR

DARK LIGHT

IP20

Complete with 0950GB.



Order Code	Colour	Reflector	Watts	Input	Class					Notes
10105E1/W/B	White	Black	10W	100-240V		15cm	62mm	100mm	50	-
10105E1/B/GL	Black	Gold	10W	100-240V		15cm	62mm	100mm	50	-

Semi Trimless Dark Light
Aluminium

10105AD/W

10105AD | 10W | MR16 | GU10 | Aluminium

5 YEAR

DARK LIGHT

IP20

Complete with 0950GB.



10105AD/B/BS

10105AD | 10W | MR16 | GU10 | Aluminium

5 YEAR

DARK LIGHT

IP20

Complete with 0950GB.



Order Code	Colour	Reflector	Watts	Input	Class				Notes
10105AD/W	White	Black	10W	100-240V		15cm	64mm	130mm	36	-
10105AD/B/BS	Black	Brass	10W	100-240V		15cm	64mm	130mm	36	-

Semi Trimless Dark Light
Aluminium

10105D8/W/GL

10105D8/B/GL

10105D8/W/GL

10105D8 | 10W | MR16 | GU10 | Aluminium

5 YEAR

DARK LIGHT

IP20

10105D8/W/B

Complete with 0950GB.



10105D8/B/GL

10105D8 | 10W | MR16 | GU10 | Aluminium

5 YEAR

DARK LIGHT

IP20

10105D8/B/B

Complete with 0950GB.



Order Code	Colour	Reflector	Watts	Input	Class					Notes
10105D8/W/B	White	Black	10W	100-240V		15cm	62mm	130mm	50	-
10105D8/W/GL	White	Gold	10W	100-240V		15cm	62mm	130mm	50	-
10105D8/B/B	Black	Black	10W	100-240V		15cm	62mm	130mm	50	-
10105D8/B/GL	Black	Gold	10W	100-240V		15cm	62mm	130mm	50	-

The Chill Out Range
Round

10105M/W/W

10105M | 10W | MR16 | GU10 | Aluminium body + plastic reflector

CE 5 YEAR

DARK LIGHT

IP20

Complete with 0950GB.



10105M/W/B

10105M | 10W | MR16 | GU10 | Aluminium body + plastic reflector

CE 5 YEAR

DARK LIGHT

IP20

Complete with 0950GB.

10105M/W/BS

10105M | 10W | MR16 | GU10 | Aluminium body + plastic reflector

CE 5 YEAR

DARK LIGHT

IP20

Complete with 0950GB.

10105M/W/CU

10105M | 10W | MR16 | GU10 | Aluminium body + plastic reflector

CE 5 YEAR

DARK LIGHT

IP20

Complete with 0950GB.



Order Code	Colour	Reflector	Watts	Input	Class				Notes
10105M/W/W	White	White	10W	100-240V		15cm	70mm	120mm	50	-
10105M/W/B	White	Black	10W	100-240V		15cm	70mm	120mm	50	-
10105M/W/BS	White	Brass	10W	100-240V		15cm	70mm	120mm	50	-
10105M/W/CU	White	Copper	10W	100-240V		15cm	70mm	120mm	50	-

The Chill Out Range
Round

10105M/B/W

10105M | 10W | MR16 | GU10 | Aluminium body + plastic reflector

5 YEAR

DARK LIGHT

IP20

Complete with 0950GB.





10105M/B/B

10105M | 10W | MR16 | GU10 | Aluminium body + plastic reflector

5 YEAR

DARK LIGHT

IP20

Complete with 0950GB.

10105M/B/BS

10105M | 10W | MR16 | GU10 | Aluminium body + plastic reflector

5 YEAR

DARK LIGHT

IP20

Complete with 0950GB.



10105M/B/CU

10105M | 10W | MR16 | GU10 | Aluminium body + plastic reflector

5 YEAR

DARK LIGHT

IP20

Complete with 0950GB.

Order Code	Colour	Reflector	Watts	Input	Class				Notes
10105M/B/W	Black	White	10W	100-240V		15cm	70mm	120mm	50	-
10105M/B/B	Black	Black	10W	100-240V		15cm	70mm	120mm	50	-
10105M/B/BS	Black	Brass	10W	100-240V		15cm	70mm	120mm	50	-
10105M/B/CU	Black	Copper	10W	100-240V		15cm	70mm	120mm	50	-



The Chill Out Range
Round

10105MD/W/B

10105MD | 10W | MR16 | GU10 | Aluminium body + plastic reflector

5 YEAR

DARK LIGHT

IP20

Complete with 0950GB.

10105MD/W/BS

10105MD | 10W | MR16 | GU10 | Aluminium body + plastic reflector

5 YEAR

DARK LIGHT

IP20

Complete with 0950GB.

10105MD/W/C

10105MD | 10W | MR16 | GU10 | Aluminium body + plastic reflector

5 YEAR

DARK LIGHT

IP20

Complete with 0950GB.

10105MD/W/GL

10105MD | 10W | MR16 | GU10 | Aluminium body + plastic reflector

5 YEAR

DARK LIGHT

IP20

Complete with 0950GB.



Order Code	Colour	Reflector	Watts	Input	Class				Notes
10105MD/W/B	White	Black	10W	100-240V		15cm	70mm	120mm	50	-
10105MD/W/BS	White	Brass	10W	100-240V		15cm	70mm	120mm	50	-
10105MD/W/C	White	Chrome	10W	100-240V		15cm	70mm	120mm	50	-
10105MD/W/GL	White	Gold	10W	100-240V		15cm	70mm	120mm	50	-

10105MD/B/B

10105MD | 10W | MR16 | GU10 | Aluminium body + plastic reflector

5 YEAR

DARK LIGHT

IP20

Complete with 0950GB.





10105MD/B/BS

10105MD | 10W | MR16 | GU10 | Aluminium body + plastic reflector

5 YEAR

DARK LIGHT

IP20

Complete with 0950GB.



Order Code	Colour	Reflector	Watts	Input	Class					Notes
10105MD/B/B	Black	Black	10W	100-240V	⏚	15cm	70mm	120mm	50	-
10105MD/B/BS	Black	Brass	10W	100-240V	⏚	15cm	70mm	120mm	50	-



The Assymetric Chill Out Range
Square



50105MA/W/W

50105MA | 10W | MR16 | GU10 | Aluminium body + plastic reflector

Asymmetric for shelf illumination.

CE 5 YEAR

DARK LIGHT IP20

Asymmetric.



50105MA/W/B

50105MA | 10W | MR16 | GU10 | Aluminium body + plastic reflector

Asymmetric for shelf illumination.

CE 5 YEAR

DARK LIGHT IP20

Asymmetric.



50105MA/B/B

50105MA | 10W | MR16 | GU10 | Aluminium body + plastic reflector

Asymmetric for shelf illumination.

CE 5 YEAR

DARK LIGHT IP20

Asymmetric.

Order Code	Colour	Reflector	Watts	Input	Class					Notes
50105MA/W/W	White	White	10W	100-240V		15cm	76x76mm	150mm	50	Asymmetric
50105MA/W/B	White	Black	10W	100-240V		15cm	76x76mm	150mm	50	Asymmetric
50105MA/B/B	Black	Black	10W	100-240V		15cm	76x76mm	150mm	50	Asymmetric

The Chill Out Range
Square



50105M/W/BS

50105M | 10W | MR16 | GU10 | Aluminium body + plastic reflector

5 YEAR

DARK LIGHT

IP20

50105M/W/CU

Complete with 0950GB.





50105M/B/W

50105M | 10W | MR16 | GU10 | Aluminium body + plastic reflector

5 YEAR

DARK LIGHT

IP20



50105M/B/B

Complete with 0950GB.





50105M/B/BS

50105M | 10W | MR16 | GU10 | Aluminium body + plastic reflector

5 YEAR

DARK LIGHT

IP20

50105M/B/CU

Complete with 0950GB.



Order Code	Colour	Reflector	Watts	Input	Class				Notes
50105M/W/BS	White	Brass	10W	100-240V		15cm	76x76mm	130mm	50	-
50105M/W/CU	White	Copper	10W	100-240V		15cm	76x76mm	130mm	50	-
50105M/B/W	Black	White	10W	100-240V		15cm	76x76mm	130mm	50	-
50105M/B/B	Black	Black	10W	100-240V		15cm	76x76mm	130mm	50	-
50105M/B/BS	Black	Brass	10W	100-240V		15cm	76x76mm	130mm	50	-
50105M/B/CU	Black	Copper	10W	100-240V		15cm	76x76mm	130mm	50	-

The Dark Light Range

10105F | 50W | MR16 | GU5,3 | Adjustable ring | Steel

5 YEAR

DARK LIGHT

IP20

offer



50205D | 2x50W | MR16 | GU5,3 | Aluminium

5 YEAR

DARK LIGHT

IP20

Order Code	Colour	Watts	Input	Class					Notes
10105F/MC	Brushed chrome	50W	12V	III	40cm	90mm	90mm	50	-
50205D/AL	Aluminium	2x50W	12V	III	40cm	220x110mm	130mm	20	-

10105AC | 50W | MR16 | GU5,3 | Natural aluminium

IP20



10105GL2 | 50W | MR16 | GU5,3 | Natural aluminium + glass

IP20
offer



50105AR | 50W | MR16 | GU5,3 | Natural aluminium

IP20
offer



Order Code	Colour	Watts	Input	Class					Notes
10105AC/AL	Aluminium	50W	12V	III	40cm	60mm	60mm	50	-
10105GL2/AL	Aluminium	50W	12V	III	40cm	60mm	50mm	50	-
50105AR/AL	Aluminium	50W	12V	III	40cm	70mm	75mm	50	-

10105CJ/ABS/5

10105CJ/MC/5

The Bathroom Range
Die cast

10105CJ/MC/5

10105CJ | 50W | MR16 | GU5,3 | Die cast

DARK LIGHT
IP43
offer
5 YEAR



10105CJ/ABS/5

10105CJ | 50W | MR16 | GU5,3 | Die cast

DARK LIGHT
IP43
offer
5 YEAR

Order Code	Colour	Watts	Input	Class					Notes
10105CJ/MC/5	Brushed chrome	50W	12V	III	40cm	102mm	120mm	50	-
10105CJ/ABS/5	Antique brass	50W	12V	III	40cm	102mm	120mm	50	-



50105R/MC

50105R/W

The IP44 Bathroom Range
Die cast

50105R/W

50105R | 50W | MR16 | GU5,3 | Die cast

50105R/MC

50105R | 50W | MR16 | GU5,3 | Die cast



Order Code	Colour	Watts	Input	Class					Notes
50105R/W	White	50W	12V	III	40cm	70mm	100mm	50	-
50105R/MC	Brushed chrome	50W	12V	III	40cm	70mm	100mm	50	-

The Fire Rated Dark Light

10109F | 10W | MR16 | GU10 | Fire Rated | Die cast



Order Code	Colour	Watts	Input	Class				Notes
10109F/W	White	10W	100-240V	⏚	73mm	160mm	30	-

The IP65 Dark Light Range
Aluminium

10105R2 | 10W | MR16 | GU10 | Aluminium

5 YEAR

DARK LIGHT

IP65

Complete with 0950G.

Clear glass.



10105R2P | 10W | MR16 | GU10 | Aluminium

5 YEAR

DARK LIGHT

IP65

Complete with 0950G.

Prismatic glass.



Order Code	Colour	Watts	Input	Class					Notes
10105R2/W	White	10W	100-240V	⏚	15cm	82mm	130mm	50	Clear glass
10105R2P/W	White	10W	100-240V	⏚	15cm	82mm	130mm	50	Prismatic glass

The IP65 Bathroom Range
Aluminium

50105R1/W

50105R1 | 10W | MR16 | GU10 | Aluminium

Complete with 0950GB.

5 YEAR

new

IP65

50105R1/B

50105R1/AL



Order Code	Colour	Watts	Input	Class					Notes
50105R1/W	White	10W	100-240V		15cm	68mm	120mm	50	Clear glass
50105R1/B	Black	10W	100-240V		15cm	68mm	120mm	50	Clear glass
50105R1/AL	Aluminium	10W	100-240V		15cm	68mm	120mm	50	Clear glass

The IP65 Bathroom Range
Aluminium

10105R1/W

10105R1 | 10W | MR16 | GU10 | Aluminium

5 YEAR

IP65

Complete with 0950GB.

Clear glass.



10105R1/B

10105R1 | 10W | MR16 | GU10 | Aluminium

5 YEAR

IP65

Complete with 0950GB.

Clear glass.





10105R1/AL

10105R1 | 10W | MR16 | GU10 | Aluminium

5 YEAR

IP65

Complete with 0950GB.

Clear glass.



10105R1P | 10W | MR16 | GU10 | Aluminium

5 YEAR

IP65

Complete with 0950GB.

Prismatic glass.



Order Code	Colour	Watts	Input	Class					Notes
10105R1/W	White	10W	100-240V		15cm	68mm	120mm	50	Clear glass
10105R1/B	Black	10W	100-240V		15cm	68mm	120mm	50	Clear glass
10105R1/AL	Aluminium	10W	100-240V		15cm	68mm	120mm	50	Clear glass
10105R1P/W	White	10W	100-240V		15cm	68mm	120mm	50	Prismatic glass

Trimless Gypsum

10105GT1 | 10W | MR16 | GU10 | Trimless | Gypsum

5 YEAR

IP20

Suitable for GU10 LED lamp.



10105GT2 | 10W | MR16 | GU10 | Trimless | Gypsum

5 YEAR

DARK LIGHT

IP20

Suitable for GU10 LED lamp.

50105GT1 | 10W | MR16 | GU10 | Trimless | Gypsum

5 YEAR

IP20

Suitable for GU10 LED lamp.



50105GT2 | 10W | MR16 | GU10 | Trimless | Gypsum

5 YEAR

DARK LIGHT

IP20

Suitable for GU10 LED lamp.



Order Code	Colour	Watts	Input	Class					Notes
10105GT1	White	10W	100-240V		15cm	102mm	100mm	24	-
10105GT2	White	10W	100-240V		15cm	132mm	150mm	24	-
50105GT1	White	10W	100-240V		15cm	102x102mm	100mm	24	-
50105GT2	White	10W	100-240V		15cm	122x122mm	150mm	24	-

The Trimless Chill Out Range
Aluminium

10105TR | 10W | MR16 | GU10 | Trimless | Aluminium

5 YEAR

DARK LIGHT

IP20

Complete with 0950GB.

2 Step reflector.



10105TR/W



10105TR | 10W | MR16 | GU10 | Trimless | Aluminium

5 YEAR

DARK LIGHT

IP20

Complete with 0950GB.

2 Step reflector.



10105TR/B

10105TR | 10W | MR16 | GU10 | Trimless | Aluminium

5 YEAR

DARK LIGHT

IP20

Complete with 0950GB.

2 Step reflector.



10105TR/BS

Order Code	Colour	Watts	Input	Class					Notes
10105TR/W	White	10W	100-240V	⏚	15cm	70mm	120mm	60	-
10105TR/B	Black	10W	100-240V	⏚	15cm	70mm	120mm	60	-
10105TR/BS	Brass	10W	100-240V	⏚	15cm	70mm	120mm	60	-

The Trimless Chill Out Range

Round

10105RM + 050099/W



10105RM + 050099/B

10105RM + 050099/G



10105RM + 050099/GL

10105RM + 050099/CU



10105RM + 050099/DC



10105RM + 050099/BS

10105RM + 050099/B

The Trimless Chill Out Range
Round



10105RM | 10W | MR16 | GU10 | Trimless | Die cast body + plastic reflector

Reflector must be ordered separately.

5 YEAR

DARK LIGHT

IP20

Complete with 0950GB.



050099/W White

050099/B Black

050099/G Grey

050099/BS Brass

050099/GL Gold

050099/CU Copper



050099/DC Dark chrome

Order Code	Colour	Watts	Input	Class					Notes
10105RM	White	10W	100-240V	⏚	15cm	90mm	130mm	50	-

The Trimless Chill Out Range
Square

50105RM + 050098/W

50105RM + 050098/B

50105RM + 050098/BS

50105RM + 050098/CU

50105RM + 050098/GL

The Trimless Chill Out Range
Square



50105RM | 10W | MR16 | GU10 | Trimless | Die cast body + plastic reflector

Reflector must be ordered separately.

5 YEAR

DARK LIGHT

IP20

Complete with 0950GB.



050098/W White



050098/B Black



050098/BS Brass



050098/GL Gold



050098/CU Copper

Order Code	Colour	Watts	Input	Class					Notes
50105RM	White	10W	100-240V	⏚	15cm	85x75mm	130mm	50	-