



Recessed Spots Adjustable

Pages 93 - 114

03



The Classic Adjustable MR11

11103A | 35W | MR11 | GU4 | Die cast



CE 5 YEAR

IP20

offer



Suitable for MR11 LED lamp.



11103C | 35W | MR11 | GU4 | Die cast



CE 5 YEAR

IP20

offer



Suitable for MR11 LED lamp.



Order Code	Colour	Watts	Input	Class					Notes
11103A/MC	Brushed chrome	35W	12V		40cm	57mm	35mm	100	-
11103C/C	Chrome	35W	12V		40cm	63mm	40mm	100	-

The Classic Adjustable MR16


11105 | 50W | MR16 | GU5,3 | Die cast



CE 5 YEAR

IP20

offer



Order Code	Colour	Watts	Input	Class					Notes
11105/C	Chrome	50W	12V		40cm	75mm	55mm	100	-

The Classic Adjustable GU10


11105GU | 10W | MR16 | GU10 | Die cast



11105GU/W



IP20



Complete with 0950G.



11105GU/B



offer

11105GU/C



11105GU/MC

Order Code	Colour	Watts	Input	Class					Notes
11105GU/W	White	10W	100-240V		15cm	75mm	95mm	100	-
11105GU/B	Black	10W	100-240V		15cm	75mm	95mm	100	-
11105GU/C	Chrome	10W	100-240V		15cm	75mm	95mm	100	-
11105GU/MC	Brushed chrome	10W	100-240V		15cm	75mm	95mm	100	-

one




The Lock Ring Range

Die cast

11105C | 50W | MR16 | GU5,3 | Die cast



IP20
offer




11105C/W

11105C | 50W | MR16 | GU5,3 | Die cast



IP20
offer




11105C/MC

11105C | 50W | MR16 | GU5,3 | Die cast



IP20
offer




11105C/ABS

11105C | 50W | MR16 | GU5,3 | Die cast



IP20
offer



11105C/N

Order Code	Colour	Watts	Input	Class					Notes
11105C/W	White	50W	12V		40cm	82mm	60mm	100	-
11105C/MC	Brushed chrome	50W	12V		40cm	82mm	60mm	100	-
11105C/ABS	Antique brass	50W	12V		40cm	82mm	60mm	100	-
11105C/N	Natural	50W	12V		40cm	82mm	60mm	100	-

The Lock Ring GU10 Range

Die cast




11105CGU/W

11105CGU | 10W | MR16 | GU10 | Die cast



IP20




11105CGU/G

11105CGU | 10W | MR16 | GU10 | Die cast



IP20

offer





11105CGU/MC

11105CGU | 10W | MR16 | GU10 | Die cast



IP20



Order Code	Colour	Watts	Input	Class					Notes
11105CGU/W	White	10W	100-240V		15cm	82mm	95mm	100	-
11105CGU/G	Grey	10W	100-240V		15cm	82mm	95mm	100	-
11105CGU/MC	Brushed chrome	10W	100-240V		15cm	82mm	95mm	100	-



51105/MC

51105/C

The Classic Square




51105/C

51105 | 50W | MR16 | GU5,3 | Die cast



CE 5 YEAR

IP20
offer




51105/MC

51105 | 50W | MR16 | GU5,3 | Die cast



CE 5 YEAR

IP20
offer



Order Code	Colour	Watts	Input	Class					Notes
51105/C	Chrome	50W	12V		40cm	75mm	65mm	100	-
51105/MC	Brushed chrome	50W	12V		40cm	75mm	65mm	100	-



51105GA/MC



51105GA/W



The Classic Square GU10 Halogen Lamp Included



51105GA/W

51105GA | 50W | MR16 | GU10 | Die cast




CE 5 YEAR

IP20

offer



Supplied with GU10 50W
halogen lamp.



51105GA/MC

51105GA | 50W | MR16 | GU10 | Die cast




CE 5 YEAR

IP20

offer



Supplied with GU10 50W
halogen lamp.



Order Code	Colour	Watts	Input	Class					Notes
51105GA/W	White	50W	230V		15cm	73mm	100mm	50	Supplied with GU10 lamp
51105GA/MC	Brushed chrome	50W	230V		15cm	73mm	100mm	50	Supplied with GU10 lamp

The Dual Ring Range Square




51103AB | 35W | MR11 | GU4 | Natural aluminium



CE 5 YEAR

IP20

offer





51105AB | 50W | MR16 | GU5,3 | Aluminium



CE 5 YEAR

IP20

offer



Order Code	Colour	Watts	Input	Class					Notes
51103AB/AL	Aluminium	35W	12V		40cm	60mm	60mm	50	-
51105AB/AL	Aluminium	50W	12V		40cm	80mm	75mm	50	-

The Dual Ring Range

Round



11105AL/AL

11105AC/AL





11105AL | 50W | MR16 | GU5,3 | Natural aluminium



CE 5 YEAR

IP20
offer





11105AC | 50W | MR16 | GU5,3 | Natural aluminium




CE 5 YEAR

IP20
offer



Order Code	Colour	Watts	Input	Class					Notes
11105AL/AL	Aluminium	50W	12V		40cm	68mm	70mm	50	-
11105AC/AL	Aluminium	50W	12V		40cm	75mm	60mm	50	-


The Natural Aluminium Square



51105B | 50W | MR16 | GU5,3 | Natural aluminium




IP20
offer



51205B | 2x50W | MR16 | GU5,3 | Natural aluminium



IP20
offer



Order Code	Colour	Watts	Input	Class					Notes
51105B/AL	Aluminium	50W	12V		40cm	77x77mm	70mm	50	-
51205B/AL	Aluminium	2x50W	12V		40cm	167x77mm	70mm	25	-



The Round Retro GU10 Aluminium



11105U | 10W | MR16 | GU10 | Aluminium



11105UA | 10W | MR16 | GU10 | Aluminium



11105UB | 10W | MR16 | GU10 | Aluminium



Order Code	Colour	Watts	Input	Class					Notes
11105U/W	White	10W	100-240V		15cm	72mm	120mm	50	-
11105UA/W	White	10W	100-240V		15cm	72mm	120mm	50	-
11105UB/W	White	10W	100-240V		15cm	72mm	120mm	50	-

The Dual Ring Range Aluminium



11105ABGL/W

11105ABGL | 10W | MR16 | GU10 | Aluminium



IP20



Leaf springs.



Complete with 0950G.



92mm

34mm



11105ABGL/B

11105ABGL | 10W | MR16 | GU10 | Aluminium



IP20



Leaf springs.



Complete with 0950G.



92mm

34mm



Order Code	Colour	Watts	Input	Class					Notes
11105ABGL/W	White	10W	100-240V		15cm	80mm	100mm	50	-
11105ABGL/B	Black	10W	100-240V		15cm	80mm	100mm	50	-




The Dual Ring Range Aluminium


11105ABG | 10W | MR16 | GU10 | Aluminium




IP20




11105ABG/B



11105ABG/AL



11105ABG/W




Complete with
0950GB.

51105ABG | 10W | MR16 | GU10 | Aluminium



IP20




51105ABG/B



51105ABG/AL



51105ABG/W




Complete with
0950GB.


51205ABG | 2x10W | MR16 | GU10 | Aluminium



IP20




51205ABG/B



Complete with
0950GB.



51205ABG/W



Order Code	Colour	Watts	Input	Class	⚡	⚙️ / ⚙️	⬆️ / ⬆️	📦	Notes
11105ABG/W	White	10W	100-240V	⚡	15cm	80mm	100mm	50	-
11105ABG/B	Black	10W	100-240V	⚡	15cm	80mm	100mm	50	-
11105ABG/AL	Aluminium	10W	100-240V	⚡	15cm	80mm	100mm	50	-
51105ABG/W	White	10W	100-240V	⚡	15cm	80mm	100mm	50	-
51105ABG/B	Black	10W	100-240V	⚡	15cm	80mm	100mm	50	-
51105ABG/AL	Aluminium	10W	100-240V	⚡	15cm	80mm	100mm	50	-
51205ABG/W	White	2x10W	100-240V	⚡	15cm	162x82mm	100mm	20	-
51205ABG/B	Black	2x10W	100-240V	⚡	15cm	162x82mm	100mm	20	-


The Chill Out Range



11105M | 10W | MR16 | GU10 | Aluminium body + plastic reflector




DARK LIGHT
IP20



11105M | 10W | MR16 | GU10 | Aluminium body + plastic reflector



DARK LIGHT
IP20



11105M | 10W | MR16 | GU10 | Aluminium body + plastic reflector




DARK LIGHT
IP20



Order Code	Colour	Reflector	Watts	Input	Class					Notes
11105M/W/W	White	White	10W	100-240V		15cm	72mm	120mm	50	-
11105M/W/B	White	Black	10W	100-240V		15cm	72mm	120mm	50	-
11105M/W/BS	White	Brass	10W	100-240V		15cm	72mm	120mm	50	-

The Chill Out Range



11105M/B/B

11105M | 10W | MR16 | GU10 | Aluminium body + plastic reflector



CE 5
YEAR



Complete with 0950GB.



11105M/B/BS


11105M | 10W | MR16 | GU10 | Aluminium body + plastic reflector



CE 5
YEAR



Complete with 0950GB.



11105M/B/CU


11105M | 10W | MR16 | GU10 | Aluminium body + plastic reflector



CE 5
YEAR




Complete with 0950GB.



Order Code	Colour	Reflector	Watts	Input	Class					Notes
11105M/B/B	Black	Black	10W	100-240V		15cm	72mm	120mm	50	-
11105M/B/BS	Black	Brass	10W	100-240V		15cm	72mm	120mm	50	-
11105M/B/CU	Black	Copper	10W	100-240V		15cm	72mm	120mm	50	-

The Round Clip In Range




11105A1/AL

11105A1/B


11105A1 | 10W | MR16 | GU10 | Aluminium




IP20



11105A1/B



Complete with 0950G.




11105A1/W


11105A1 | 10W | MR16 | GU10 | Aluminium




IP20



11105A1/AL



Complete with 0950G.




11105A1/BBS

11105D8 | 10W | MR16 | GU10 | Aluminium


DARK LIGHT
IP20



Complete with 0950G.





Order Code	Colour	Watts	Input	Class					Notes
11105A1/W	White	10W	100-240V		15cm	72mm	120mm	100	-
11105A1/B	Black	10W	100-240V		15cm	72mm	120mm	100	-
11105A1/AL	Aluminium	10W	100-240V		15cm	72mm	120mm	100	-
11105A1/BBS	Brushed brass	10W	100-240V		15cm	72mm	120mm	100	-
11105D8/W	White	10W	100-240V		15cm	76mm	130mm	60	-

The Dark Light Spots

Round




11105D4 | 10W | MR16 | GU10 | Aluminium



11105DT | 10W | MR16 | GU10 | Aluminium



11105TG | 10W | MR16 | GU10 | Aluminium



Order Code	Colour	Watts	Input	Class					Notes
11105D4/W	White	10W	100-240V		15cm	75mm	140mm	50	-
11105DT/W	White	10W	100-240V		15cm	95mm	140mm	50	-
11105TG/W	White	10W	100-240V		15cm	85mm	110mm	50	-

The Semi Dark Light GU10 Range


Die cast



51105N | 10W | MR16 | GU10 | Die cast




IP20



51205N | 2x10W | MR16 | GU10 | Die cast




IP20



Order Code	Colour	Watts	Input	Class					Notes
51105N/W	White	10W	100-240V		15cm	97x97mm	130mm	50	-
51205N/W	White	2x10W	100-240V		15cm	187x97mm	130mm	25	-



The Dark Light Range Metal



51105TA | 10W | MR16 | GU10 | Metal




CE 5 YEAR

DARK
LIGHT
IP20



Complete with 0950G.



51105TA | 10W | MR16 | GU10 | Metal




CE 5 YEAR

DARK
LIGHT
IP20



Complete with 0950G.



Order Code	Colour	Watts	Input	Class					Notes
51105TA/W	White	10W	100-240V		15cm	80x80mm	150mm	36	-
51105TA/B	Black	10W	100-240V		15cm	80x80mm	150mm	36	-

The Square MR16




51105TG | 10W | MR16 | GU10 | Die cast




CE 5 YEAR

DARK LIGHT
IP20



Complete with 0950G.



51105B1 | 10W | MR16 | GU10 | Aluminium




CE 5 YEAR

IP20
offer



Complete with 0950G.




51105D | 50W | MR16 | GU5,3 | Die cast



CE 5 YEAR

DARK LIGHT
IP20
offer



Order Code	Colour	Watts	Input	Class					Notes
51105TG/W	White	10W	100-240V		15cm	80x80mm	110mm	50	-
51105B1/AL	Aluminium	10W	100-240V		15cm	72mm	120mm	50	-
51105D/G	Grey	50W	12V		40cm	80x80mm	85mm	50	-





The Fire Rated GU10 Range



11109FA | 10W | MR16 | GU10 | Fire Rated | Die cast





DARK LIGHT
IP20



11105F | 10W | MR16 | GU10 | Fire Rated | Trimless | Die cast



DARK LIGHT
IP20




Order Code	Colour	Watts	Input	Class				Notes
11109FA/W	White	10W	100-240V	⊙	85mm	160mm	30	-
11105F/W	White	10W	100-240V	⊙	85mm	170mm	30	-



11105TR | 10W | MR16 | GU10 | Trimless | Die cast





DARK
LIGHT
IP20



11105TR | 10W | MR16 | GU10 | Trimless | Die cast




DARK
LIGHT
IP20



11105UTR | 10W | MR16 | GU10 | Trimless | Die cast




DARK
LIGHT
IP20



11105DTR | 10W | MR16 | GU10 | Trimless | Aluminium




DARK
LIGHT
IP20



Order Code	Colour	Watts	Input	Class					Notes
11105TR/W	White	10W	100-240V		15cm	84mm	120mm	50	-
11105TR/B	Black	10W	100-240V		15cm	84mm	120mm	50	-
11105UTR/W	White	10W	100-240V		20cm	105mm	120mm	20	-
11105DTR/W	White	10W	100-240V		15cm	90mm	120mm	36	-




The Trimless GU10 Range Square



51010TR | 10W | MR16 | GU10 | Trimless | Die cast



IP20



Order Code	Colour	Watts	Input	Class				Notes
51010TR/W	White	10W	100-240V		97,5x97,5mm	150mm	16	-