

NEW
PRODUCTS
2023

EDITION 4


10103FA | 3W | SMD 2835 | Die cast

CCT Variable.



10103FA/W/V


new
IP20



10103FA/B/V




CCT Variable
3000K / 4000K / 5700K



Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Beam Angle	Input	Class				Notes
10103FA/W/V	White	CCT V	3000K / 4000K / 5700K	3W	240lm	120°	230V		70mm	50mm	30	Complete with 300mA driver
10103FA/B/V	Black	CCT V	3000K / 4000K / 5700K	3W	240lm	120°	230V		70mm	50mm	30	Complete with 300mA driver

10108FA | 8W | SMD 2835 | Die cast

CCT Variable.



10108FA/W/V


new
IP20



10108FA/B/V




CCT Variable
3000K / 4000K / 5700K



Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Beam Angle	Input	Class				Notes
10108FA/W/V	White	CCT V	3000K / 4000K / 5700K	8W	640lm	120°	230V		108mm	50mm	20	Complete with 200mA driver
10108FA/B/V	Black	CCT V	3000K / 4000K / 5700K	8W	640lm	120°	230V		108mm	50mm	20	Complete with 200mA driver

10112FA | 12W | SMD 2835 | Die cast

CCT Variable.



10112FA/W/V


new
IP20



10112FA/B/V



CCT Variable
3000K / 4000K / 5700K



Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Beam Angle	Input	Class				Notes
10112FA/W/V	White	CCT V	3000K / 4000K / 5700K	12W	1200lm	120°	230V		155mm	50mm	20	Complete with 300mA driver
10112FA/B/V	Black	CCT V	3000K / 4000K / 5700K	12W	1200lm	120°	230V		155mm	50mm	20	Complete with 300mA driver


10118FA | 18W | SMD 2835 | Die cast

CCT Variable.




10118FA/W/V


new
IP20



10118FA/B/V



CCT Variable
3000K / 4000K / 5700K



Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Beam Angle	Input	Class				Notes
10118FA/W/V	White	CCT V	3000K / 4000K / 5700K	18W	1800lm	120°	230V		210mm	50mm	16	Complete with 450mA driver
10118FA/B/V	Black	CCT V	3000K / 4000K / 5700K	18W	1800lm	120°	230V		210mm	50mm	16	Complete with 450mA driver

10130FA | 30W | SMD 2835 | Die cast

CCT Variable.




10130FA/W/V


new
IP20




10130FA/B/V



CCT Variable
3000K / 4000K / 5700K




Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Beam Angle	Input	Class				Notes
10130FA/W/V	White	CCT V	3000K / 4000K / 5700K	30W	3300lm	120°	230V		285mm	50mm	12	Complete with 800mA driver
10130FA/B/V	Black	CCT V	3000K / 4000K / 5700K	30W	3300lm	120°	230V		285mm	50mm	12	Complete with 800mA driver




50116FA | 16W | SMD 2835 | Die cast

CCT Variable.


new
IP20



CCT Variable
3000K / 4000K / 5700K




Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Beam Angle	Input	Class				Notes
50116FA/W/V	White	CCT V	3000K / 4000K / 5700K	16W	1600lm	120°	230V					Complete with 400mA driver




50122FA | 22W | SMD 2835 | Die cast

CCT Variable.


new
IP20



CCT Variable
3000K / 4000K / 5700K




Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Beam Angle	Input	Class				Notes
50122FA/W/V	White	CCT V	3000K / 4000K / 5700K	22W	2200lm	120°	230V					Complete with 550mA driver




50130FA | 30W | SMD 2835 | Die cast

CCT Variable.


new
IP20



CCT Variable
3000K / 4000K / 5700K



Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Beam Angle	Input	Class				Notes
50130FA/W/V	White	CCT V	3000K / 4000K / 5700K	30W	3000lm	120°	230V					Complete with 800mA driver



50140BAU | 40W | SMD 2835 | 620x620mm | Aluminium + Steel


Backlit | CCT Variable.

new
IP20




Optional recessed kit (4pcs).
Order code 050108.

Optional DALI & Push to DIM driver.
Order code 89040L.



Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Input	Class				Notes
50140BAU/W/V	White	CCT V	3000K / 4000K / 6000K	40W	3600lm / 4000lm / 3800lm	230V					Complete with 1000mA driver



7829A | 9,6W/m | SMD 2835 | 70LEDs/m


3M Double face adhesive.

new
IP20

LED BUILT IN 90 CRI DIMMABLE
CE 5 YEAR



Order Code	Light Colour	CCT (K)	Watts	Lumen (lm)	Input	Class	Box	Notes
7829A/C	Cool white	4000K	9,6W/m	970lm/m	24V DC	III	40	Requires 24V DC driver
7829A/W	Warm white	3000K	9,6W/m	864lm/m	24V DC	III	40	Requires 24V DC driver
7829A/EW	Extra warm white	2700K	9,6W/m	768lm/m	24V DC	III	40	Requires 24V DC driver




7872 | 12W/m | COB LED | 480LEDs/m | Silicone

Supplied in 50m roll with 3M double face adhesive.

new
IP66

LED BUILT IN 90 CRI DIMMABLE TRIAC
CE 3 YEAR



Order Code	Light Colour	CCT (K)	Watts	Lumen (lm)	Beam Angle	Input	Class	Box	Notes
7872/C	Cool white	4000K	12W/m	840lm/m	140°	230V	II	100cm 50m roll	Supplied with power supply EU plug
7872/W	Warm white	3000K	12W/m	780lm/m	140°	230V	II	100cm 50m roll	Supplied with power supply EU plug





7841A | 10W/m | SMD 2835 | 180LEDs/m | Silicone

Supplied in 5m roll.

new
IP66

LED BUILT IN 90 CRI DIMMABLE
CE 3 YEAR



Order Code	Light Colour	CCT (K)	Watts	Lumen (lm)	Input	Class	Box	Notes
7841A/C	Cool white	4000K	10W/m	280lm/m	24V DC	III	40	Requires 24V DC driver
7841A/W	Warm white	3000K	10W/m	280lm/m	24V DC	III	40	Requires 24V DC driver





7841B | 12W/m | SMD 2835 | 140LEDs/m | Silicone

Supplied in 5m roll.

new
IP66

LED BUILT IN 90 CRI DIMMABLE
CE 3 YEAR






Order Code	Light Colour	CCT (K)	Watts	Lumen (lm)	Input	Class	Box	Notes
7841B/C	Cool white	4000K	12W/m	600lm/m	24V DC	III	10	Requires 24V DC driver
7841B/W	Warm white	3000K	12W/m	550lm/m	24V DC	III	10	Requires 24V DC driver

65108AT | 9W | COB LED | Aluminium



new
DARK LIGHT
IP20




Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Beam Angle	Input	Class		Notes
65108AT/W/W	White	Warm white	3000K	9W	750lm	36°	230V		30	Complete with 200mA driver
65108AT/B/W	Black	Warm white	3000K	9W	750lm	36°	230V		30	Complete with 200mA driver

65650BT | 20W | COB LED | Adjustable beam 20°- 60° | Aluminium



new
IP20




Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Beam Angle	Input	Class		Notes
65650BT/W/C	White	Cool white	4000K	20W	2000lm	20°- 60°	230V		15	Complete with 500mA driver
65650BT/W/W	White	Warm white	3000K	20W	2000lm	20°- 60°	230V		15	Complete with 500mA driver
65650BT/B/C	Black	Cool white	4000K	20W	2000lm	20°- 60°	230V		15	Complete with 500mA driver
65650BT/B/W	Black	Warm white	3000K	20W	2000lm	20°- 60°	230V		15	Complete with 500mA driver

65650CT | 30W | COB LED | Adjustable beam 20°- 60° | Aluminium



new
IP20



Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Beam Angle	Input	Class		Notes
65650CT/W/C	White	Cool white	4000K	30W	3000lm	20°- 60°	230V		15	Complete with 700mA driver
65650CT/W/W	White	Warm white	3000K	30W	3000lm	20°- 60°	230V		15	Complete with 700mA driver
65650CT/B/C	Black	Cool white	4000K	30W	3000lm	20°- 60°	230V		15	Complete with 700mA driver
65650CT/B/W	Black	Warm white	3000K	30W	3000lm	20°- 60°	230V		15	Complete with 700mA driver



65028AT/W/V

65028AT | 24W | LED | Linear track light | Aluminium + PC

CCT Variable.



new
IP20



65028AT/B/V



Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Beam Angle	Input	Class		Notes
65028AT/W/V	White	CCT V	3000K / 4200K / 6500K	24W	2400lm	90°	230V		20	Complete with 600mA driver
65028AT/B/V	Black	CCT V	3000K / 4200K / 6500K	24W	2400lm	90°	230V		20	Complete with 600mA driver



65028BT/W/V

65028BT | 36W | LED | Linear track light | Aluminium + PC

CCT Variable.



new
IP20



65028BT/B/V



Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Beam Angle	Input	Class		Notes
65028BT/W/V	White	CCT V	3000K / 4200K / 6500K	36W	3600lm	90°	230V		15	Complete with 800mA driver
65028BT/B/V	Black	CCT V	3000K / 4200K / 6500K	36W	3600lm	90°	230V		15	Complete with 800mA driver



65028CT/W/V

65028CT | 48W | LED | Linear track light | Aluminium + PC

CCT Variable.




new
IP20



65028CT/B/V





Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Beam Angle	Input	Class		Notes
65028CT/W/V	White	CCT V	3000K / 4200K / 6500K	48W	4800lm	90°	230V		12	Complete with 800mA driver
65028CT/B/V	Black	CCT V	3000K / 4200K / 6500K	48W	4800lm	90°	230V		12	Complete with 800mA driver




65172AT | 30W | SMD 2835 | Linear track light | Aluminium

CCT Variable.






Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Beam Angle	Input	Class	Box	Notes
65172AT/W/V	White	CCT V	2700K / 3200K / 4000K	30W	3600lm (w/o honeycomb)	120°	230V	□	12	Complete with 750mA driver
65172AT/B/V	Black	CCT V	2700K / 3200K / 4000K	30W	3600lm (w/o honeycomb)	120°	230V	□	12	Complete with 750mA driver




65172BT | 40W | SMD 2835 | Linear track light | Aluminium

CCT Variable.



Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Beam Angle	Input	Class	Box	Notes
65172BT/W/V	White	CCT V	2700K / 3200K / 4000K	40W	4800lm (w/o honeycomb)	120°	230V	□	6	Complete with 950mA driver
65172BT/B/V	Black	CCT V	2700K / 3200K / 4000K	40W	4800lm (w/o honeycomb)	120°	230V	□	6	Complete with 950mA driver





42001A | MINI | 48V | 1m Magnetic profile | ON/OFF / DALI | Aluminium

Max 10m/driver | Max 400W/circuit.



new



Order Code	Colour	Input	Class		Notes
42001A/B	Black	48V		1	-




42002A | MINI | 48V | 2m Magnetic profile | ON/OFF / DALI | Aluminium

Max 10m/driver | Max 400W/circuit.



new




Order Code	Colour	Input	Class		Notes
42002A/B	Black	48V		1	-




42012AA | Corner for 42001A & 42002A | Aluminium



new




Order Code	Colour		Notes
42012AA/B	Black	1	Complete with 2pcs mechanical connector




42012BA | Corner wall to wall (IN) for 42001A & 42002A | Aluminium



new



Order Code	Colour		Notes
42012BA/B	Black	1	Complete with 2pcs mechanical connector





42001B | MIDI | 48V | 1m Magnetic profile | ON/OFF / DALI | Aluminium


Max 10m/driver | Max 400W/circuit.



new



Order Code	Colour	Input	Class		Notes
42001B/B	Black	48V	III	1	-




42002B | MIDI | 48V | 2m Magnetic profile | ON/OFF / DALI | Aluminium

Max 10m/driver | Max 400W/circuit.



new




Order Code	Colour	Input	Class		Notes
42002B/B	Black	48V	III	1	-




42012AB | Corner for 42001B & 42002B | Aluminium



new




Order Code	Colour			Notes
42012AB/B	Black		1	Complete with 2pcs mechanical connector



42012BB | Corner wall to wall (IN) for 42001B & 42002B | Aluminium



new



Order Code	Colour			Notes
42012BB/B	Black		1	Complete with 2pcs mechanical connector



42001RB | MIDI | 48V | 1m Recessed magnetic profile | ON/OFF / DALI | Aluminium

Max 10m/driver | Max 400W/circuit.



new




Complete with 4pcs fixing clips and 1 set mechanical connector.



Complete with 2pcs end caps.



Complete with cover.



Order Code	Colour	Input	Class				Notes
42001RB/B	Black	48V		35x1000mm	100mm	1	-




42002RB | MIDI | 48V | 2m Recessed magnetic profile | ON/OFF / DALI | Aluminium

Max 10m/driver | Max 400W/circuit.



new




Complete with 6pcs fixing clips and 1 set mechanical connector.




Complete with 2pcs end caps.



Complete with cover.




Order Code	Colour	Input	Class				Notes
42002RB/B	Black	48V		35x2000mm	100mm	1	-




42012ARB | Recessed corner for 42001RB & 42002RB | Aluminium



new




Order Code	Colour				Notes
42012ARB/B	Black	105x35x65mm / L Shaped	100mm	1	Complete with 2pcs mechanical connector



42012BRB | Recessed corner wall to wall (IN) for 42001RB & 42002RB | Aluminium




new



Order Code	Colour				Notes
42012BRB/B	Black	35x55mm (x2)	100mm	1	Complete with 2pcs mechanical connector

42032A | Mechanical connector for 42001A, 42002A, 42001B, 42002B, 42001RB & 42002RB



new

Order Code



Notes

42032A

1

-

42022A | End caps for 42001A & 42002A



new

Order Code

Colour



Notes

42022A/B

Black

1

Set of 2 pcs

42022B | End caps for 42001B, 42002B, 42001RB & 42002RB



new

Order Code

Colour




Notes

42022B/B

Black

1

Set of 2 pcs



42100AA | 8W | SMD 2835 | Linear light | Aluminium + PC

MINI | MIDI




new
IP20

Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Beam Angle	Input	Class		Notes
42100AA/B/W	Black	Warm white	3000K	8W	640lm	120°	48V	III	50	-




42100BA | 16W | SMD 2835 | Linear light | Aluminium + PC

MINI | MIDI




new
IP20

Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Beam Angle	Input	Class		Notes
42100BA/B/W	Black	Warm white	3000K	16W	1280lm	120°	48V	III	40	-




42100EA | 16W | SMD 2835 | Corner light | Aluminium + PC

MINI | MIDI



new
IP20



Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Beam Angle	Input	Class		Notes
42100EA/B/W	Black	Warm white	3000K	16W	1280lm	120°	48V	III	12	-



42100EL | 25W | SMD 2835 | Corner light | DALI | Aluminium + PC

MAXI

new
IP20





Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Beam Angle	Input	Class		Notes
42100EL/B/W	Black	Warm white	3000K	25W	2000lm	120°	48V		12	-



42108L | 6W | COB LED | DALI | Aluminium

MINI | MIDI | MAXI

new
IP20






Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Beam Angle	Input	Class		Notes
42108L/B/W	Black	Warm white	3000K	6W	480lm	38°	48V		30	-



42132L | 7W | COB LED | DALI | Aluminium

MINI | MIDI | MAXI

new
DARK LIGHT
IP20





Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Beam Angle	Input	Class		Notes
42132L/B/W	Black	Warm white	3000K	7W	490lm	10° / 38°	48V		30	-




42108AL | 2x6W | COB LED | DALI | Aluminium

MINI | MIDI | MAXI

new
IP20



Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Beam Angle	Input	Class		Notes
42108AL/B/W	Black	Warm white	3000K	2x6W	960lm	38°	48V		20	-




42112AA | 12W | SMD 3030 | Linear spots | Aluminium

MINI | MIDI



new
IP20

Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Beam Angle	Input	Class	Icon	Notes
42112AA/B/W	Black	Warm white	3000K	12W	960lm	50°	48V	III	40	-



42112BA | 18W | SMD 3030 | Linear spots | Aluminium

MINI | MIDI




new
IP20

Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Beam Angle	Input	Class	Icon	Notes
42112BA/B/W	Black	Warm white	3000K	18W	1440lm	50°	48V	III	20	-



42122A | 3W | SMD 3535 | Aluminium

MINI



new
IP20



Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Beam Angle	Input	Class	Icon	Notes
42122A/B/W	Black	Warm white	3000K	3W	240lm	38°	48V	III	30	-




42124AA | 10W | SMD 3030 | Linear Spots | Adjustable | Aluminium

MINI | MIDI

new
IP20





Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Beam Angle	Input	Class	Notes
42124AA/B/W	Black	Warm white	3000K	10W	800lm	38°	48V	III	-



42124BA | 20W | SMD 3030 | Linear Spots | Adjustable | Aluminium

MINI | MIDI

new
IP20




Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Beam Angle	Input	Class	Notes
42124BA/B/W	Black	Warm white	3000K	20W	1600lm	38°	48V	III	-



42126AA | 5W | LED | Aluminium

MINI | MIDI | MAXI

new
DARK LIGHT
IP20




Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Beam Angle	Input	Class	Notes
42126AA/B/W	Black/Brass	Warm white	3000K	5W	350lm	38°	48V	III	-



42126BA | 12W | LED | Aluminium

MINI | MIDI | MAXI

new
DARK LIGHT
IP20



Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Beam Angle	Input	Class	Notes
42126BA/B/W	Black/Brass	Warm white	3000K	12W	840lm	38°	48V	III	-



42128A | 2x2W | SMD 3030 | Linear spots | Aluminium

MINI | MIDI

LED BUILT IN
 90 CRI
 CE
 3 YEAR



new
IP20

Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Beam Angle	Input	Class		Notes
42128A/B/W	Black	Warm white	3000K	2x2W	200lm	36°	48V		50	-



42128B | 3x2W | SMD 3030 | Linear spots | Aluminium

MINI | MIDI

LED BUILT IN
 90 CRI
 CE
 3 YEAR



new
IP20

Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Beam Angle	Input	Class		Notes
42128B/B/W	Black	Warm white	3000K	3x2W	300lm	36°	48V		50	-



42128C | 5x2W | SMD 3030 | Linear spots | Aluminium


MINI | MIDI

LED BUILT IN
 90 CRI
 CE
 3 YEAR



new
IP20

Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Beam Angle	Input	Class		Notes
42128C/B/W	Black	Warm white	3000K	5x2W	500lm	36°	48V		30	-




38225M | 25W | SMD 2835 | Aluminium + Plastic

CCT Variable.


80 CRI

2 YEAR



new
IP20

Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Beam Angle	Input	Class		Notes
38225M/W/V	White	CCT V	3000K / 4000K / 6500K	25W	2250lm	120°	230V		8	Complete with driver




38248M | 48W | SMD 2835 | Aluminium + Plastic

CCT Variable.


80 CRI

2 YEAR



new
IP20

Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Beam Angle	Input	Class		Notes
38248M/W/V	White	CCT V	3000K / 4000K / 6500K	48W	4320lm	120°	230V		6	Complete with driver




38250M | 50W | SMD 2835 | Aluminium + Plastic

CCT Variable.

80 CRI

2 YEAR



new
IP20


Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Beam Angle	Input	Class		Notes
38250M/W/V	White	CCT V	3000K / 4000K / 6500K	50W	4500lm	120°	230V		6	Complete with driver



61108 | 5,5W | SMD LED | Dimmable | Aluminium

CCT Variable.

new
IP20




Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Input	Class	Box	Notes
61108/W/V	White	CCT V	3000K / 4000K / 6500K	5,5W	300lm	230V / 12V	□	8	With EU plug
61108/B/V	Black	CCT V	3000K / 4000K / 6500K	5,5W	300lm	230V / 12V	□	8	With EU plug



61110 | 5W | SMD LED | Dimmable | ABS

new
IP20



Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Input	Class	Box	Notes
61110/W/W	White	Warm white	3000K	5W	200lm	230V / 12V	□	12	With EU plug
61110/B/W	Black	Warm white	3000K	5W	200lm	230V / 12V	□	12	With EU plug





12112A | 10W+2W | COB LED | Aluminium

Downlight + Uplight.

new
DARK LIGHT
IP20

90 CRI
LED BUILT IN
3 YEAR



Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Beam Angle	Input	Class		Notes
12112A/W/W	White	Warm white	3000K	10W+2W	1000lm	60°	230V		40	Complete with 300mA driver
12112A/B/W	Black	Warm white	3000K	10W+2W	1000lm	60°	230V		40	Complete with 300mA driver





12120A | 18W+2W | COB LED | Aluminium

Downlight + Uplight.

new
DARK LIGHT
IP20

90 CRI
LED BUILT IN
3 YEAR



Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Beam Angle	Input	Class		Notes
12120A/W/W	White	Warm white	3000K	18W+2W	1800lm	60°	230V		30	Complete with 500mA driver
12120A/B/W	Black	Warm white	3000K	18W+2W	1800lm	60°	230V		30	Complete with 500mA driver





12128A | 26W+2W | COB LED | Aluminium

Downlight + Uplight.

new
DARK LIGHT
IP20

90 CRI
LED BUILT IN
3 YEAR



Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Beam Angle	Input	Class		Notes
12128A/W/W	White	Warm white	3000K	26W+2W	2600lm	60°	230V		20	Complete with 700mA driver
12128A/B/W	Black	Warm white	3000K	26W+2W	2600lm	60°	230V		20	Complete with 700mA driver

62130N | 20W | SMD 2835 | Aluminium

CCT Variable.




62130N/W/V

new
IP20



62130N/AN/V



Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Beam Angle	Input	Class		Notes
62130N/W/V	White	CCT V	2700K / 3000K / 4000K	20W	1700lm	120°	230V		1	Complete with 500mA driver
62130N/AN/V	Anthracite	CCT V	2700K / 3000K / 4000K	20W	1700lm	120°	230V		1	Complete with 500mA driver


62132N | 32W | SMD 2835 | Aluminium

CCT Variable.



62132N/W/V

new
IP20



62132N/AN/V



Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Beam Angle	Input	Class		Notes
62132N/W/V	White	CCT V	2700K / 3000K / 4000K	32W	2720lm	120°	230V		1	Complete with 800mA driver
62132N/AN/V	Anthracite	CCT V	2700K / 3000K / 4000K	32W	2720lm	120°	230V		1	Complete with 800mA driver




61082B/W/W

61082B | 3,5W | SMD LED | Touch switch | Dimmable | Aluminium

Rechargeable USB socket.

new
IP54



61082B/B/W



Charging time: 3Hrs
Working time: 3-3.5Hrs



Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Class	Box	Notes
61082B/W/W	White	Warm white	3000K	3,5W	200lm	III	12	1800mAh lithium battery
61082B/B/W	Black	Warm white	3000K	3,5W	200lm	III	12	1800mAh lithium battery




61106/W/W

61106 | 2W | SMD LED | Touch switch | Dimmable | Aluminium

Rechargeable USB socket.

new
IP44



61106/B/W



Charging time: 4 Hrs
Working time: 5 Hrs



Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Class	Box	Notes
61106/W/W	White	Warm white	3000K	2W	200lm	III	12	2200mAh lithium battery
61106/B/W	Black	Warm white	3000K	2W	200lm	III	12	2200mAh lithium battery



62142NB/W/V


62142NB | 42W | SMD 2835 | Aluminium

CCT Variable.

new
IP20




62142NB/AN/V



Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Input	Class	Box	Notes
62142NB/W/V	White	CCT V	2700K / 3000K / 4000K	42W	3570lm	230V	II	1	Complete with 1050mA driver
62142NB/AN/V	Anthracite	CCT V	2700K / 3000K / 4000K	42W	3570lm	230V	II	1	Complete with 1050mA driver


65147 | 6W + 4W Uplight | SMD 2835 | Aluminium + acrylic | Left

With 2X ON/OFF switches.




65147/W/W

new
IP20



65147/B/W



Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Input	Class		Notes
65147/W/W	White	Warm white	3000K	6W + 4W	500lm + 340lm	230V		12	Complete with 2x 300mA drivers
65147/B/W	Black	Warm white	3000K	6W + 4W	500lm + 340lm	230V		12	Complete with 2x 300mA drivers


65147A | 6W + 4W Uplight | SMD 2835 | Aluminium + acrylic | Right

With 2X ON/OFF switches.




65147A/W/W

new
IP20



65147A/B/W



Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Input	Class		Notes
65147A/W/W	White	Warm white	3000K	6W + 4W	500lm + 340lm	230V		12	Complete with 2x 300mA drivers
65147A/B/W	Black	Warm white	3000K	6W + 4W	500lm + 340lm	230V		12	Complete with 2x 300mA drivers




38114R | 14W | SMD 2835 | Aluminium + acrylic



80 CRI CE 2 YEAR

new
IP44



Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Input	Class		Notes
38114R/W/W	White	Warm white	3000K	14W	1000lm	230V	⚡	10	Complete with 600mA driver




38120R | 20W | SMD 2835 | Aluminium + acrylic




80 CRI CE 2 YEAR

new
IP44



Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Input	Class		Notes
38120R/W/W	White	Warm white	3000K	20W	1400lm	230V	⚡	6	Complete with 600mA driver




38120D | 20W | SMD 2835 | Aluminium + acrylic



80 CRI CE 2 YEAR

new
IP44



Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Input	Class		Notes
38120D/W/W	White	Warm white	3000K	20W	1600lm	230V	⚡	6	Complete with 600mA driver

38108N | 8W | SMD 2835 | Aluminium + PC



38108N/W/W

new
IP44



38108N/B/W



Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Input	Class		Notes
38108N/W/W	White	Warm white	3000K	8W	700lm	230V		12	Complete with 300mA driver
38108N/B/W	Black	Warm white	3000K	8W	700lm	230V		12	Complete with 300mA driver

38114N | 14W | SMD 2835 | Aluminium + PC



38114N/W/W

new
IP44



38114N/B/W



Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Input	Class		Notes
38114N/W/W	White	Warm white	3000K	14W	1200lm	230V		6	Complete with 300mA driver
38114N/B/W	Black	Warm white	3000K	14W	1200lm	230V		6	Complete with 300mA driver

38114T | 14W | SMD 2835 | Aluminium + acrylic



38114T/W/W

new
IP44



38114T/B/W




Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Input	Class		Notes
38114T/W/W	White	Warm white	3000K	14W	1200lm	230V		6	Complete with 300mA driver
38114T/B/W	Black	Warm white	3000K	14W	1200lm	230V		6	Complete with 300mA driver

38112C | 12W | SMD 2835 | Aluminium + acrylic



38112C/W/W

new
IP44



38112C/B/W




Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Input	Class		Notes
38112C/W/W	White	Warm white	3000K	12W	1000lm	230V		10	Complete with 600mA driver
38112C/B/W	Black	Warm white	3000K	12W	1000lm	230V		10	Complete with 600mA driver

38118C | 18W | SMD 2835 | Aluminium + acrylic



38118C/W/W


new
IP44



38118C/B/W




Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Input	Class		Notes
38118C/W/W	White	Warm white	3000K	18W	1500lm	230V		6	Complete with 600mA driver
38118C/B/W	Black	Warm white	3000K	18W	1500lm	230V		6	Complete with 600mA driver



69070A | 3,5W | COB LED | Stainless steel 316L + Die cast aluminium body

new
DARK LIGHT
IP67

LED BUILT IN
80 CRI
IK¹⁰
CE
2 YEAR




Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Beam Angle	Input	Class					Notes
69070A/W	Stainless steel	Warm white	3000K	3,5W	300lm	20°	230V		200cm	100mm	120mm + 300mm drainage	20	Complete with driver



69070B | 10W | COB LED | Stainless steel 316L + Die cast aluminium body

new
DARK LIGHT
IP67

LED BUILT IN
80 CRI
IK¹⁰
CE
2 YEAR




Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Beam Angle	Input	Class					Notes
69070B/W	Stainless steel	Warm white	3000K	10W	800lm	20°	230V		200cm	137mm	140mm + 300mm drainage	20	Complete with driver



69070C | 15W | COB LED | Stainless steel 316L + Die cast aluminium body

new
DARK LIGHT
IP67

LED BUILT IN
80 CRI
IK¹⁰
CE
2 YEAR




Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Beam Angle	Input	Class					Notes
69070C/W	Stainless steel	Warm white	3000K	15W	1200lm	20°	230V		200cm	165mm	155mm + 300mm drainage	12	Complete with driver



69072 | 3W | COB LED | Stainless steel 316L + Die cast aluminium body | Tiltable beam

new
IP67




Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Beam Angle	Input	Class					Notes
69072/W	Stainless steel	Warm white	3000K	3W	210lm	5°	230V		200cm	90mm	135mm + 300mm drainage	20	Complete with driver




69074A | 3x1,5W | COB LED | Stainless steel 316L + Die cast aluminium body | Tiltable beam

new
DARK LIGHT
IP67




Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Beam Angle	Input	Class					Notes
69074A/W	Stainless steel	Warm white	3000K	3x1,5W	320lm	36°	230V		200cm	140mm	185mm + 300mm drainage	12	Complete with driver




69074B | 9x1,5W | COB LED | Stainless steel 316L + Die cast aluminium body | Tiltable beam

new
DARK LIGHT
IP67




Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Beam Angle	Input	Class					Notes
69074B/W	Stainless steel	Warm white	3000K	9x1,5W	1000lm	36°	230V		200cm	170mm	210mm + 300mm drainage	6	Complete with driver



69074C | 12x1,5W | COB LED | Stainless steel 316L + Die cast aluminium body | Tiltable beam

new
DARK LIGHT
IP67



Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Beam Angle	Input	Class					Notes
69074C/W	Stainless steel	Warm white	3000K	12x1,5W	1250lm	36°	230V		200cm	200mm	270mm + 300mm drainage	4	Complete with driver




67198G | 10W | MR16 | GU10 | Aluminium




ADJUSTABLE CE 2 YEAR

new
IP65



Supplied with spike.





Order Code	Colour	Watts	Input	Class			Notes
67198G/BR	Brown	10W	100-240V		150cm	12	-



63100N | 60W / 80W / 100W | SMD 2835 | Aluminium + PC

CCT Variable and power adjustable.

new
IP65




Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Beam Angle	Input	Class	⏸	📦	Notes
63100N/V	Black	CCT V	4000K / 4700K / 5700K	60W / 80W / 100W	15000lm (100W)	90°	230V	⏸	150cm	1	Complete with driver



63150N | 90W / 120W / 150W | SMD 2835 | Aluminium + PC

CCT Variable and power adjustable.

new
IP65




Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Beam Angle	Input	Class	⏸	📦	Notes
63150N/V	Black	CCT V	4000K / 4700K / 5700K	90W / 120W / 150W	22500lm (150W)	90°	230V	⏸	150cm	1	Complete with driver



63200N | 120W / 160W / 200W | SMD 2835 | Aluminium + PC

CCT Variable and power adjustable.

new
IP65





Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Beam Angle	Input	Class	⏸	📦	Notes
63200N/V	Black	CCT V	4000K / 4700K / 5700K	120W / 160W / 200W	30000lm (200W)	90°	230V	⏸	150cm	1	Complete with driver



63150NL | 150W | SMD 2835 | DALI | Aluminium + PC

new
IP65





Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Beam Angle	Input	Class			Notes
63150NL/C	Black	Cool white	4000K	150W	22500lm	90°	230V		150cm	1	Complete with DALI 2 driver



63240NL | 240W | SMD 2835 | DALI | Aluminium + PC

new
IP65



Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Beam Angle	Input	Class			Notes
63240NL/C	Black	Cool white	4000K	240W	36000lm	90°	230V		150cm	1	Complete with DALI 2 driver


Emergency Lights

one



89002B | 1,5W | LED | Emergency 3Hrs Non-Maintained | Plastic

Self-test.




new
IP20

Order Code	Colour	Watts	Lumen (lm)	Beam Angle	Input	Class				Notes
89002B	White	1,5W	150lm	125°	230V		35mm	120mm	20	Supplied with battery



89002C | 3W | LED | Emergency 3Hrs Non-Maintained | Plastic

Self-test.




new
IP20

Order Code	Colour	Watts	Lumen (lm)	Beam Angle	Input	Class				Notes
89002C	White	3W	300lm	155°	230V		45mm	130mm	20	Supplied with battery



89412 | 3W | LED | Emergency 3Hrs Non-Maintained | Plastic

Self-test.



new
IP20


Order Code	Colour	Watts	Lumen (lm)	Beam Angle	Input	Class			Notes
89412/W	White	3W	300lm	155°	230V			20	Supplied with battery



89008AT | 6-8W | 700mA | TRIAC | Dimmable



new
IP20




Order Code	Input	Power	Output	Class	Dimmable		Notes
89008AT	230V	6-8W	700mA		YES	100	Use TRIAC dimmer



89100VLT | 20-100W | 24V DC | TRIAC | Dimmable



new
IP20




Order Code	Input	Power	Output	Class	Dimmable		Notes
89100VLT	230V	20-100W	24V DC		YES	20	Use TRIAC dimmer



7306CG | 6W | COB LED | MR16 | GU10

LED
CE
85 CRI
3 YEAR



new



Order Code	Lampholder	Light Colour	CCT (K)	Watts	Lumen (lm)	Beam Angle	Input	Dimmable	
7306CG/W/24	GU10	Warm white	3000K	6W	500lm	24°	230V	NO	100



9009L | 9W | SMD 2835 | T8 | Glass

CCT Variable.

LED
CE
80 CRI
2 YEAR
CCT V



new


Order Code	Lampholder	Light Colour	CCT (K)	Watts	Lumen (lm)	Beam Angle	Input	Dimmable	
9009L/V	G13	CCT V	3000K-4000K-6500K	9W	1000lm	240°	230V	NO	25



9018L | 18W | SMD 2835 | T8 | Glass

CCT Variable.

LED
CE
80 CRI
2 YEAR
CCT V



new


Order Code	Lampholder	Light Colour	CCT (K)	Watts	Lumen (lm)	Beam Angle	Input	Dimmable	
9018L/V	G13	CCT V	3000K-4000K-6500K	18W	2000lm	240°	230V	NO	12



9022L | 24W | SMD 2835 | T8 | Glass

CCT Variable.

LED
CE
80 CRI
2 YEAR
CCT V



new

Order Code	Lampholder	Light Colour	CCT (K)	Watts	Lumen (lm)	Beam Angle	Input	Dimmable	
9022L/V	G13	CCT V	3000K-4000K-6500K	24W	2650lm	240°	230V	NO	12




70044 | 0,5W | LED | Sensor

3xAAA Batteries included.



2
YEAR

new




Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Icon
70044	White	Warm white	3000K	0.5W	35lm	50



6300 | Metal body | Transparent PC blades | Rod mounted | 6 Speed | Winter reverse mode

CCT Variable.

new
IP20




Extra Remote Control 030152B.



Complete with 15cm & 30cm rod.



Optional 1m Rod 030156/W.




Order Code	Colour	Light Colour	CCT (K)	LED Watts	Lumen (lm)	Beam Angle	FAN Watts	Input	Class	Notes
6300/W/V	White	CCT V	3000K / 4000K / 5500K	32W	3500lm	120°	25W	230V	1	Complete with remote control



6300 | Metal body | Transparent PC blades | Rod mounted | 6 Speed | Winter reverse mode

CCT Variable.

new
IP20




Extra Remote Control 030152B.



Complete with 15cm & 30cm rod.



Optional 1m Rod 030156/B.




Order Code	Colour	Light Colour	CCT (K)	LED Watts	Lumen (lm)	Beam Angle	FAN Watts	Input	Class	Notes
6300/B/V	Black	CCT V	3000K / 4000K / 5500K	32W	3500lm	120°	25W	230V	1	Complete with remote control



6300 | Metal body | Tinted brown PC blades | Rod mounted | 6 Speed | Winter reverse mode

CCT Variable.


new
IP20



Extra Remote Control 030152B.



Complete with 15cm & 30cm rod.



Order Code	Colour	Light Colour	CCT (K)	LED Watts	Lumen (lm)	Beam Angle	FAN Watts	Input	Class	Notes
6300/BR/V	Brown	CCT V	3000K / 4000K / 5500K	32W	3500lm	120°	25W	230V	1	Complete with remote control



6302 | Metal body | White ABS blades | Rod mounted | 6 Speed | Winter reverse mode

CCT Variable.

new
IP20

85 CRI
LED BUILT IN
DIMMABLE
3 YEAR
DC MOTOR




Extra Remote Control 030152A.



Complete with 15cm & 30cm rod.



Optional 1m Rod 030156/W.



Order Code	Colour	Light Colour	CCT (K)	LED Watts	Lumen (lm)	Beam Angle	FAN Watts	Input	Class	Notes
6302/W/V	White	CCT V	3000K / 4000K / 5500K	22W	2000lm	120°	35W	230V	1	Complete with remote control



6302 | Metal body | Black ABS blades | Rod mounted | 6 Speed | Winter reverse mode

CCT Variable.

new
IP20

85 CRI
LED BUILT IN
DIMMABLE
3 YEAR
DC MOTOR




Extra Remote Control 030152A.



Complete with 15cm & 30cm rod.



Optional 1m Rod 030156/B.



Order Code	Colour	Light Colour	CCT (K)	LED Watts	Lumen (lm)	Beam Angle	FAN Watts	Input	Class	Notes
6302/B/V	Black	CCT V	3000K / 4000K / 5500K	22W	2000lm	120°	35W	230V	1	Complete with remote control



6302C | Metal body | White ABS blades | Ceiling mounted | 6 Speed | Winter reverse mode


CCT Variable.

new
IP20

85 CRI
LED BUILT IN
DIMMABLE
3 YEAR
DC MOTOR



Extra Remote Control 030152A.



Order Code	Colour	Light Colour	CCT (K)	LED Watts	Lumen (lm)	Beam Angle	FAN Watts	Input	Class	Notes
6302C/W/V	White	CCT V	3000K / 4000K / 5500K	22W	2000lm	120°	35W	230V	1	Complete with remote control



6302C | Metal body | Black ABS blades | Ceiling mounted | 6 Speed | Winter reverse mode


CCT Variable.

new
IP20

85 CRI
LED BUILT IN
DIMMABLE
3 YEAR
DC MOTOR



Extra Remote Control 030152A.




Order Code	Colour	Light Colour	CCT (K)	LED Watts	Lumen (lm)	Beam Angle	FAN Watts	Input	Class	Notes
6302C/B/V	Black	CCT V	3000K / 4000K / 5500K	22W	2000lm	120°	35W	230V	1	Complete with remote control



6304 | Metal body | White ABS blades | Rod mounted | 6 Speed | Winter reverse mode

CCT Variable.

new
IP20




Extra Remote Control 030152A.



Complete with 15cm & 30cm rod.



Optional 1m Rod 030156/W.




Order Code	Colour	Light Colour	CCT (K)	LED Watts	Lumen (lm)	Beam Angle	FAN Watts	Input	Class	Notes
6304/W/V	White	CCT V	3000K / 4000K / 5500K	22W	2000lm	120°	45W	230V	1	Complete with remote control



6304 | Metal body | Black ABS blades | Rod mounted | 6 Speed | Winter reverse mode

CCT Variable.

new
IP20




Extra Remote Control 030152A.



Complete with 15cm & 30cm rod.



Optional 1m Rod 030156/B.




Order Code	Colour	Light Colour	CCT (K)	LED Watts	Lumen (lm)	Beam Angle	FAN Watts	Input	Class	Notes
6304/B/V	Black	CCT V	3000K / 4000K / 5500K	22W	2000lm	120°	45W	230V	1	Complete with remote control



6306 | Metal body | White ABS blades | Rod mounted | 6 Speed | Winter reverse mode

CCT Variable.

new
IP20




Extra Remote Control 030152A.



Complete with 15cm & 30cm rod.



Optional 1m Rod 030156/W.




Order Code	Colour	Light Colour	CCT (K)	LED Watts	Lumen (lm)	Beam Angle	FAN Watts	Input	Class	Notes
6306/W/V	White	CCT V	3000K / 4000K / 5500K	22W	2000lm	120°	40W	230V	1	Complete with remote control



6306 | Metal body | Black ABS blades | Rod mounted | 6 Speed | Winter reverse mode

CCT Variable.

new
IP20




Extra Remote Control 030152A.



Complete with 15cm & 30cm rod.



Optional 1m Rod 030156/B.



Order Code	Colour	Light Colour	CCT (K)	LED Watts	Lumen (lm)	Beam Angle	FAN Watts	Input	Class	Notes
6306/B/V	Black	CCT V	3000K / 4000K / 5500K	22W	2000lm	120°	40W	230V	1	Complete with remote control





6310 | Metal body | White wood blades | Rod mounted | 6 Speed | Winter reverse mode

CCT Variable.

new
IP20

LED BUILT IN
 85 CRI
 CCRV
 DIMMABLE
 CE
 3 YEAR
 DC MOTOR



Order Code	Colour	Light Colour	CCT (K)	LED Watts	Lumen (lm)	Beam Angle	FAN Watts	Input	Class	Notes
6310/W/V	White	CCT V	3000K / 4000K / 5500K	22W	2000lm	120°	35W	230V	1	Complete with remote control






6310 | Metal body | Black wood blades | Rod mounted | 6 Speed | Winter reverse mode

CCT Variable.

new
IP20

LED BUILT IN
 85 CRI
 CCRV
 DIMMABLE
 CE
 3 YEAR
 DC MOTOR



Order Code	Colour	Light Colour	CCT (K)	LED Watts	Lumen (lm)	Beam Angle	FAN Watts	Input	Class	Notes
6310/B/V	Black	CCT V	3000K / 4000K / 5500K	22W	2000lm	120°	35W	230V	1	Complete with remote control





6310C | Metal body | White wood blades | Ceiling mounted | 6 Speed | Winter reverse mode

CCT Variable.

new
IP20

LED BUILT IN
 85 CRI
 CCRV
 DIMMABLE
 CE
 3 YEAR
 DC MOTOR



Order Code	Colour	Light Colour	CCT (K)	LED Watts	Lumen (lm)	Beam Angle	FAN Watts	Input	Class	Notes
6310C/W/V	White	CCT V	3000K / 4000K / 5500K	22W	2000lm	120°	35W	230V	1	Complete with remote control




6310C | Metal body | Black wood blades | Ceiling mounted | 6 Speed | Winter reverse mode

CCT Variable.

new
IP20

LED BUILT IN
 85 CRI
 CCRV
 DIMMABLE
 CE
 3 YEAR
 DC MOTOR







Order Code	Colour	Light Colour	CCT (K)	LED Watts	Lumen (lm)	Beam Angle	FAN Watts	Input	Class	Notes
6310C/B/V	Black	CCT V	3000K / 4000K / 5500K	22W	2000lm	120°	35W	230V	1	Complete with remote control



6308D | Metal body | Dark wood blades | Rod mounted | 6 Speed | Winter reverse mode

CCT Variable.

new
IP20






Order Code	Colour	Light Colour	CCT (K)	LED Watts	Lumen (lm)	Beam Angle	FAN Watts	Input	Class	Notes
6308D/B/V	Black	CCT V	3000K / 4000K / 5500K	22W	2000lm	120°	35W	230V	1	Complete with remote control



6308L | Metal body | Light wood blades | Rod mounted | 6 Speed | Winter reverse mode

CCT Variable.

new
IP20







Order Code	Colour	Light Colour	CCT (K)	LED Watts	Lumen (lm)	Beam Angle	FAN Watts	Input	Class	Notes
6308L/W/V	White	CCT V	3000K / 4000K / 5500K	22W	2000lm	120°	35W	230V	1	Complete with remote control



6308L | Metal body | Light wood blades | Rod mounted | 6 Speed | Winter reverse mode

CCT Variable.

new
IP20





Order Code	Colour	Light Colour	CCT (K)	LED Watts	Lumen (lm)	Beam Angle	FAN Watts	Input	Class	Notes
6308L/B/V	Black	CCT V	3000K / 4000K / 5500K	22W	2000lm	120°	35W	230V	1	Complete with remote control



6312D | Metal body | Dark wood blades | Rod mounted | 6 Speed | Winter reverse mode

CCT Variable.

new
IP20



Order Code	Colour	Light Colour	CCT (K)	LED Watts	Lumen (lm)	Beam Angle	FAN Watts	Input	Class	Notes
6312D/B/V	Black	CCT V	3000K / 4000K / 5500K	22W	2000lm	120°	25W	230V	1	Complete with remote control



6312L | Metal body | Light wood blades | Rod mounted | 6 Speed | Winter reverse mode

CCT Variable.

new
IP20

85 CRI
LED BUILT IN
DIMMABLE
3 YEAR
DC MOTOR




Extra Remote Control 030152A.



Complete with 15cm & 30cm rod.



Optional 1m Rod 030156/B.



Order Code	Colour	Light Colour	CCT (K)	LED Watts	Lumen (lm)	Beam Angle	FAN Watts	Input	Class	Notes
6312L/B/V	Black	CCT V	3000K / 4000K / 5500K	22W	2000lm	120°	25W	230V	1	Complete with remote control



6312DC | Metal body | Dark wood blades | Ceiling mounted | 6 Speed | Winter reverse mode


CCT Variable.

new
IP20

85 CRI
LED BUILT IN
DIMMABLE
3 YEAR
DC MOTOR



Extra Remote Control 030152A.



Order Code	Colour	Light Colour	CCT (K)	LED Watts	Lumen (lm)	Beam Angle	FAN Watts	Input	Class	Notes
6312DC/B/V	Black	CCT V	3000K / 4000K / 5500K	22W	2000lm	120°	25W	230V	1	Complete with remote control



6312LC | Metal body | Light wood blades | Ceiling mounted | 6 Speed | Winter reverse mode


CCT Variable.

new
IP20

85 CRI
LED BUILT IN
DIMMABLE
3 YEAR
DC MOTOR



Extra Remote Control 030152A.



Order Code	Colour	Light Colour	CCT (K)	LED Watts	Lumen (lm)	Beam Angle	FAN Watts	Input	Class	Notes
6312LC/W/V	White	CCT V	3000K / 4000K / 5500K	22W	2000lm	120°	25W	230V	1	Complete with remote control



6312LC | Metal body | Light wood blades | Ceiling mounted | 6 Speed | Winter reverse mode


CCT Variable.

new
IP20

85 CRI
LED BUILT IN
DIMMABLE
3 YEAR
DC MOTOR



Extra Remote Control 030152A.







Order Code	Colour	Light Colour	CCT (K)	LED Watts	Lumen (lm)	Beam Angle	FAN Watts	Input	Class	Notes
6312LC/B/V	Black	CCT V	3000K / 4000K / 5500K	22W	2000lm	120°	25W	230V	1	Complete with remote control



6314D | Metal body | Dark wood blades | Rod mounted | 6 Speed | Winter reverse mode

CCT Variable.

new
IP20







Order Code	Colour	Light Colour	CCT (K)	LED Watts	Lumen (lm)	Beam Angle	FAN Watts	Input	Class	Notes
6314D/B/V	Black	CCT V	3000K / 4000K / 5500K	22W	2000lm	120°	40W	230V	1	Complete with remote control



6314L | Metal body | Light wood blades | Rod mounted | 6 Speed | Winter reverse mode

CCT Variable.

new
IP20






Order Code	Colour	Light Colour	CCT (K)	LED Watts	Lumen (lm)	Beam Angle	FAN Watts	Input	Class	Notes
6314L/B/V	Black	CCT V	3000K / 4000K / 5500K	22W	2000lm	120°	40W	230V	1	Complete with remote control



6314DC | Metal body | Dark wood blades | Ceiling mounted | 6 Speed | Winter reverse mode

CCT Variable.

new
IP20






Order Code	Colour	Light Colour	CCT (K)	LED Watts	Lumen (lm)	Beam Angle	FAN Watts	Input	Class	Notes
6314DC/B/V	Black	CCT V	3000K / 4000K / 5500K	22W	2000lm	120°	40W	230V	1	Complete with remote control



6314LC | Metal body | Light wood blades | Ceiling mounted | 6 Speed | Winter reverse mode

CCT Variable.


new
IP20



Order Code	Colour	Light Colour	CCT (K)	LED Watts	Lumen (lm)	Beam Angle	FAN Watts	Input	Class	Notes
6314LC/B/V	Black	CCT V	3000K / 4000K / 5500K	22W	2000lm	120°	40W	230V	1	Complete with remote control



6316 | Metal body | White ABS blades | Rod mounted | 6 Speed | Winter reverse mode



new
IP20




Extra Remote Control 030152C.



Complete with 15cm & 30cm rod.




Optional 1m Rod 030156/W.



Order Code	Colour	FAN Watts	Input	Class		Notes
6316/W	White	30W	230V		1	Complete with remote control



6316 | Metal body | Black ABS blades | Rod mounted | 6 Speed | Winter reverse mode



new
IP20




Extra Remote Control 030152C.



Complete with 15cm & 30cm rod.



Optional 1m Rod 030156/B.



Order Code	Colour	FAN Watts	Input	Class		Notes
6316/B	Black	30W	230V		1	Complete with remote control