

NEW PRODUCTS 2023

EDITION 2

Recessed Spots Fixed



10105X | 50W | MR16 | GU5,3 | Die cast



new
IP20



Order Code	Colour	Watts	Input	Class					Notes
10105X/B	Black	50W	12V		40cm	63mm	60mm	100	-

Recessed Spots Fixed LED



10108J | 8W | COB + SMD4014 | Die cast



new
IP40
DARK LIGHT



Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Beam Angle	Input	Class				Notes
10108J/W/W	White	Warm white	3000K	8W	560lm	24°	230V		70mm	100mm	30	Complete with 200mA driver


Recessed Spots Adjustable LED



11106PK | 8W | SMD 2835 | Dimmable | Plastic





new
IP54
DARK LIGHT



Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Beam Angle	Input	Class				Notes
11106PK/W/W	White	Warm white	3000K	8W	850lm	60°	230V		92mm	120mm	30	Complete with 100mA dimmable driver


10113UV | 13W | SMD 2835 | Die cast


Adjustable colour temperature.



Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Input	Class				Notes
10113UV/B	Black	Daylight-Cool white-Warm white	6000K-4000K-3000K	13W	975lm	230V					Complete with 300mA driver


10120UV | 20W | SMD 2835 | Die cast


Adjustable colour temperature.



Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Input	Class				Notes
10120UV/B	Black	Daylight-Cool white-Warm white	6000K-4000K-3000K	20W	1500lm	230V					Complete with 550mA driver


10130UV | 30W | SMD 2835 | Die cast

Adjustable colour temperature.





Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Input	Class				Notes
10130UV/B	Black	Daylight-Cool white-Warm white	6000K-4000K-3000K	30W	2250lm	230V					Complete with 700mA driver

Downlights Fixed LED



50110UV | 10W | SMD 2835 | Die cast

Adjustable colour temperature.




Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Input	Class				Notes
50110UV/W	White	Daylight-Cool white-Warm white	6000K-4000K-3000K	10W	1100lm	230V		85x85mm	70mm	40	Complete with 200mA driver



50115UV | 15W | SMD 2835 | Die cast

Adjustable colour temperature.




Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Input	Class				Notes
50115UV/W	White	Daylight-Cool white-Warm white	6000K-4000K-3000K	15W	1650lm	230V		130x130mm	70mm	20	Complete with 350mA driver



50125UV | 25W | SMD 2835 | Die cast

Adjustable colour temperature.




Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Input	Class				Notes
50125UV/W	White	Daylight-Cool white-Warm white	6000K-4000K-3000K	25W	2750lm	230V		160x160mm	70mm	20	Complete with 500mA driver



50130UV | 30W | SMD 2835 | Die cast



Adjustable colour temperature.



Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Input	Class				Notes
50130UV/W	White	Daylight-Cool white-Warm white	6000K-4000K-3000K	30W	3300lm	230V		205x205mm	80mm	10	Complete with 750mA driver


11115G | 15W | COB LED | Adjustable beam 15° - 45° | Aluminium



Complete with honeycomb.



Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Beam Angle	Input	Class				Notes
11115G/W/W	White	Warm white	3000K	15W	1500lm	15° - 45°	230V		98mm	70mm	27	Complete with 350mA driver


11115G | 15W | COB LED | Adjustable beam 15° - 45° | Aluminium

Complete with honeycomb.



Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Beam Angle	Input	Class				Notes
11115G/B/W	Black	Warm white	3000K	15W	1500lm	15° - 45°	230V		98mm	70mm	27	Complete with 350mA driver


11128G | 28W | COB LED | Adjustable beam 15° - 45° | Aluminium

Complete with honeycomb.



Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Beam Angle	Input	Class				Notes
11128G/W/W	White	Warm white	3000K	28W	2800lm	15° - 45°	230V		120mm	70mm	18	Complete with 750mA driver


11128G | 28W | COB LED | Adjustable beam 15° - 45° | Aluminium

Complete with honeycomb.





Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Beam Angle	Input	Class				Notes
11128G/B/W	Black	Warm white	3000K	28W	2800lm	15° - 45°	230V		120mm	70mm	18	Complete with 750mA driver

Track Lights


65662AT | 18W | COB LED | Adjustable beam 15° - 45° | Aluminium



Complete with honeycomb.



Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Beam Angle	Input	Class		Notes
65662AT/W/W	White	Warm white	3000K	18W	1800lm	15° - 45°	230V			Complete with 450mA driver


65662AT | 18W | COB LED | Adjustable beam 15° - 45° | Aluminium


Complete with honeycomb.



Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Beam Angle	Input	Class		Notes
65662AT/B/W	Black	Warm white	3000K	18W	1800lm	15° - 45°	230V			Complete with 450mA driver


65662BT | 28W | COB LED | Adjustable beam 15° - 45° | Aluminium



Complete with honeycomb.



Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Beam Angle	Input	Class		Notes
65662BT/W/W	White	Warm white	3000K	28W	2800lm	15° - 45°	230V			Complete with 700mA driver


65662BT | 28W | COB LED | Adjustable beam 15° - 45° | Aluminium

Complete with honeycomb.




Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Beam Angle	Input	Class		Notes
65662BT/B/W	Black	Warm white	3000K	28W	2800lm	15° - 45°	230V			Complete with 700mA driver




65668T | 12W | COB LED | Adjustable shape beam | Aluminium



new
IP20



Distance from wall for smallest diameter has ratio x0,4 and for the largest x0,6



Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Input	Class		Notes
65668T/B/W	Black	Warm white	3000K	12W	350lm	230V		10	Complete with 300mA driver


Office & Kitchen



050170D | 8W | SMD 2835 | Corner for 38150A & 38151A | Diffuser | Aluminium



new
IP20



Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Input	Class		Notes
050170D/W/C	White	Cool white	4000K	8W	680lm	230V		150cm	Complete with 250mA driver
050170D/W/W	White	Warm white	3000K	8W	680lm	230V		150cm	Complete with 250mA driver
050170D/B/C	Black	Cool white	4000K	8W	680lm	230V		150cm	Complete with 250mA driver
050170D/B/W	Black	Warm white	3000K	8W	680lm	230V		150cm	Complete with 250mA driver



38152R | 40W | SMD 2835 | Recessed linear system | Aluminium

Can be connected in line.



new
IP20



Complete with 6pcs fixing clips, 4pcs connectors & 2pcs end cups.

ball
DRIVER
Page 782






Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Beam Angle	Input	Class		Notes
38152R/B/W	Black	Warm white	3000K	40W	3600lm	120°	230V		1200x60mm	Complete with 1000mA driver

Wall & Ceiling



65105E | 10W | MR16 | GU10 | Aluminium

Complete with black & brass reflectors.






Order Code	Colour	Watts	Input	Class		Notes
65105E/W	White	10W	100-240V	⌚	20	-
65105E/B	Black	10W	100-240V	⌚	20	-
65105E/CH	Champagne	10W	100-240V	⌚	20	-



65205E | 2x10W | MR16 | GU10 | Aluminium

Complete with black & brass reflectors.




Order Code	Colour	Watts	Input	Class		Notes
65205E/W	White	2x10W	100-240V	⌚	12	-
65205E/B	Black	2x10W	100-240V	⌚	12	-
65205E/CH	Champagne	2x10W	100-240V	⌚	12	-



65105EA | 10W | MR16 | GU10 | Aluminium


Complete with black & brass reflectors.



Order Code	Colour	Watts	Input	Class		Notes
65105EA/W	White	10W	100-240V	⌚	20	-
65105EA/B	Black	10W	100-240V	⌚	20	-
65105EA/CH	Champagne	10W	100-240V	⌚	20	-



67532 | 15W | SMD 2835 | Dimmable | Aluminium + PC




Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Input	Class		Notes
67532/W/W	White	Warm white	3000K	15W	1100lm	230V	⊕	12	Complete with 190mA dimmable driver
67532/B/W	Black	Warm white	3000K	15W	1100lm	230V	⊕	12	Complete with 190mA dimmable driver



12115G | 15W | COB LED | Adjustable beam 15°- 45° | Aluminium

Complete with honeycomb.




Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Beam Angle	Input	Class	Notes
12115G/W/W	White	Warm white	3000K	15W	1500lm	15°-45°	230V	□	Complete with 350mA driver



12115G | 15W | COB LED | Adjustable beam 15°- 45° | Aluminium

Complete with honeycomb.





Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Beam Angle	Input	Class	Notes
12115G/B/W	Black	Warm white	3000K	15W	1500lm	15°-45°	230V	□	Complete with 350mA driver

Wall & Ceiling LED



12108T | 8W | COB LED | Die cast

Complete with black & brass reflectors.





Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Beam Angle	Input	Class		Notes
12108T/W/W	White	Warm white	3000K	8W	720lm	36°	230V		30	Complete with 700mA driver
12108T/B/W	Black	Warm white	3000K	8W	720lm	36°	230V		30	Complete with 700mA driver



12112T | 12W | COB LED | Die cast



Complete with black & brass reflectors.



Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Beam Angle	Input	Class		Notes
12112T/W/W	White	Warm white	3000K	12W	1080lm	36°	230V		20	Complete with 500mA driver
12112T/B/W	Black	Warm white	3000K	12W	1080lm	36°	230V		20	Complete with 500mA driver





12115F | 15W | COB LED | Die cast



Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Beam Angle	Input	Class		Notes
12115F/W/W	White	Warm white	3000K	15W	1800lm	38°	230V		20	Complete with 350mA driver
12115F/B/W	Black	Warm white	3000K	15W	1800lm	38°	230V		20	Complete with 350mA driver



12120F | 20W | COB LED | Die cast




Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Beam Angle	Input	Class		Notes
12120F/W/W	White	Warm white	3000K	20W	2400lm	38°	230V		10	Complete with 450mA driver
12120F/B/W	Black	Warm white	3000K	20W	2400lm	38°	230V		10	Complete with 450mA driver




Wall & Ceiling LED


67526A1 | 8W | SMD 3030 | Die cast

2
YEAR



Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Input	Class		Notes
67526A1/W/W	White	Warm white	3000K	8W	480lm	230V	⌚	12	Complete with 350mA driver
67526A1/AN/W	Anthracite	Warm white	3000K	8W	480lm	230V	⌚	12	Complete with 350mA driver


67526A2 | 9W | SMD 3030 | Die cast

2
YEAR


Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Input	Class		Notes
67526A2/W/W	White	Warm white	3000K	9W	540lm	230V	⌚	6	Complete with 500mA driver
67526A2/AN/W	Anthracite	Warm white	3000K	9W	540lm	230V	⌚	6	Complete with 500mA driver




67526A3 | 13W | SMD 3030 | Die cast

2
YEAR


Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Input	Class		Notes
67526A3/W/W	White	Warm white	3000K	13W	780lm	230V	⌚	4	Complete with 700mA driver
67526A3/AN/W	Anthracite	Warm white	3000K	13W	780lm	230V	⌚	4	Complete with 700mA driver




67526B1 | 2x6W | SMD 3030 | Die cast



Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Input	Class		Notes
67526B1/W/W	White	Warm white	3000K	2x6W	720lm	230V	⌚	12	Complete with 300mA driver
67526B1/AN/W	Anthracite	Warm white	3000K	2x6W	720lm	230V	⌚	12	Complete with 300mA driver




67526B2 | 2x10W | SMD 3030 | Die cast



Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Input	Class		Notes
67526B2/W/W	White	Warm white	3000K	2x10W	1200lm	230V	⌚	6	Complete with 500mA driver
67526B2/AN/W	Anthracite	Warm white	3000K	2x10W	1200lm	230V	⌚	6	Complete with 500mA driver




67526B3 | 2x13W | SMD 3030 | Die cast



Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Input	Class		Notes
67526B3/W/W	White	Warm white	3000K	2x13W	1560lm	230V	⌚	4	Complete with 700mA driver
67526B3/AN/W	Anthracite	Warm white	3000K	2x13W	1560lm	230V	⌚	4	Complete with 700mA driver

Pendants



63142/AN

63142/AN | Anthracite Pendant Shade | PMMA



CE 5
YEAR

new


IP20



63142/AN+63142A/W
63126/B



63142/AN+63126/B



63142/BL

63142/BL | Blue Pendant Shade | PMMA



CE 5
YEAR

new


IP20



63142/BL+63142A/W
63126/W



63142/BL+63126/B



63142/BR

63142/BR | Brown Pendant Shade | PMMA



CE 5
YEAR

new


IP20



63142/BR+63142A/W
63126/W



63142/BR+63126/B



63142/F

63142/F | Frosted Pendant Shade | PMMA



CE 5
YEAR

new


IP20



63142/F+63142A/W
63126/W



63142/F+63126/B



63142/OR

63142/OR | Orange Pendant Shade | PMMA



CE 5
YEAR

new


IP20



63142/OR+63142A/W
63126/W



63142/OR+63126/B





63142/R

63142/R | Red Pendant Shade | PMMA



CE 5
YEAR

new


IP20



63142/R+63142A/W
63126/W



63142/R+63126/B



63142A/W

63142A/W | White Reflector for 63142



CE 5
YEAR

new

IP20





Decorative



63144A | 40W | SMD 2835 | Steel + aluminium + acrylic



new
IP20





Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Input	Class		Notes
63144A/W/W	White	Warm white	3000K	40W	4350lm	230V	⌚	1	Complete with 650mA driver
63144A/B/W	Black	Warm white	3000K	40W	4350lm	230V	⌚	1	Complete with 650mA driver
63144A/BS/W	Brass	Warm white	3000K	40W	4350lm	230V	⌚	1	Complete with 650mA driver



63144B | 60W | SMD 2835 | Steel + aluminium + acrylic



new
IP20



Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Input	Class		Notes
63144B/W/W	White	Warm white	3000K	60W	6800lm	230V	⌚	1	Complete with 1050mA driver
63144B/B/W	Black	Warm white	3000K	60W	6800lm	230V	⌚	1	Complete with 1050mA driver
63144B/BS/W	Brass	Warm white	3000K	60W	6800lm	230V	⌚	1	Complete with 1050mA driver




62120 | 12W | E27 | Recessed | Aluminium



CE 5 YEAR

new

IP20



Order Code	Colour	Watts	Input	Class				Notes
62120/BBS	Brushed brass	12W	100-240V		150mm	50mm	4	-




62120A | 12W | E27 | Aluminium



CE 5 YEAR

new

IP20



Order Code	Colour	Watts	Input	Class		Notes
62120A/BBS	Brushed brass	12W	100-240V		2	-



61102/AL

61102 | 3W | SMD LED | Touch | 3-Step Dimming | Metal

Rechargeable USB socket.




80 CRI 3-STEP DIMMABLE 2 YEAR

LED BUILT IN CE

new


IP54



61102/BBS



61102/CU



Charging time: 2,5Hrs
Working time: 8Hrs




Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Class		Notes
61102/AL	Aluminium	Warm white	3000K	3W	120lm		10	1x2000mAh lithium battery
61102/BBS	Brushed brass	Warm white	3000K	3W	120lm		10	1x2000mAh lithium battery
61102/CU	Copper	Warm white	3000K	3W	120lm		10	1x2000mAh lithium battery

Decorative


61096 | 1,2W | SMD LED | Touch switch | 3-Step Dimming | Plastic


Rechargeable USB socket.

new
IP54

Charging time: 2,5Hrs
Working time: 8Hrs


Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Class		Notes
61096/W	Clear	Warm white	3000K	1,2W	60lm	III	10	1x2000mAh lithium battery


61098 | 1,2W | SMD LED | Touch | 3-Step Dimming | Plastic

Rechargeable USB socket.

new
IP54

Charging time: 2,5Hrs
Working time: 8Hrs


Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Class		Notes
61098/W	Clear	Warm white	3000K	1,2W	60lm	III	10	1x2000mAh lithium battery


61104 | 1,2W | SMD LED | Touch | 3-Step Dimming | Plastic

Rechargeable USB socket.


new
IP54

Charging time: 2,5Hrs
Working time: 8Hrs


Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Class		Notes
61104/W	Clear	Warm white	3000K	1,2W	60lm	III	10	1x2000mAh lithium battery


61100 | 3W | SMD LED | Touch switch | 3-Step Dimming | Metal

Rechargeable USB socket.

new
IP54

Charging time: 2,5Hrs
Working time: 8Hrs




Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Class		Notes
61100/W	White	Warm white	3000K	3W	120lm	III	10	1x4000mAh lithium battery
61100/B	Black	Warm white	3000K	3W	120lm	III	10	1x4000mAh lithium battery
61100/BS	Brass	Warm white	3000K	3W	120lm	III	10	1x4000mAh lithium battery



67530A | 2,2W | SMD 2835 | CCT adjustable | Touch switch | Dimmable | Die Cast

Rechargeable USB socket.

new
IP65



Charging time: 6Hrs
Working time: 9Hrs
(at 100% intensity)





Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Class		Notes
67530A/W	White	Extra warm white - Warm-white	2700K-3000K	2,2W	130lm	III	6	1x4400mAh lithium battery



67530B | 2,2W | SMD 2835 | CCT adjustable | Touch switch | Dimmable | Die Cast

Rechargeable USB socket.

new
IP65




Charging time: 6Hrs
Working time: 9Hrs
(at 100% intensity)



Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Class		Notes
67530B/W	White	Extra warm white - Warm white	2700K-3000K	2,2W	130lm	III	2	1x4400mAh lithium battery


Industrial & Floodlights


70114 | 50W | 64xSMD 2835 | Plastic + Glass

new
IP66



Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Beam Angle	Input	Class	⚡	📦	Notes
70114/B/C	Black	Cool white	4000K	50W	6800lm	140°x80°	100-240V	⚡	200cm	6	Complete with 950mA driver
70114/B/W	Black	Warm white	3000K	50W	6800lm	140°x80°	100-240V	⚡	200cm	6	Complete with 950mA driver


70116B | 75W | 96xSMD 3030 | Aluminium + glass

new
IP66



Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Beam Angle	Input	Class	⚡	📦	Notes
70116B/G/C	Grey	Cool white	4000K	75W	10500lm	140°x80°	100-240V	⚡	200cm	1	Complete with 968mA driver


70116C | 120W | 126xSMD 3030 | Aluminium + glass

new
IP66


Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Beam Angle	Input	Class	⚡	📦	Notes
70116C/G/C	Grey	Cool white	4000K	120W	16800lm	140°x80°	100-240V	⚡	200cm	1	Complete with 1020mA driver




70112 | 75W | LED | Die cast

new
IP66


Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Beam Angle	Input	Class	⚡	📦	Notes
70112/B/W	Black	Warm white	3000K	75W	9000lm	-	100-240V	⚡	150cm	1	Complete with 2400mA driver


89408 | 3W | LED | Emergency 3Hrs Maintained | Auto monthly test | PC



Wall mounted.


new
IP20


Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Input	Class	Battery Type	Battery Duration		Notes
89408/W	White	Daylight	6000K	3W	55lm	230V		LifePO4 3,2V 1,5Ah	3Hrs		Supplied with battery


89410 | 1,8W | LED | Emergency 3Hrs Maintained | Auto monthly test | PC

Ceiling/Wall mounted.



new
IP20


Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Input	Class	Battery Type	Battery Duration		Notes
89410/W	White	Daylight	6000K	1,8W	40lm	230V		LifePO4 3,2V 1,5Ah	3Hrs		Supplied with battery

Drivers


89250VLL | 250W | 24V DC | DALI & Push to DIM | Dimmable

Suitable for LED profiles on page 262, 263, 264, 273.


new
IP20


Order Code	Input	Power	Output	Class	Dimmable		Notes
89250VLL	230V	250W	24V DC		YES		DALI & Push to DIM

Drivers




89009L | DALI & Push to DIM | Dimmable

Adjustable output using DIP switches



LED Current Selection

700mA	●	●	
600mA	○	●	
450mA	●	○	
350mA	○	○	
	1	2	



new

IP20

Output Current	350mA	450mA	600mA	700mA
Output Power	2,1-8,75W	2,7-9W	3,6-9W	4,2-9,1W

Order Code	Input	Power	Output	Class	Dimmable		Notes
89009L	230V	Refer to table	Adjustable		YES	100	DALI & Push to DIM




89040L | DALI & Push to DIM | Dimmable

Adjustable output using DIP switches



LED Current Selection

Current (mA)	Left	Middle	Right
300mA	Light Gray	Light Gray	Light Gray
350mA	Light Gray	Light Gray	Light Gray
400mA	Light Gray	Light Gray	Light Gray
450mA	Light Gray	Light Gray	Light Gray
500mA	Light Gray	Light Gray	Light Gray
550mA	Light Gray	Light Gray	Light Gray
600mA	Light Gray	Light Gray	Light Gray
650mA	Light Gray	Light Gray	Light Gray
700mA	Light Gray	Light Gray	Light Gray
750mA	Light Gray	Light Gray	Light Gray
800mA	Light Gray	Light Gray	Light Gray
850mA	Light Gray	Light Gray	Light Gray
900mA	Light Gray	Light Gray	Light Gray
950mA	Light Gray	Light Gray	Light Gray
1000mA	Light Gray	Light Gray	Light Gray
1050mA	Light Gray	Light Gray	Light Gray



new


IP20

Output Current	300mA	350mA	400mA	450mA	500mA	550mA	600mA	650mA	700mA	750mA	800mA	850mA	900mA	950mA	1000mA	1050mA	
Output Power	3-12,6W	3,5-14,7W	4-16,8W	4,5-18,9W	5-21W	5,5-23,1W	6-25,2W	6,5-27,3W	7-29,4W	7,5-31,5W	8-33,6W	8,5-34W	9-36W	9,5-38W	10-40W	10,5-42W	

Order Code	Input	Power	Output	Class	Dimmable		Notes
89040L	230V	Refer to table	Adjustable		YES	20	DALI & Push to DIM



89300VP | 300W | 24V DC



new

IP67


Order Code	Input	Power	Output	Class		Dimmable		Notes
89300VP	100-240V	300W	24V DC		100cm	NO	20	-



7304GE | 4W | SMD 2835 | MR16 | GU10 | Emergency 3Hrs Maintained



new




Order Code	Lampholder	Light Colour	CCT (K)	Watts	Lumen (lm)	Beam Angle	Input	Dimmable		Notes
7304GE/W	GU10	Warm white	3000K	4W	300lm	60°	230V	NO	10	Supplied with battery



7306GZ | 7W | COB LED | MR16 | GU10 | Zoomable | Dimmable



new




Order Code	Lampholder	Light Colour	CCT (K)	Watts	Lumen (lm)	Beam Angle	Input	Dimmable	
7306GZ/W	GU10	Warm white	3000K	7W	500lm	24° - 60°	230V	YES	10



9G09T | 9W | SMD 2835 | E27 | Wi-Fi | RGB/CCT Adjustable




new



Order Code	Lampholder	Light Colour	CCT (K)	Watts	Lumen (lm)	Input	Dimmable	
9G09T	E27	RGB/CCT Adjustable	RGB/2700K-6500K	9W	780lm	230V	YES	120


Lamps


9007LA | 7W | SMD 2835 | T5 | Glass

new

 550mm
16mm



Order Code	Lampholder	Light Colour	CCT (K)	Watts	Lumen (lm)	Beam Angle	Input	Dimmable	
9007LA/C	G5	Cool white	4000K	7W	1000lm	320°	230V	NO	25


9016LA | 16W | SMD 2835 | T5 | Glass

new

 1150mm
16mm


Order Code	Lampholder	Light Colour	CCT (K)	Watts	Lumen (lm)	Beam Angle	Input	Dimmable	
9016LA/C	G5	Cool white	4000K	16W	2400lm	320°	230V	NO	25




9018LA | 18W | SMD 2835 | T5 | Glass

new

 1450mm
16mm



Order Code	Lampholder	Light Colour	CCT (K)	Watts	Lumen (lm)	Beam Angle	Input	Dimmable	
9018LA/C	G5	Cool white	4000K	18W	2800lm	320°	230V	NO	25


61138 | Wireless charger 3 in 1 for Smart Devices | ABS + PC


Includes USB cable and 230V adaptor


61140 | Wireless Fast charger | ABS + PC


Includes USB cable and 230V adaptor


61142 | Wireless Bluetooth FM Radio Speaker | ABS + PC

Includes USB cable and audio cable


61136 | 8W | LED | Star projector / Speaker | Plastic

USB cable and 230V adaptor.



4Hrs automatic shutdown function



Order Code	Colour	Watts	Input	Class		Notes
61136	Black	8W	5V / 230V	III	1	Bluetooth / USB connectable

Marketing


060050 | ONE LIGHT Catalogue 2023 | Edition 1

new

