

# NEW PRODUCTS 2025

EDITION 3



10105D8/W/W

**10105D8** | 10W | MR16 | GU10 | Aluminium

new

DARK LIGHT


IP20

←

↑

CE


5 YEAR



10105D8/W/BS



Complete with 0950GB.



68mm 50mm



| Order Code          | Colour | Reflector | Watts | Input    | Class |      |      |       |    | Notes |
|---------------------|--------|-----------|-------|----------|-------|------|------|-------|----|-------|
| <b>10105D8/W/W</b>  | White  | White     | 10W   | 100-240V |       | 15cm | 62mm | 130mm | 50 | -     |
| <b>10105D8/W/BS</b> | White  | Brass     | 10W   | 100-240V |       | 15cm | 62mm | 130mm | 50 | -     |



10105MR

**10105MR** | 10W | MR16 | GU10 | Trimeless | Aluminium

Reflector must be ordered separately.

new

DARK LIGHT

IP20

←

↑


CE

5 YEAR





Complete with 0950GB.



85mm 140mm 41mm



| Order Code     | Colour | Watts | Input    | Class |      |      |       |    | Notes |
|----------------|--------|-------|----------|-------|------|------|-------|----|-------|
| <b>10105MR</b> | White  | 10W   | 100-240V |       | 15cm | 90mm | 130mm | 50 | -     |




050112/W White



050112/B Black




050112/G Grey




050112/BS Brass



050112/ABS  
Antique brass



050112/GL Gold



050112/CU Copper



050112/DC  
Dark chrome



10103B

**10103B** | 3W | COB | Aluminium

new

IP20

←

↑

90 CRI

DIMMABLE

CE


5 YEAR

LED BUILT IN

CCT V



Suitable for 89004 driver.



42mm 28mm



| Order Code        | Colour | Light Colour | CCT (K)           | Watts | Lumen (lm) | Beam Angle | Input | Class |      |      |      |     | Notes                 |
|-------------------|--------|--------------|-------------------|-------|------------|------------|-------|-------|------|------|------|-----|-----------------------|
| <b>10103B/W/V</b> | White  | CCT V        | 3000K-3500K-4000K | 3W    | 300lm      | 36°        | 350mA |       | 40cm | 35mm | 38mm | 100 | Requires 350mA driver |



10103B

**10103B** | 3W | COB | Aluminium

new

IP20

←

↑

90 CRI

DIMMABLE

CE


5 YEAR

LED BUILT IN

CCT V



Suitable for 89004 driver.



42mm 28mm



| Order Code        | Colour | Light Colour | CCT (K)           | Watts | Lumen (lm) | Beam Angle | Input | Class |      |      |      |     | Notes                 |
|-------------------|--------|--------------|-------------------|-------|------------|------------|-------|-------|------|------|------|-----|-----------------------|
| <b>10103B/B/V</b> | Black  | CCT V        | 3000K-3500K-4000K | 3W    | 300lm      | 36°        | 350mA |       | 40cm | 35mm | 38mm | 100 | Requires 350mA driver |



10103C

**10103C** | 3W | COB | Aluminium

new

IP20

←

↑

90 CRI

DIMMABLE

CE


5 YEAR

LED BUILT IN

QUICK FIX



Suitable for 89004 driver.



42mm 28mm



| Order Code        | Colour | Light Colour | CCT (K) | Watts | Lumen (lm) | Beam Angle | Input | Class |      |      |      |     | Notes                 |
|-------------------|--------|--------------|---------|-------|------------|------------|-------|-------|------|------|------|-----|-----------------------|
| <b>10103C/B/W</b> | Black  | Warm white   | 3000K   | 3W    | 300lm      | 40°        | 350mA |       | 40cm | 36mm | 38mm | 100 | Requires 350mA driver |



10103J/W/W

10103J | 3W | LED | Aluminium

new

DARK LIGHT


IP20

90 CRI

LED BUILT IN


CE

3 YEAR



10103J/B/W





| Order Code | Colour | Light Colour | CCT (K) | Watts | Lumen (lm) | Beam Angle | Input | Class |      |       |    | Notes                      |
|------------|--------|--------------|---------|-------|------------|------------|-------|-------|------|-------|----|----------------------------|
| 10103J/W/W | White  | Warm white   | 3000K   | 3W    | 150lm      | 36°        | 230V  |       | 25mm | 100mm | 50 | Complete with 700mA driver |
| 10103J/B/W | Black  | Warm white   | 3000K   | 3W    | 150lm      | 36°        | 230V  |       | 25mm | 100mm | 50 | Complete with 700mA driver |



10107HA/W/V

10107HA | 6,5W | COB | Aluminium

new

DARK LIGHT

IP20

90 CRI

LED BUILT IN

CE

5 YEAR

QUICK FIX


DIMMABLE

CCT V



10107HA/B/V





| Order Code  | Colour | Light Colour | CCT (K)           | Watts | Lumen (lm) | Beam Angle | Input | Class |      |      |      | Notes |                       |
|-------------|--------|--------------|-------------------|-------|------------|------------|-------|-------|------|------|------|-------|-----------------------|
| 10107HA/W/V | White  | CCT V        | 3000K-3500K-4000K | 6,5W  | 650lm      | 38°        | 700mA |       | 40cm | 68mm | 80mm | 50    | Requires 700mA driver |
| 10107HA/B/V | Black  | CCT V        | 3000K-3500K-4000K | 6,5W  | 650lm      | 38°        | 700mA |       | 40cm | 68mm | 80mm | 50    | Requires 700mA driver |



10107J/W/V

10107J | 7W | LED | Aluminium

new

DARK LIGHT

IP20

90 CRI

LED BUILT IN

CE


3 YEAR

CCT V



10107J/B/V





| Order Code | Colour | Light Colour | CCT (K)           | Watts | Lumen (lm) | Beam Angle | Input | Class |      |       |    | Notes                      |
|------------|--------|--------------|-------------------|-------|------------|------------|-------|-------|------|-------|----|----------------------------|
| 10107J/W/V | White  | CCT V        | 3000K-3500K-4000K | 7W    | 450lm      | 36°        | 230V  |       | 39mm | 110mm | 30 | Complete with 180mA driver |
| 10107J/B/V | Black  | CCT V        | 3000K-3500K-4000K | 7W    | 450lm      | 36°        | 230V  |       | 39mm | 110mm | 30 | Complete with 180mA driver |



10106DH/W/V

10106DH | 6,5W | COB | Aluminium

new

DARK LIGHT

IP20

90 CRI

LED BUILT IN

CE


5 YEAR

QUICK FIX

DIMMABLE

CCT V





| Order Code  | Colour | Light Colour | CCT (K)           | Watts | Lumen (lm) | Beam Angle | Input | Class |      |      |    | Notes |                       |
|-------------|--------|--------------|-------------------|-------|------------|------------|-------|-------|------|------|----|-------|-----------------------|
| 10106DH/W/V | White  | CCT V        | 3000K-3500K-4000K | 6,5W  | 500lm      | 36°        | 700mA |       | 40cm | 63mm | 60 | 50    | Requires 700mA driver |



10107JTR/W/V

10107JTR | 7W | LED | Trimless | Aluminium

new

DARK LIGHT

IP20

90 CRI


LED BUILT IN

CE

3 YEAR

CCT V





| Order Code   | Colour | Light Colour | CCT (K)           | Watts | Lumen (lm) | Beam Angle | Input | Class |      |       |    | Notes                      |
|--------------|--------|--------------|-------------------|-------|------------|------------|-------|-------|------|-------|----|----------------------------|
| 10107JTR/W/V | White  | CCT V        | 3000K-3500K-4000K | 7W    | 450lm      | 36°        | 230V  |       | 45mm | 130mm | 30 | Complete with 180mA driver |



10107RA/W/V

10107RA | 7W | COB | Aluminium

new

DARK LIGHT

IP20


90 CRI


LED BUILT IN

CE

3 YEAR

CCT V





| Order Code  | Colour | Light Colour | CCT (K)           | Watts | Lumen (lm) | Beam Angle | Input | Class |      |      |    | Notes                      |
|-------------|--------|--------------|-------------------|-------|------------|------------|-------|-------|------|------|----|----------------------------|
| 10107RA/W/V | White  | CCT V        | 3000K-4000K-5000K | 7W    | 500lm      | 36°        | 230V  |       | 55mm | 80mm | 50 | Complete with 160mA driver |



10112RA/W/V

10112RA | 12W | COB | Aluminium

new

DARK LIGHT

IP20


90 CRI


LED BUILT IN

CE

3 YEAR

CCT V





| Order Code  | Colour | Light Colour | CCT (K)           | Watts | Lumen (lm) | Beam Angle | Input | Class |      |      |    | Notes                      |
|-------------|--------|--------------|-------------------|-------|------------|------------|-------|-------|------|------|----|----------------------------|
| 10112RA/W/V | White  | CCT V        | 3000K-4000K-5000K | 12W   | 900lm      | 36°        | 230V  |       | 75mm | 90mm | 50 | Complete with 300mA driver |



10105FD/W/V

10105FD | 5W | COB | Aluminium

new

DARK LIGHT

IP20


90 CRI

3 YEAR

LED BUILT IN

CCT V

CE



10105FD/B/V



| Order Code  | Colour | Light Colour | CCT (K)           | Watts | Lumen (lm) | Beam Angle | Input | Class |      |       |    | Notes                      |
|-------------|--------|--------------|-------------------|-------|------------|------------|-------|-------|------|-------|----|----------------------------|
| 10105FD/W/V | White  | CCT V        | 3000K-3500K-4000K | 5W    | 300lm      | 24°        | 230V  |       | 50mm | 120mm | 50 | Complete with 300mA driver |
| 10105FD/B/V | Black  | CCT V        | 3000K-3500K-4000K | 5W    | 300lm      | 24°        | 230V  |       | 50mm | 120mm | 50 | Complete with 300mA driver |



10110FD/W/V

10110FD | 10W | COB | Aluminium

new

DARK LIGHT

IP20


90 CRI

3 YEAR


LED BUILT IN

CCT V

CE



10110FD/B/V



| Order Code  | Colour | Light Colour | CCT (K)           | Watts | Lumen (lm) | Beam Angle | Input | Class |      |       |    | Notes                      |
|-------------|--------|--------------|-------------------|-------|------------|------------|-------|-------|------|-------|----|----------------------------|
| 10110FD/W/V | White  | CCT V        | 3000K-3500K-4000K | 10W   | 800lm      | 24°        | 230V  |       | 68mm | 130mm | 50 | Complete with 300mA driver |
| 10110FD/B/V | Black  | CCT V        | 3000K-3500K-4000K | 10W   | 800lm      | 24°        | 230V  |       | 68mm | 130mm | 50 | Complete with 300mA driver |



10115FD/W/V

10115FD | 15W | COB | Aluminium

new

DARK LIGHT

IP20


90 CRI

3 YEAR


LED BUILT IN

CCT V

CE



10115FD/B/V



| Order Code  | Colour | Light Colour | CCT (K)           | Watts | Lumen (lm) | Beam Angle | Input | Class |      |       |    | Notes                      |
|-------------|--------|--------------|-------------------|-------|------------|------------|-------|-------|------|-------|----|----------------------------|
| 10115FD/W/V | White  | CCT V        | 3000K-3500K-4000K | 15W   | 1275lm     | 24°        | 230V  |       | 82mm | 150mm | 20 | Complete with 350mA driver |
| 10115FD/B/V | Black  | CCT V        | 3000K-3500K-4000K | 15W   | 1275lm     | 24°        | 230V  |       | 82mm | 150mm | 20 | Complete with 350mA driver |



10107D/W/V

10107D | 7W | COB | Aluminium

new

DARK LIGHT

IP20

90 CRI

3 YEAR

LED BUILT IN

CCT V

CE



| Order Code | Colour | Light Colour | CCT (K)           | Watts | Lumen (lm) | Beam Angle | Input | Class |      |      |    | Notes                      |
|------------|--------|--------------|-------------------|-------|------------|------------|-------|-------|------|------|----|----------------------------|
| 10107D/W/V | White  | CCT V        | 3000K-4000K-5000K | 7W    | 630lm      | 50°        | 230V  |       | 65mm | 95mm | 50 | Complete with 160mA driver |



10112D/W/V

10112D | 12W | COB | Aluminium

new

DARK LIGHT

IP20

90 CRI

3 YEAR

LED BUILT IN

CCT V

CE



| Order Code | Colour | Light Colour | CCT (K)           | Watts | Lumen (lm) | Beam Angle | Input | Class |      |       |    | Notes                      |
|------------|--------|--------------|-------------------|-------|------------|------------|-------|-------|------|-------|----|----------------------------|
| 10112D/W/V | White  | CCT V        | 3000K-4000K-5000K | 12W   | 1080lm     | 50°        | 230V  |       | 72mm | 100mm | 50 | Complete with 300mA driver |



10115D/W/V

10115D | 15W | COB | Aluminium

new

DARK LIGHT

IP20

90 CRI

3 YEAR

LED BUILT IN

CCT V

CE



| Order Code | Colour | Light Colour | CCT (K)           | Watts | Lumen (lm) | Beam Angle | Input | Class |      |       |    | Notes                      |
|------------|--------|--------------|-------------------|-------|------------|------------|-------|-------|------|-------|----|----------------------------|
| 10115D/W/V | White  | CCT V        | 3000K-4000K-5000K | 15W   | 1350lm     | 50°        | 230V  |       | 83mm | 110mm | 30 | Complete with 350mA driver |





10107WD | 6,5W | COB | Aluminium

new

DARK LIGHT

IP54

90 CRI

DIMMABLE


QUICK FIX

LED BUILT IN

CCT V

5 YEAR





| Order Code  | Colour | Light Colour | CCT (K)           | Watts | Lumen (lm) | Beam Angle | Input | Class |      |      |       |    | Notes                 |
|-------------|--------|--------------|-------------------|-------|------------|------------|-------|-------|------|------|-------|----|-----------------------|
| 10107WD/W/V | White  | CCT V        | 3000K-3500K-4000K | 6,5W  | 650lm      | 38°        | 700mA |       | 40cm | 75mm | 110mm | 50 | Requires 700mA driver |



10107DL | 6,5W | COB | Aluminium

new

DARK LIGHT

IP65

90 CRI

DIMMABLE


QUICK FIX

LED BUILT IN

CCT V

5 YEAR





| Order Code    | Colour | Reflector | Light Colour | CCT (K)           | Watts | Lumen (lm) | Beam Angle | Input | Class |      |      |      |    | Notes                 |
|---------------|--------|-----------|--------------|-------------------|-------|------------|------------|-------|-------|------|------|------|----|-----------------------|
| 10107DL/W/W/V | White  | White     | CCT V        | 3000K-3500K-4000K | 6,5W  | 650lm      | 38°        | 700mA |       | 40cm | 47mm | 90mm | 50 | Requires 700mA driver |



10107DL | 6,5W | COB | Aluminium

new

DARK LIGHT

IP65

90 CRI

DIMMABLE


QUICK FIX

LED BUILT IN

CCT V

5 YEAR





| Order Code    | Colour | Reflector | Light Colour | CCT (K)           | Watts | Lumen (lm) | Beam Angle | Input | Class |      |      |      |    | Notes                 |
|---------------|--------|-----------|--------------|-------------------|-------|------------|------------|-------|-------|------|------|------|----|-----------------------|
| 10107DL/W/B/V | White  | Black     | CCT V        | 3000K-3500K-4000K | 6,5W  | 650lm      | 38°        | 700mA |       | 40cm | 47mm | 90mm | 50 | Requires 700mA driver |



10107WP | 6,5W | COB | Aluminium

new

DARK LIGHT

IP65

90 CRI

DIMMABLE


QUICK FIX

LED BUILT IN

CCT V

5 YEAR





| Order Code  | Colour | Light Colour | CCT (K)           | Watts | Lumen (lm) | Beam Angle | Input | Class |      |      |      |    | Notes                 |
|-------------|--------|--------------|-------------------|-------|------------|------------|-------|-------|------|------|------|----|-----------------------|
| 10107WP/W/V | White  | CCT V        | 3000K-3500K-4000K | 6,5W  | 650lm      | 38°        | 700mA |       | 40cm | 56mm | 90mm | 50 | Requires 700mA driver |
| 10107WP/B/V | Black  | CCT V        | 3000K-3500K-4000K | 6,5W  | 650lm      | 38°        | 700mA |       | 40cm | 56mm | 90mm | 50 | Requires 700mA driver |



10107PA | 6,5W | COB | Aluminium

new

DARK LIGHT

IP65

90 CRI


DIMMABLE


QUICK FIX

LED BUILT IN

CCT V

5 YEAR





| Order Code  | Colour | Light Colour | CCT (K) | Watts | Lumen (lm) | Beam Angle | Input | Class |      |      |      |    | Notes                 |
|-------------|--------|--------------|---------|-------|------------|------------|-------|-------|------|------|------|----|-----------------------|
| 10107PA/W/C | White  | Cool white   | 4000K   | 6,5W  | 650lm      | 40°        | 700mA |       | 40cm | 54mm | 70mm | 50 | Requires 700mA driver |
| 10107PA/W/W | White  | Warm white   | 3000K   | 6,5W  | 650lm      | 40°        | 700mA |       | 40cm | 54mm | 70mm | 50 | Requires 700mA driver |



10107PA | 6,5W | COB | Aluminium

new

DARK LIGHT

IP65

90 CRI

DIMMABLE


QUICK FIX

LED BUILT IN

CCT V

5 YEAR





| Order Code  | Colour | Light Colour | CCT (K)           | Watts | Lumen (lm) | Beam Angle | Input | Class |      |      |      |    | Notes                 |
|-------------|--------|--------------|-------------------|-------|------------|------------|-------|-------|------|------|------|----|-----------------------|
| 10107PA/W/V | White  | CCT V        | 3000K-3500K-4000K | 6,5W  | 650lm      | 40°        | 700mA |       | 40cm | 54mm | 70mm | 50 | Requires 700mA driver |



10112TP | 12W | COB | Aluminium

new

DARK LIGHT

IP65

90 CRI

DIMMABLE


QUICK FIX

LED BUILT IN

CCT V

5 YEAR





| Order Code  | Colour | Light Colour | CCT (K)           | Watts | Lumen (lm) | Beam Angle | Input | Class |      |      |       |    | Notes                 |
|-------------|--------|--------------|-------------------|-------|------------|------------|-------|-------|------|------|-------|----|-----------------------|
| 10112TP/W/V | White  | CCT V        | 3000K-3500K-4000K | 12W   | 1200lm     | 38°        | 700mA |       | 40cm | 75mm | 100mm | 50 | Requires 700mA driver |
| 10112TP/B/V | Black  | CCT V        | 3000K-3500K-4000K | 12W   | 1200lm     | 38°        | 700mA |       | 40cm | 75mm | 100mm | 50 | Requires 700mA driver |



10112C | 12W | COB | Aluminium

new

DARK LIGHT

IP65

90 CRI

DIMMABLE


QUICK FIX

LED BUILT IN

CCT V


5 YEAR





| Order Code | Colour | Light Colour | CCT (K)           | Watts | Lumen (lm) | Beam Angle | Input | Class |      |      |       |    | Notes                 |
|------------|--------|--------------|-------------------|-------|------------|------------|-------|-------|------|------|-------|----|-----------------------|
| 10112C/W/V | White  | CCT V        | 3000K-3500K-4000K | 12W   | 1200lm     | 38°        | 700mA |       | 40cm | 75mm | 100mm | 50 | Requires 700mA driver |

Recessed Spots Fixed LED



**10112BTR** | 12W | COB | Trimless | Aluminium

**new**

DARK LIGHT

IP20

LED BUILT IN

90 CRI

DIMMABLE

CCT V

CE


5 YEAR

2-step reflector

38°

64mm 118mm 85mm

| Order Code   | Colour | Light Colour | CCT (K)           | Watts | Lumen (lm) | Beam Angle | Input | Class |      |      |       |    | Notes                 |
|--------------|--------|--------------|-------------------|-------|------------|------------|-------|-------|------|------|-------|----|-----------------------|
| 10112BTR/W/V | White  | CCT V        | 3000K-3500K-4000K | 12W   | 1200lm     | 38°        | 700mA |       | 40cm | 70mm | 100mm | 48 | Requires 700mA driver |



**10112BTR** | 12W | COB | Trimless | Aluminium

**new**

DARK LIGHT

IP20

LED BUILT IN

90 CRI

DIMMABLE

CCT V

CE

5 YEAR

2-step reflector

38°

64mm 118mm 85mm

| Order Code   | Colour | Light Colour | CCT (K)           | Watts | Lumen (lm) | Beam Angle | Input | Class |      |      |       |    | Notes                 |
|--------------|--------|--------------|-------------------|-------|------------|------------|-------|-------|------|------|-------|----|-----------------------|
| 10112BTR/B/V | Black  | CCT V        | 3000K-3500K-4000K | 12W   | 1200lm     | 38°        | 700mA |       | 40cm | 70mm | 100mm | 48 | Requires 700mA driver |



**10107BT** | 6,5W | COB | Trimless | Aluminium

**new**

DARK LIGHT

IP54

LED BUILT IN

90 CRI

DIMMABLE

CCT V

CE

5 YEAR

2-step reflector

36°

75mm 130mm 84mm

| Order Code  | Colour | Light Colour | CCT (K)           | Watts | Lumen (lm) | Beam Angle | Input | Class |      |      |       |    | Notes                 |
|-------------|--------|--------------|-------------------|-------|------------|------------|-------|-------|------|------|-------|----|-----------------------|
| 10107BT/W/V | White  | CCT V        | 3000K-3500K-4000K | 6,5W  | 650lm      | 36°        | 700mA |       | 40cm | 83mm | 100mm | 30 | Requires 700mA driver |



**10107BT** | 6,5W | COB | Trimless | Aluminium

**new**

DARK LIGHT

IP54

LED BUILT IN

90 CRI

DIMMABLE

CCT V

CE

5 YEAR

2-step reflector

36°

75mm 130mm 84mm

| Order Code  | Colour | Light Colour | CCT (K)           | Watts | Lumen (lm) | Beam Angle | Input | Class |      |      |       |    | Notes                 |
|-------------|--------|--------------|-------------------|-------|------------|------------|-------|-------|------|------|-------|----|-----------------------|
| 10107BT/B/V | Black  | CCT V        | 3000K-3500K-4000K | 6,5W  | 650lm      | 36°        | 700mA |       | 40cm | 83mm | 100mm | 30 | Requires 700mA driver |

Recessed Spots Adjustable LED



**11107B** | 7W | COB | Aluminium

**new**

IP20

LED BUILT IN

90 CRI

CCT V

ADJUSTABLE

CE

3 YEAR

2-step reflector

60°

90mm 55mm

| Order Code | Colour | Light Colour | CCT (K)           | Watts | Lumen (lm) | Beam Angle | Input | Class |      |      |    | Notes                      |
|------------|--------|--------------|-------------------|-------|------------|------------|-------|-------|------|------|----|----------------------------|
| 11107B/W/V | White  | CCT V        | 3000K-3500K-4000K | 7W    | 560lm      | 60°        | 230V  |       | 75mm | 75mm | 50 | Complete with 300mA driver |



**11107FD** | 7W | COB | Aluminium

**new**

DARK LIGHT

IP20

LED BUILT IN

90 CRI

CCT V

ADJUSTABLE

CE

3 YEAR

2-step reflector

60°

95mm 83mm

| Order Code  | Colour | Light Colour | CCT (K)           | Watts | Lumen (lm) | Beam Angle | Input | Class |      |       |    | Notes                      |
|-------------|--------|--------------|-------------------|-------|------------|------------|-------|-------|------|-------|----|----------------------------|
| 11107FD/W/V | White  | CCT V        | 3000K-3500K-4000K | 7W    | 560lm      | 60°        | 230V  |       | 80mm | 110mm | 50 | Complete with 300mA driver |
| 11107FD/B/V | Black  | CCT V        | 3000K-3500K-4000K | 7W    | 560lm      | 60°        | 230V  |       | 80mm | 110mm | 50 | Complete with 300mA driver |



**11112** | 12W | COB | Aluminium

**new**

IP20

LED BUILT IN

90 CRI

DIMMABLE

CCT V

ADJUSTABLE

CE

5 YEAR

2-step reflector

38°

88mm 85mm

| Order Code | Colour | Light Colour | CCT (K)           | Watts | Lumen (lm) | Beam Angle | Input | Class |      |      |      |    | Notes                 |
|------------|--------|--------------|-------------------|-------|------------|------------|-------|-------|------|------|------|----|-----------------------|
| 11112/W/V  | White  | CCT V        | 3000K-3500K-4000K | 12W   | 1200lm     | 38°        | 700mA |       | 40cm | 76mm | 90mm | 50 | Requires 700mA driver |



**11107WD** | 6,5W | COB | Aluminium

**new**

DARK LIGHT

IP54

LED BUILT IN

90 CRI

DIMMABLE

CCT V

ADJUSTABLE

CE

5 YEAR

2-step reflector

38°

90mm 83mm

| Order Code  | Colour | Light Colour | CCT (K)           | Watts | Lumen (lm) | Beam Angle | Input | Class |      |      |       |    | Notes                 |
|-------------|--------|--------------|-------------------|-------|------------|------------|-------|-------|------|------|-------|----|-----------------------|
| 11107WD/W/V | White  | CCT V        | 3000K-3500K-4000K | 6,5W  | 600lm      | 38°        | 700mA |       | 40cm | 83mm | 100mm | 36 | Requires 700mA driver |





11107C/W/V

**11107C** | 6,5W | COB | Aluminium

new

DARK LIGHT

IP20

90 CRI

DIMMABLE


ADJUSTABLE

5 YEAR

LED BUILT IN

CCT V


CE



11107C/B/V



11107C/W/V Complete with Black, White & Brass reflectors.  
11107C/B/V Complete with Black & Brass reflectors.



90mm  
85mm  
40mm  
36°

| Order Code        | Colour | Light Colour | CCT (K)           | Watts | Lumen (lm) | Beam Angle | Input | Class |      |      |      |    | Notes                 |
|-------------------|--------|--------------|-------------------|-------|------------|------------|-------|-------|------|------|------|----|-----------------------|
| <b>11107C/W/V</b> | White  | CCT V        | 3000K-3500K-4000K | 6,5W  | 550lm      | 36°        | 700mA |       | 40cm | 83mm | 80mm | 36 | Requires 700mA driver |
| <b>11107C/B/V</b> | Black  | CCT V        | 3000K-3500K-4000K | 6,5W  | 550lm      | 36°        | 700mA |       | 40cm | 83mm | 80mm | 36 | Requires 700mA driver |



10103T/W/V

**10103T** | 3W | SMD | Aluminium

new

DARK LIGHT

IP20

80 CRI

DIMMABLE

ADJUSTABLE

3 YEAR


LED BUILT IN

CCT V

CE



10103T/B/V



10103T/W/V Complete with Black, White & Brass reflectors.  
10103T/B/V Complete with Black & Brass reflectors.



90mm  
35mm  
120°

| Order Code        | Colour | Light Colour | CCT (K)           | Watts | Lumen (lm) | Beam Angle | Input | Class |      |      |     |     | Notes                      |
|-------------------|--------|--------------|-------------------|-------|------------|------------|-------|-------|------|------|-----|-----|----------------------------|
| <b>10103T/W/V</b> | White  | CCT V        | 3000K-4000K-5000K | 3W    | 240lm      | 120°       | 230V  |       | 68mm | 50mm | 100 | 100 | Complete with 300mA driver |



11111C/W/V

**11111C** | 12W | COB | Aluminium

new

DARK LIGHT

IP20

90 CRI

DIMMABLE


ADJUSTABLE

5 YEAR

LED BUILT IN

CCT V


CE



11111C/B/V



11111C/W/V Complete with Black, White & Brass reflectors.  
11111C/B/V Complete with Black & Brass reflectors.



45mm  
90mm  
98mm  
40°

| Order Code        | Colour | Light Colour | CCT (K)           | Watts | Lumen (lm) | Beam Angle | Input | Class |      |      |       |    | Notes                 |
|-------------------|--------|--------------|-------------------|-------|------------|------------|-------|-------|------|------|-------|----|-----------------------|
| <b>11111C/W/V</b> | White  | CCT V        | 3000K-3500K-4000K | 12W   | 900lm      | 40°        | 700mA |       | 40cm | 85mm | 110mm | 20 | Requires 700mA driver |
| <b>11111C/B/V</b> | Black  | CCT V        | 3000K-3500K-4000K | 12W   | 900lm      | 40°        | 700mA |       | 40cm | 85mm | 110mm | 20 | Requires 700mA driver |



10107T/W/V

**10107T** | 7W | SMD | Aluminium

new

DARK LIGHT

IP20

80 CRI

DIMMABLE

ADJUSTABLE

3 YEAR


LED BUILT IN

CCT V

CE



10107T/B/V



10107T/W/V Complete with Black, White & Brass reflectors.  
10107T/B/V Complete with Black & Brass reflectors.



116mm  
42mm  
120°

| Order Code        | Colour | Light Colour | CCT (K)           | Watts | Lumen (lm) | Beam Angle | Input | Class |      |      |    |    | Notes                      |
|-------------------|--------|--------------|-------------------|-------|------------|------------|-------|-------|------|------|----|----|----------------------------|
| <b>10107T/W/V</b> | White  | CCT V        | 3000K-4000K-5000K | 7W    | 560lm      | 120°       | 230V  |       | 85mm | 60mm | 60 | 60 | Complete with 200mA driver |



11112B/W/V

**11112B** | 12W | COB | Aluminium

new

DARK LIGHT

IP20

90 CRI

DIMMABLE

ADJUSTABLE

5 YEAR

LED BUILT IN

CCT V


CE



11112B/B/V



11112B/W/V Complete with Black, White & Brass reflectors.  
11112B/B/V Complete with Black & Brass reflectors.



136mm  
134mm  
62mm  
40°

| Order Code        | Colour | Light Colour | CCT (K)           | Watts | Lumen (lm) | Beam Angle | Input | Class |      |       |      |    | Notes                 |
|-------------------|--------|--------------|-------------------|-------|------------|------------|-------|-------|------|-------|------|----|-----------------------|
| <b>11112B/W/V</b> | White  | CCT V        | 3000K-3500K-4000K | 12W   | 900lm      | 40°        | 700mA |       | 40cm | 120mm | 90mm | 12 | Requires 700mA driver |
| <b>11112B/B/V</b> | Black  | CCT V        | 3000K-3500K-4000K | 12W   | 900lm      | 40°        | 700mA |       | 40cm | 120mm | 90mm | 12 | Requires 700mA driver |



10115T/W/V

**10115T** | 15W | SMD | Aluminium

new

DARK LIGHT

IP20

80 CRI

DIMMABLE

ADJUSTABLE

3 YEAR


LED BUILT IN

CCT V

CE



10115T/B/V



10115T/W/V Complete with Black, White & Brass reflectors.  
10115T/B/V Complete with Black & Brass reflectors.



160mm  
43mm  
120°

| Order Code        | Colour | Light Colour | CCT (K)           | Watts | Lumen (lm) | Beam Angle | Input | Class |       |      |    |    | Notes                      |
|-------------------|--------|--------------|-------------------|-------|------------|------------|-------|-------|-------|------|----|----|----------------------------|
| <b>10115T/W/V</b> | White  | CCT V        | 3000K-4000K-5000K | 15W   | 1200lm     | 120°       | 230V  |       | 130mm | 60mm | 30 | 30 | Complete with 350mA driver |



10124T/W/V

**10124T** | 24W | SMD | Aluminium

new

DARK LIGHT

IP20

80 CRI

DIMMABLE

ADJUSTABLE

3 YEAR

LED BUILT IN

CCT V

CE



10124T/B/V



10124T/W/V Complete with Black, White & Brass reflectors.  
10124T/B/V Complete with Black & Brass reflectors.



235mm  
55mm  
120°

| Order Code        | Colour | Light Colour | CCT (K)           | Watts | Lumen (lm) | Beam Angle | Input | Class |       |      |    |    | Notes                      |
|-------------------|--------|--------------|-------------------|-------|------------|------------|-------|-------|-------|------|----|----|----------------------------|
| <b>10124T/W/V</b> | White  | CCT V        | 3000K-4000K-5000K | 24W   | 1920lm     | 120°       | 230V  |       | 210mm | 75mm | 20 | 20 | Complete with 600mA driver |

New Items 2025 Edition 3

www.1-light.eu

www.1-light.eu

New Items 2025 Edition 3



10107CA | 7W | COB | Aluminium

new

IP20

90

CRI

3

YEAR

LED

BUILT IN

CCT V

CE

| Order Code  | Colour | Light Colour | CCT (K)           | Watts | Lumen (lm) | Beam Angle | Input | Class |  |  |  | Notes                      |
|-------------|--------|--------------|-------------------|-------|------------|------------|-------|-------|--|--|--|----------------------------|
| 10107CA/W/V | White  | CCT V        | 3000K-4000K-5000K | 7W    | 600lm      | 60°        | 230V  |       |  |  |  | Complete with 160mA driver |



10110CA | 10W | COB | Aluminium

new

IP20

90

CRI

3

YEAR

LED

BUILT IN

CCT V

CE

| Order Code  | Colour | Light Colour | CCT (K)           | Watts | Lumen (lm) | Beam Angle | Input | Class |  |  |  | Notes                      |
|-------------|--------|--------------|-------------------|-------|------------|------------|-------|-------|--|--|--|----------------------------|
| 10110CA/W/V | White  | CCT V        | 3000K-4000K-5000K | 10W   | 850lm      | 60°        | 230V  |       |  |  |  | Complete with 250mA driver |



10115CA | 15W | COB | Aluminium

new

IP20

90

CRI

3

YEAR

LED

BUILT IN

CCT V

CE

| Order Code  | Colour | Light Colour | CCT (K)           | Watts | Lumen (lm) | Beam Angle | Input | Class |  |  |  | Notes                      |
|-------------|--------|--------------|-------------------|-------|------------|------------|-------|-------|--|--|--|----------------------------|
| 10115CA/W/V | White  | CCT V        | 3000K-4000K-5000K | 15W   | 1275lm     | 60°        | 230V  |       |  |  |  | Complete with 350mA driver |



10120CA | 20W | COB | Aluminium

new

IP20

90

CRI

3

YEAR

LED

BUILT IN

CCT V

CE

| Order Code  | Colour | Light Colour | CCT (K)           | Watts | Lumen (lm) | Beam Angle | Input | Class |  |  |  | Notes                      |
|-------------|--------|--------------|-------------------|-------|------------|------------|-------|-------|--|--|--|----------------------------|
| 10120CA/W/V | White  | CCT V        | 3000K-4000K-5000K | 20W   | 1800lm     | 60°        | 230V  |       |  |  |  | Complete with 500mA driver |



10120CB | 20W | COB | Aluminium

new

IP20

90

CRI

3

YEAR

LED

BUILT IN

CCT V

CE

| Order Code  | Colour | Light Colour | CCT (K)           | Watts | Lumen (lm) | Beam Angle | Input | Class |  |  |  | Notes                      |
|-------------|--------|--------------|-------------------|-------|------------|------------|-------|-------|--|--|--|----------------------------|
| 10120CB/W/V | White  | CCT V        | 3000K-4000K-5000K | 20W   | 1800lm     | 60°        | 230V  |       |  |  |  | Complete with 500mA driver |



10130CA | 30W | COB | Aluminium

new

IP20

90

CRI

3

YEAR

LED

BUILT IN


CCT V

CE

| Order Code  | Colour | Light Colour | CCT (K)           | Watts | Lumen (lm) | Beam Angle | Input | Class |  |  |  | Notes                      |
|-------------|--------|--------------|-------------------|-------|------------|------------|-------|-------|--|--|--|----------------------------|
| 10130CA/W/V | White  | CCT V        | 3000K-4000K-5000K | 30W   | 2700lm     | 60°        | 230V  |       |  |  |  | Complete with 750mA driver |



Downlights Fixed



10107ED | 7W | SMD | Aluminium

new

DARK LIGHT

IP20

90 CRI

3 YEAR

LED BUILT IN

CCT V

CE

60°

95mm

62mm



10112ED | 12W | SMD | Aluminium

new

DARK LIGHT

IP20

90 CRI

3 YEAR

LED BUILT IN

CCT V

CE

60°

110mm

67mm



10120ED | 20W | SMD | Aluminium

new

DARK LIGHT

IP20

90 CRI

3 YEAR

LED BUILT IN

CCT V

CE

60°

140mm

77mm



10130ED | 30W | SMD | Aluminium

new

DARK LIGHT

IP20

90 CRI

3 YEAR

LED BUILT IN

CCT V

CE

60°

170mm

87mm



10140ED | 40W | SMD | Aluminium

new

DARK LIGHT

IP20

90 CRI

3 YEAR

LED BUILT IN

CCT V


CE

60°

225mm

107mm

| Order Code  | Colour | Light Colour | CCT (K)           | Watts | Lumen (lm) | Beam Angle | Input | Class                                                                                 |  |  |  | Notes                       |
|-------------|--------|--------------|-------------------|-------|------------|------------|-------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|-----------------------------|
| 10107ED/W/V | White  | CCT V        | 3000K-4000K-5000K | 7W    | 560lm      | 60°        | 230V  |  | 75mm                                                                                  | 100mm                                                                                 | 50                                                                                    | Complete with 160mA driver  |
| 10112ED/W/V | White  | CCT V        | 3000K-4000K-5000K | 12W   | 960lm      | 60°        | 230V  |  | 95mm                                                                                  | 90mm                                                                                  | 50                                                                                    | Complete with 300mA driver  |
| 10120ED/W/V | White  | CCT V        | 3000K-4000K-5000K | 20W   | 1600lm     | 60°        | 230V  |  | 120mm                                                                                 | 100mm                                                                                 | 30                                                                                    | Complete with 500mA driver  |
| 10130ED/W/V | White  | CCT V        | 3000K-4000K-5000K | 30W   | 2400lm     | 60°        | 230V  |  | 145mm                                                                                 | 110mm                                                                                 | 20                                                                                    | Complete with 750mA driver  |
| 10140ED/W/V | White  | CCT V        | 3000K-4000K-5000K | 40W   | 3200lm     | 60°        | 230V  |  | 210mm                                                                                 | 130mm                                                                                 | 10                                                                                    | Complete with 1000mA driver |



50140F | 36W | SMD | 595x595mm | Aluminium

For recessed 600x600mm ceilings.

new

IP20

90 CRI

2 YEAR

LED BUILT IN


CCT V

CE

60°

595mm

15mm



50140FA | 36W | SMD | 620x620mm | Aluminium

For recessed 620x620mm ceilings.

new

IP20

90 CRI

2 YEAR

LED BUILT IN

CCT V

CE


60°

620mm

15mm

| Order Code | Light Colour | CCT (K)           | Watts | Lumen (lm) | Input | Class |      |   | Notes                      |
|------------|--------------|-------------------|-------|------------|-------|-------|------|---|----------------------------|
| 50140F/V   | CCT V        | 3000K-4000K-5500K | 36W   | 3600lm     | 230V  |       | 50mm | 4 | Complete with 950mA driver |

| Order Code | Light Colour | CCT (K)           | Watts | Lumen (lm) | Input | Class |      |   | Notes                      |
|------------|--------------|-------------------|-------|------------|-------|-------|------|---|----------------------------|
| 50140FA/V  | CCT V        | 3000K-4000K-5500K | 36W   | 3600lm     | 230V  |       | 50mm | 4 | Complete with 950mA driver |



7901AATR/W | 2m Bendable trimless profile | Aluminium | Suitable for 7841A

new

4

CE


5 YEAR

7x2000mm

47mm

6mm

10mm



7901ATR/W | 2m Bendable trimless profile | Aluminium | Suitable for 7841

new

4

CE


5 YEAR

9x2000mm

48mm

8mm

12mm



7901BATR/W | 2m Bendable trimless profile | Aluminium | Suitable for 7841B

new

2

CE

5 YEAR

19x2000mm

58mm

18mm

16mm



new

IP20

7846H | 14,5W/m | COB | 480LEDs/m | High efficiency | 150lm/W

3M Double face adhesive.

LED

BUILT IN

90


CRI

DIMMABLE

CE

5

YEAR



Supplied in 5m roll.

10mm

Cut every 5cm



new

IP67

7839W | 4W/m | COB | 320LEDs/m | Silicone

3M Double face adhesive.

LED

BUILT IN

90


CRI

DIMMABLE

CE

3

YEAR



Supplied in 5m roll.

12,5mm

Cut every 5cm



new

IP20

7887A | 25W/m | COB | 960LEDs/m

3M Double face adhesive.

LED

BUILT IN

90


CRI

DIMMABLE

CE

5


YEAR



Supplied in 5m roll.

15mm

Cut every 5cm



new

IP67

7844W | 8W/m | COB | 320LEDs/m | Silicone

3M Double face adhesive.

LED

BUILT IN

90


CRI

DIMMABLE

CE

3


YEAR



Supplied in 5m roll.

12,5mm

Cut every 5cm



new

IP20

7887B | 40W/m | COB | 1600LEDs/m

3M Double face adhesive.

LED

BUILT IN

90


CRI

DIMMABLE

CE

5

YEAR



Supplied in 5m roll.

30mm

Cut every 2,5cm



new

IP20

7820B/RGBW | 19W/m | SMD | 60LEDs/m | SPI | TUYA

3M Double face adhesive.

LED

BUILT IN

80

CRI

DIMMABLE

CE

3

YEAR



Supplied in 5m roll.



40 preprogrammed modes.





10mm

Cut every 10cm



new

IP65

7890 | 18W/m | SMD | Silicone

3M Double face adhesive.

LED

BUILT IN

85

CRI

DIMMABLE

CE

2

YEAR



Supplied in 5m roll.



7890E Set end caps  
7890F Fixing clip  
7890FL Flexible fixing profile

20mm

20mm

Cut every 4,5cm



new

IP20

7820C/RGBW | 19W/m | SMD | 60LEDs/m | SPI | TUYA

3M Double face adhesive.

LED

BUILT IN

80


CRI

DIMMABLE

CE

3

YEAR



Supplied in 10m roll.



40 preprogrammed modes.





10mm

Cut every 10cm





65670AT/W/V

**65670AT** | 12W PV | COB | Aluminium



LED

BUILT IN

90

CRI



PV



ADJUSTABLE



CE




5 YEAR



65670AT/W/V Complete with White reflector.  
65670AT/B/V Complete with Black reflector.



38°



100mm 55mm




65670AT/B/V


| Order Code         | Colour | Light Colour | CCT (K)           | Watts      | Lumen (lm) | Beam Angle | Input | Class                                                                               |  | Notes                   |
|--------------------|--------|--------------|-------------------|------------|------------|------------|-------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------|
| <b>65670AT/W/V</b> | White  | CCT V        | 3000K-3500K-4000K | 8W-10W-12W | 1440lm@12W | 38°        | 230V  |  | 30                                                                                  | Complete with PV driver |
| <b>65670AT/B/V</b> | Black  | CCT V        | 3000K-3500K-4000K | 8W-10W-12W | 1440lm@12W | 38°        | 230V  |  | 30                                                                                  | Complete with PV driver |




050380A/W White



050380A/B Black



050380A/BS Brass



050380AH/B  
Black with honeycomb



0770A/15 (15°)



65670BT/W/V

**65670BT** | 22W PV | COB | Aluminium



LED

BUILT IN

90

CRI



PV




ADJUSTABLE



CE




5 YEAR



65670BT/W/V Complete with White reflector.  
65670BT/B/V Complete with Black reflector.



38°



115mm 75mm



65670BT/B/V

| Order Code         | Colour | Light Colour | CCT (K)           | Watts           | Lumen (lm) | Beam Angle | Input | Class                                                                                 |  | Notes                   |
|--------------------|--------|--------------|-------------------|-----------------|------------|------------|-------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|-------------------------|
| <b>65670BT/W/V</b> | White  | CCT V        | 3000K-3500K-4000K | 16W-18W-20W-22W | 2640lm@22W | 38°        | 230V  |  | 20                                                                                    | Complete with PV driver |
| <b>65670BT/B/V</b> | Black  | CCT V        | 3000K-3500K-4000K | 16W-18W-20W-22W | 2640lm@22W | 38°        | 230V  |  | 20                                                                                    | Complete with PV driver |



050380B/W White



050380B/B Black



050380B/BS Brass



050380BH/B  
Black with honeycomb



0770B/15 (15°)



65670CT/W/V

**65670CT** | 40W PV | COB | Aluminium



LED

BUILT IN

90

CRI



PV



ADJUSTABLE



CE




5 YEAR



65670CT/W/V Complete with White reflector.  
65670CT/B/V Complete with Black reflector.



38°



125mm 90mm



65670CT/B/V

| Order Code         | Colour | Light Colour | CCT (K)           | Watts   | Lumen (lm) | Beam Angle | Input | Class                                                                               |  | Notes                   |
|--------------------|--------|--------------|-------------------|---------|------------|------------|-------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------|
| <b>65670CT/W/V</b> | White  | CCT V        | 3000K-3500K-4000K | 30W-40W | 4800lm@40W | 38°        | 230V  |  | 10                                                                                  | Complete with PV driver |
| <b>65670CT/B/V</b> | Black  | CCT V        | 3000K-3500K-4000K | 30W-40W | 4800lm@40W | 38°        | 230V  |  | 10                                                                                  | Complete with PV driver |



050380C/W White



050380C/B Black



050380C/BS Brass



050380CH/B  
Black with honeycomb



0770C/15 (15°)



65670CTL/W/V

**65670CTL** | 40W | COB | CCT DALI Tunable | Aluminium



LED

BUILT IN

90

CRI



DALI



DIMMABLE



CCT V




ADJUSTABLE



CE




5 YEAR




65670CTL/W/V Complete with White reflector.  
65670CTL/B/V Complete with Black reflector.




38°



125mm 90mm




65670CTL/B/V



L1 L2  
D1 D2  
N L3

| Order Code          | Colour | Light Colour | CCT (K)             | Watts | Lumen (lm) | Beam Angle | Input | Class                                                                                 |  | Notes                     |
|---------------------|--------|--------------|---------------------|-------|------------|------------|-------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------------|
| <b>65670CTL/W/V</b> | White  | CCT V        | 3000K-4000K tunable | 40W   | 4800lm     | 38°        | 230V  |  | 10                                                                                    | Complete with DALI driver |
| <b>65670CTL/B/V</b> | Black  | CCT V        | 3000K-4000K tunable | 40W   | 4800lm     | 38°        | 230V  |  | 10                                                                                    | Complete with DALI driver |




050380C/W White




050380C/B Black



050380C/BS Brass



050380CH/B  
Black with honeycomb



0770C/15 (15°)


| Order Code          | Colour | Light Colour | CCT (K)             | Watts | Lumen (lm) | Beam Angle | Input | Class                                                                                 |  | Notes                     |
|---------------------|--------|--------------|---------------------|-------|------------|------------|-------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------------|
| <b>65670CTL/W/V</b> | White  | CCT V        | 3000K-4000K tunable | 40W   | 4800lm     | 38°        | 230V  |  | 10                                                                                    | Complete with DALI driver |
| <b>65670CTL/B/V</b> | Black  | CCT V        | 3000K-4000K tunable | 40W   | 4800lm     | 38°        | 230V  |  | 10                                                                                    | Complete with DALI driver |



050380C/W White



050380C/B Black



050380C/BS Brass



050380CH/B  
Black with honeycomb



0770C/15 (15°)

New Items 2025 Edition 3

www.1-light.eu

www.1-light.eu

New Items 2025 Edition 3





40001AL | 16A | 1m Square DALI track | 3-phase + DALI | Aluminium

CE

5

YEAR

L1L2D1D2N

L3

32mm

35mm

new



40002AL | 16A | 2m Square DALI track | 3-phase + DALI | Aluminium

CE

5

YEAR

L1L2D1D2N

L3

32mm

35mm

new



40003AL | 16A | 3m Square DALI track | 3-phase + DALI | Aluminium

CE

5

YEAR

L1L2D1D2N

L3

32mm

35mm

new

| Order Code | Colour | Input    | Ampere | Class |    | Notes |
|------------|--------|----------|--------|-------|----|-------|
| 40001AL/W  | White  | 100-240V | 16A    |       | 10 | -     |
| 40001AL/B  | Black  | 100-240V | 16A    |       | 10 | -     |
| 40002AL/W  | White  | 100-240V | 16A    |       | 10 | -     |
| 40002AL/B  | Black  | 100-240V | 16A    |       | 10 | -     |
| 40003AL/W  | White  | 100-240V | 16A    |       | 10 | -     |
| 40003AL/B  | Black  | 100-240V | 16A    |       | 10 | -     |



41026R | Adjustable suspension kit 2m for square tracks | Metal

5

YEAR

CE

100

32mm

35mm

new



41004AL | 16A | Live end for square DALI track | DALI | Plastic

CE

5

YEAR

L1L2D1D2N

L3

120mm

34mm

new



41010AL | 16A | Live connector for square DALI track | DALI | Plastic

CE

5

YEAR

L1L2D1D2N

L3

205mm

34mm

new



41008AL | 16A | Connector for square DALI track | DALI | Plastic

CE

5

YEAR

L1L2D1D2N

L3

70mm

34mm

new

| Order Code  | Colour | Direction | Input    | Ampere | Class |     | Notes          |
|-------------|--------|-----------|----------|--------|-------|-----|----------------|
| 41004AL/W/L | White  | Left      | 100-240V | 16A    |       | 50  | For DALI track |
| 41004AL/W/R | White  | Right     | 100-240V | 16A    |       | 50  | For DALI track |
| 41004AL/B/L | Black  | Left      | 100-240V | 16A    |       | 50  | For DALI track |
| 41004AL/B/R | Black  | Right     | 100-240V | 16A    |       | 50  | For DALI track |
| 41010AL/W   | White  | -         | 100-240V | 16A    |       | 50  | For DALI track |
| 41010AL/B   | Black  | -         | 100-240V | 16A    |       | 50  | For DALI track |
| 41008AL/W   | White  | -         | 100-240V | 16A    |       | 100 | For DALI track |
| 41008AL/B   | Black  | -         | 100-240V | 16A    |       | 100 | For DALI track |












42001ATR | 42002ATR | 48V | Trimless recessed | ON/OFF / DALI | Aluminium | Max 10m/driver | Max 400W/circuit.




new



Complete with 2pcs mechanical connectors.



Complete with 2pcs end caps.



| Order Code | Colour | Length | Input | Class |           |      |   | Notes |
|------------|--------|--------|-------|-------|-----------|------|---|-------|
| 42001ATR/W | White  | 1m     | 48V   |       | 30x1000mm | 60mm | 1 | -     |
| 42002ATR/W | White  | 2m     | 48V   |       | 30x2000mm | 60mm | 1 | -     |




42001ATR | 42002ATR | 48V | Trimless recessed | ON/OFF / DALI | Aluminium | Max 10m/driver | Max 400W/circuit.




new



Complete with 2pcs mechanical connectors.



Complete with 2pcs end caps.



| Order Code | Colour | Length | Input | Class |           |      |   | Notes |
|------------|--------|--------|-------|-------|-----------|------|---|-------|
| 42001ATR/B | Black  | 1m     | 48V   |       | 30x1000mm | 60mm | 1 | -     |
| 42002ATR/B | Black  | 2m     | 48V   |       | 30x2000mm | 60mm | 1 | -     |




42012AATR | Trimless recessed corner for 42001ATR & 42002ATR | Aluminium



new



42012AATR/W



42004B/B | 48V | Live connector | ON/OFF / DALI | Plastic



new



42026/W | White suspension kit 3m for 42001, 42002 & 42003



new



42022A/W | End caps for 42001A & 42002A



new



42022B/W | End caps for 42001B, 42002B, 42001RB & 42002RB



new



42022/W | End caps for 42001, 42002, 42003, 42001R & 42002R




new



42006BX/W | 250W | 48V DC | Driver for magnetic profiles



new



| Order Code | Input | Power | Output | Class | Dimmable |    | Notes |
|------------|-------|-------|--------|-------|----------|----|-------|
| 42006BX/W  | 230V  | 250W  | 48V DC |       | NO       | 20 | -     |



new

IP20

42100AA | 8W | Linear light | Aluminium + PC

90

CRI

3

YEAR

LED

BUILT IN

CCT V

CE

MINI

✓

MIDI

✓

120°

29mm

300mm

24mm

42100AA/W/V

| Order Code  | Colour | Light Colour | CCT (K)           | Watts | Lumen (lm) | Beam Angle | Input | Class |    | Notes |
|-------------|--------|--------------|-------------------|-------|------------|------------|-------|-------|----|-------|
| 42100AA/W/V | White  | CCT V        | 3000K-3500K-4000K | 8W    | 640lm      | 120°       | 48V   |       | 50 | -     |
| 42100AA/B/V | Black  | CCT V        | 3000K-3500K-4000K | 8W    | 640lm      | 120°       | 48V   |       | 50 | -     |



new

IP20

42100AAL | 8W | Linear light | CCT DALI Tunable | Aluminium + PC

90

CRI

3

YEAR

LED

BUILT IN

DALI

DIMMABLE

CCT V

CE

MINI

✓

MIDI

✓

120°

29mm

300mm

24mm

42100AAL/W/V

| Order Code   | Colour | Light Colour | CCT (K)             | Watts | Lumen (lm) | Beam Angle | Input | Class |    | Notes |
|--------------|--------|--------------|---------------------|-------|------------|------------|-------|-------|----|-------|
| 42100AAL/W/V | White  | CCT V        | 3000K-4000K tunable | 8W    | 640lm      | 120°       | 48V   |       | 50 | -     |
| 42100AAL/B/V | Black  | CCT V        | 3000K-4000K tunable | 8W    | 640lm      | 120°       | 48V   |       | 50 | -     |



new

IP20

42100BA | 16W | Linear light | Aluminium + PC

90

CRI

3

YEAR

LED

BUILT IN

CCT V

CE

MINI

✓

MIDI

✓

120°

29mm

600mm

24mm

42100BA/W/V

| Order Code  | Colour | Light Colour | CCT (K)           | Watts | Lumen (lm) | Beam Angle | Input | Class |    | Notes |
|-------------|--------|--------------|-------------------|-------|------------|------------|-------|-------|----|-------|
| 42100BA/W/V | White  | CCT V        | 3000K-3500K-4000K | 16W   | 1280lm     | 120°       | 48V   |       | 40 | -     |
| 42100BA/B/V | Black  | CCT V        | 3000K-3500K-4000K | 16W   | 1280lm     | 120°       | 48V   |       | 40 | -     |



new

IP20

42100BAL | 16W | Linear light | CCT DALI Tunable | Aluminium + PC

90

CRI

3

YEAR

LED

BUILT IN

DALI

DIMMABLE

CCT V

CE

MINI

✓

MIDI

✓

120°

29mm

600mm

24mm

42100BAL/W/V

| Order Code   | Colour | Light Colour | CCT (K)             | Watts | Lumen (lm) | Beam Angle | Input | Class |    | Notes |
|--------------|--------|--------------|---------------------|-------|------------|------------|-------|-------|----|-------|
| 42100BAL/W/V | White  | CCT V        | 3000K-4000K tunable | 16W   | 1280lm     | 120°       | 48V   |       | 40 | -     |
| 42100BAL/B/V | Black  | CCT V        | 3000K-4000K tunable | 16W   | 1280lm     | 120°       | 48V   |       | 40 | -     |



new

IP20

42100A | 15W | Linear light | Aluminium + PC

90

CRI

3

YEAR

LED

BUILT IN

CCT V

CE

MAXI

✓

120°

47mm

300mm

37mm

42100A/W/V

| Order Code | Colour | Light Colour | CCT (K)           | Watts | Lumen (lm) | Beam Angle | Input | Class |    | Notes |
|------------|--------|--------------|-------------------|-------|------------|------------|-------|-------|----|-------|
| 42100A/W/V | White  | CCT V        | 3000K-3500K-4000K | 15W   | 1200lm     | 120°       | 48V   |       | 40 | -     |
| 42100A/B/V | Black  | CCT V        | 3000K-3500K-4000K | 15W   | 1200lm     | 120°       | 48V   |       | 40 | -     |



new

IP20

42100AL | 15W | Linear light | CCT DALI Tunable | Aluminium + PC

90

CRI

3

YEAR

LED

BUILT IN

DALI

DIMMABLE

CCT V

CE

MAXI

✓

120°

47mm

300mm

37mm

42100AL/W/V

| Order Code  | Colour | Light Colour | CCT (K)             | Watts | Lumen (lm) | Beam Angle | Input | Class |    | Notes |
|-------------|--------|--------------|---------------------|-------|------------|------------|-------|-------|----|-------|
| 42100AL/W/V | White  | CCT V        | 3000K-4000K tunable | 15W   | 1200lm     | 120°       | 48V   |       | 40 | -     |
| 42100AL/B/V | Black  | CCT V        | 3000K-4000K tunable | 15W   | 1200lm     | 120°       | 48V   |       | 40 | -     |



new

IP20

42100B | 25W | Linear light | Aluminium + PC

90

CRI

3

YEAR

LED

BUILT IN

CCT V

CE

MAXI

✓

120°

47mm

600mm

37mm

42100B/W/V

| Order Code | Colour | Light Colour | CCT (K)           | Watts | Lumen (lm) | Beam Angle | Input | Class |    | Notes |
|------------|--------|--------------|-------------------|-------|------------|------------|-------|-------|----|-------|
| 42100B/W/V | White  | CCT V        | 3000K-3500K-4000K | 25W   | 2000lm     | 120°       | 48V   |       | 20 | -     |
| 42100B/B/V | Black  | CCT V        | 3000K-3500K-4000K | 25W   | 2000lm     | 120°       | 48V   |       | 20 | -     |



new

IP20

42100BL | 25W | Linear light | CCT DALI Tunable | Aluminium + PC

90

CRI

3

YEAR

LED

BUILT IN

DALI

DIMMABLE

CCT V

CE

MAXI

✓

120°

47mm

600mm

37mm

42100BL/W/V

| Order Code  | Colour | Light Colour | CCT (K)             | Watts | Lumen (lm) | Beam Angle | Input | Class |    | Notes |
|-------------|--------|--------------|---------------------|-------|------------|------------|-------|-------|----|-------|
| 42100BL/W/V | White  | CCT V        | 3000K-4000K tunable | 25W   | 2000lm     | 120°       | 48V   |       | 20 | -     |
| 42100BL/B/V | Black  | CCT V        | 3000K-4000K tunable | 25W   | 2000lm     | 120°       | 48V   |       | 20 | -     |





42100EA | 16W | Corner light | Aluminium + PC

90 CRI  
3 YEAR  
new  
IP20

MINI  
✓

MIDI  
✓

| Order Code  | Colour | Light Colour | CCT (K)           | Watts | Lumen (lm) | Beam Angle | Input | Class |    | Notes |
|-------------|--------|--------------|-------------------|-------|------------|------------|-------|-------|----|-------|
| 42100EA/B/V | Black  | CCT V        | 3000K-3500K-4000K | 16W   | 1280lm     | 120°       | 48V   |       | 10 | -     |




42100E | 25W | Corner light | Aluminium + PC

90 CRI  
3 YEAR  
new  
IP20

MAXI  
✓

| Order Code | Colour | Light Colour | CCT (K)           | Watts | Lumen (lm) | Beam Angle | Input | Class |    | Notes |
|------------|--------|--------------|-------------------|-------|------------|------------|-------|-------|----|-------|
| 42100E/B/V | Black  | CCT V        | 3000K-3500K-4000K | 25W   | 2000lm     | 120°       | 48V   |       | 12 | -     |



42100EL | 25W | Corner light | CCT DALI Tunable | Aluminium + PC

90 CRI  
DALI  
DIMMABLE  
3 YEAR  
new  
IP20

MAXI  
✓

| Order Code  | Colour | Light Colour | CCT (K)             | Watts | Lumen (lm) | Beam Angle | Input | Class |    | Notes |
|-------------|--------|--------------|---------------------|-------|------------|------------|-------|-------|----|-------|
| 42100EL/B/V | Black  | CCT V        | 3000K-4000K tunable | 25W   | 2000lm     | 120°       | 48V   |       | 12 | -     |



42104B | 12W | Linear spots | Aluminium

90 CRI  
3 YEAR  
new  
DARK LIGHT  
IP20

MAXI  
✓

| Order Code | Colour | Light Colour | CCT (K)           | Watts | Lumen (lm) | Beam Angle | Input | Class |    | Notes |
|------------|--------|--------------|-------------------|-------|------------|------------|-------|-------|----|-------|
| 42104B/B/V | Black  | CCT V        | 3000K-3500K-4000K | 12W   | 840lm      | 36°        | 48V   |       | 40 | -     |



42104BL | 12W | Linear spots | CCT DALI Tunable | Aluminium

90 CRI  
DALI  
DIMMABLE  
3 YEAR  
new  
DARK LIGHT  
IP20

MAXI  
✓

| Order Code  | Colour | Light Colour | CCT (K)             | Watts | Lumen (lm) | Beam Angle | Input | Class |    | Notes |
|-------------|--------|--------------|---------------------|-------|------------|------------|-------|-------|----|-------|
| 42104BL/B/V | Black  | CCT V        | 3000K-4000K tunable | 12W   | 840lm      | 36°        | 48V   |       | 40 | -     |

one

Tracks & Magnetic



42102A | 12W | Linear spots | Aluminium

90 CRI  
3 YEAR  
new  
IP20

MAXI  
✓

| Order Code | Colour | Light Colour | CCT (K)           | Watts | Lumen (lm) | Beam Angle | Input | Class |    | Notes |
|------------|--------|--------------|-------------------|-------|------------|------------|-------|-------|----|-------|
| 42102A/B/V | Black  | CCT V        | 3000K-3500K-4000K | 12W   | 960lm      | 38°        | 48V   |       | 40 | -     |



42102AL | 12W | Linear spots | CCT DALI Tunable | Aluminium

90 CRI  
DALI  
DIMMABLE  
3 YEAR  
new  
IP20

MAXI  
✓

| Order Code  | Colour | Light Colour | CCT (K)             | Watts | Lumen (lm) | Beam Angle | Input | Class |    | Notes |
|-------------|--------|--------------|---------------------|-------|------------|------------|-------|-------|----|-------|
| 42102AL/B/V | Black  | CCT V        | 3000K-4000K tunable | 12W   | 960lm      | 38°        | 48V   |       | 40 | -     |



42102B | 22W | Linear spots | Aluminium

90 CRI  
3 YEAR  
new  
IP20

MAXI  
✓

| Order Code | Colour | Light Colour | CCT (K)           | Watts | Lumen (lm) | Beam Angle | Input | Class |    | Notes |
|------------|--------|--------------|-------------------|-------|------------|------------|-------|-------|----|-------|
| 42102B/B/V | Black  | CCT V        | 3000K-3500K-4000K | 22W   | 1760lm     | 38°        | 48V   |       | 30 | -     |




42102BL | 22W | Linear spots | CCT DALI Tunable | Aluminium

90 CRI  
DALI  
DIMMABLE  
3 YEAR  
new  
IP20

MAXI  
✓

| Order Code  | Colour | Light Colour | CCT (K)             | Watts | Lumen (lm) | Beam Angle | Input | Class |    | Notes |
|-------------|--------|--------------|---------------------|-------|------------|------------|-------|-------|----|-------|
| 42102BL/B/V | Black  | CCT V        | 3000K-4000K tunable | 22W   | 1760lm     | 38°        | 48V   |       | 30 | -     |





42124AA | 10W | Linear spots | Adjustable | Aluminium

new

IP20

LED BUILT IN

90 CRI

ADJUSTABLE MINI

ADJUSTABLE MIDI

CCT V

CE

3 YEAR

MINI

MIDI


38°



MINI

MIDI

38°



| Order Code  | Colour | Light Colour | CCT (K)           | Watts | Lumen (lm) | Beam Angle | Input | Class |    | Notes |
|-------------|--------|--------------|-------------------|-------|------------|------------|-------|-------|----|-------|
| 42124AA/W/V | White  | CCT V        | 3000K-3500K-4000K | 10W   | 800lm      | 38°        | 48V   |       | 30 | -     |



42124AA | 10W | Linear spots | Adjustable | Aluminium

new

IP20

LED BUILT IN

90 CRI

ADJUSTABLE MINI

ADJUSTABLE MIDI

CCT V

CE

3 YEAR

MINI

MIDI


38°




MINI

MIDI

38°



| Order Code  | Colour | Light Colour | CCT (K)           | Watts | Lumen (lm) | Beam Angle | Input | Class |    | Notes |
|-------------|--------|--------------|-------------------|-------|------------|------------|-------|-------|----|-------|
| 42124AA/B/V | Black  | CCT V        | 3000K-3500K-4000K | 10W   | 800lm      | 38°        | 48V   |       | 30 | -     |



42124BA | 20W | Linear spots | Adjustable | Aluminium

new

IP20

LED BUILT IN

90 CRI

ADJUSTABLE MINI

ADJUSTABLE MIDI

CCT V

CE

3 YEAR

MINI

MIDI


38°



MINI

MIDI

38°





42124BA | 20W | Linear spots | Adjustable | Aluminium

new

IP20

LED BUILT IN

90 CRI

ADJUSTABLE MINI

ADJUSTABLE MIDI

CCT V

CE

3 YEAR

MINI

MIDI


38°



MINI

MIDI

38°





42122A | 5W | Aluminium

new

IP20

LED BUILT IN

90 CRI

ADJUSTABLE

ADJUSTABLE

CCT V

CE

3 YEAR

MINI

P&P


38°



MINI

P&P

38°





42122AL | 5W | CCT DALI Tunable | Aluminium

new

IP20

LED BUILT IN

90 CRI

ADJUSTABLE

DIMMABLE

CCT V


CE

3 YEAR

MINI

P&P


38°




MINI

P&P

38°





42134 | 7W | Aluminium

new

IP20

LED BUILT IN

90 CRI

ADJUSTABLE

ADJUSTABLE

CCT V

CE

3 YEAR


MINI

MIDI

MAXI

P&P

36°




MINI


MIDI

MAXI

P&P

36°





42134A | 2x7W | Aluminium

new

IP20

LED BUILT IN

90 CRI

ADJUSTABLE

ADJUSTABLE

CCT V

CE

3 YEAR


MINI

MIDI

MAXI

P&P

36°




MINI

MIDI

MAXI

P&P

36°







42108/B/V

**42108** | 6W | Aluminium



LED  
BUILT IN



90  
CRI



CE



CCT V



ADJUSTABLE



3  
YEAR



42108/W/V

MINI


MIDI

MAXI

P&P



38°



200mm  
72mm 35mm

| Order Code | Colour | Light Colour | CCT (K)           | Watts | Lumen (lm) | Beam Angle | Input | Class                                                                               |  | Notes |
|------------|--------|--------------|-------------------|-------|------------|------------|-------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------|
| 42108/W/V  | White  | CCT V        | 3000K-3500K-4000K | 6W    | 480lm      | 38°        | 48V   |  | 30                                                                                  | -     |
| 42108/B/V  | Black  | CCT V        | 3000K-3500K-4000K | 6W    | 480lm      | 38°        | 48V   |  | 30                                                                                  | -     |



42108L/B/V

**42108L** | 6W | CCT DALI Tunable | Aluminium



LED  
BUILT IN



90  
CRI



CE



DALI  
DIMMABLE



CCT V



ADJUSTABLE



3  
YEAR



42108L/W/V

MINI


MIDI

MAXI

P&P



38°



200mm  
72mm 35mm

| Order Code | Colour | Light Colour | CCT (K)             | Watts | Lumen (lm) | Beam Angle | Input | Class                                                                                 |  | Notes |
|------------|--------|--------------|---------------------|-------|------------|------------|-------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|-------|
| 42108L/W/V | White  | CCT V        | 3000K-4000K tunable | 6W    | 480lm      | 38°        | 48V   |  | 30                                                                                    | -     |
| 42108L/B/V | Black  | CCT V        | 3000K-4000K tunable | 6W    | 480lm      | 38°        | 48V   |  | 30                                                                                    | -     |



42108A/B/V

**42108A** | 2x6W | Aluminium



LED  
BUILT IN



90  
CRI



CE




CCT V



ADJUSTABLE



3  
YEAR



42108A/W/V

MINI


MIDI

MAXI

P&P



38°



200mm  
72mm 35mm

| Order Code | Colour | Light Colour | CCT (K)           | Watts | Lumen (lm) | Beam Angle | Input | Class                                                                                 |  | Notes |
|------------|--------|--------------|-------------------|-------|------------|------------|-------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|-------|
| 42108A/W/V | White  | CCT V        | 3000K-3500K-4000K | 2x6W  | 2x480lm    | 38°        | 48V   |  | 20                                                                                    | -     |
| 42108A/B/V | Black  | CCT V        | 3000K-3500K-4000K | 2x6W  | 2x480lm    | 38°        | 48V   |  | 20                                                                                    | -     |



42108AL/B/V

**42108AL** | 2x6W | CCT DALI Tunable | Aluminium



LED  
BUILT IN



90  
CRI



CE



DALI  
DIMMABLE



CCT V



ADJUSTABLE



3  
YEAR



42108AL/W/V

MINI


MIDI

MAXI

P&P



38°



200mm  
72mm 35mm

| Order Code  | Colour | Light Colour | CCT (K)             | Watts | Lumen (lm) | Beam Angle | Input | Class                                                                                 |  | Notes |
|-------------|--------|--------------|---------------------|-------|------------|------------|-------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|-------|
| 42108AL/W/V | White  | CCT V        | 3000K-4000K tunable | 2x6W  | 2x480lm    | 38°        | 48V   |  | 20                                                                                    | -     |
| 42108AL/B/V | Black  | CCT V        | 3000K-4000K tunable | 2x6W  | 2x480lm    | 38°        | 48V   |  | 20                                                                                    | -     |

New Items 2025 Edition 3

www.1-light.eu

one

Tracks & Magnetic



42138/B/V

**42138** | 7W | Honeycomb | Aluminium



LED  
BUILT IN



90  
CRI



CE



CCT V



ADJUSTABLE



3  
YEAR



42138/W/V

MINI


MIDI

MAXI

P&P



38°



200mm  
84mm 35mm

| Order Code | Colour | Light Colour | CCT (K)           | Watts | Lumen (lm) | Beam Angle | Input | Class                                                                               |  | Notes |
|------------|--------|--------------|-------------------|-------|------------|------------|-------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------|
| 42138/B/V  | Black  | CCT V        | 3000K-3500K-4000K | 7W    | 560lm      | 38°        | 48V   |  | 30                                                                                  | -     |
| 42138/W/V  | White  | CCT V        | 3000K-3500K-4000K | 7W    | 560lm      | 38°        | 48V   |  | 30                                                                                  | -     |



42138L/B/V

**42138L** | 7W | CCT DALI Tunable | Honeycomb | Aluminium



LED  
BUILT IN



90  
CRI



CE



DALI  
DIMMABLE



CCT V



ADJUSTABLE



3  
YEAR



42138L/W/V

MINI


MIDI

MAXI

P&P



38°



200mm  
84mm 35mm

| Order Code | Colour | Light Colour | CCT (K)             | Watts | Lumen (lm) | Beam Angle | Input | Class                                                                                 |  | Notes |
|------------|--------|--------------|---------------------|-------|------------|------------|-------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|-------|
| 42138L/W/V | White  | CCT V        | 3000K-4000K tunable | 7W    | 560lm      | 38°        | 48V   |  | 30                                                                                    | -     |
| 42138L/B/V | Black  | CCT V        | 3000K-4000K tunable | 7W    | 560lm      | 38°        | 48V   |  | 30                                                                                    | -     |



42140/B/W

**42140** | 7W | Adjustable beam 10°- 38° | Aluminium



LED  
BUILT IN



90  
CRI



CE



ADJUSTABLE



3  
YEAR



42140/W/W

MINI


MIDI

MAXI

P&P



10°-38°



200mm  
84mm 35mm

| Order Code | Colour | Light Colour | CCT (K) | Watts | Lumen (lm) | Beam Angle | Input | Class                                                                                 |  | Notes |
|------------|--------|--------------|---------|-------|------------|------------|-------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|-------|
| 42140/W/W  | White  | Warm white   | 3000K   | 7W    | 490lm      | 10°-38°    | 48V   |  | 30                                                                                    | -     |
| 42140/B/W  | Black  | Warm white   | 3000K   | 7W    | 490lm      | 10°-38°    | 48V   |  | 30                                                                                    | -     |



42140L/B/W

**42140L** | 7W | DALI | Adjustable beam 10°- 38° | Aluminium



LED  
BUILT IN



90  
CRI



CE



DALI  
DIMMABLE



ADJUSTABLE



3  
YEAR



42140L/W/W

MINI


MIDI

MAXI

P&P



10°-38°



200mm  
84mm 35mm

| Order Code | Colour | Light Colour | CCT (K) | Watts | Lumen (lm) | Beam Angle | Input | Class                                                                                 |  | Notes |
|------------|--------|--------------|---------|-------|------------|------------|-------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|-------|
| 42140L/W/W | White  | Warm white   | 3000K   | 7W    | 490lm      | 10°-38°    | 48V   |  | 30                                                                                    | -     |
| 42140L/B/W | Black  | Warm white   | 3000K   | 7W    | 490lm      | 10°-38°    | 48V   |  | 30                                                                                    | -     |

www.1-light.eu

New Items 2025 Edition 3



42110/B/V

**42110** | 8W | Honeycomb | Aluminium

new

DARK LIGHT

IP20

LED BUILT IN

90 CRI

cctv

ADJUSTABLE

CE

3 YEAR




42110/W/V

MINI

MIDI

MAXI

P&P



| Order Code | Colour | Light Colour | CCT (K)           | Watts | Lumen (lm) | Beam Angle | Input | Class                                                                               |  | Notes |
|------------|--------|--------------|-------------------|-------|------------|------------|-------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------|
| 42110/W/V  | White  | CCT V        | 3000K-3500K-4000K | 8W    | 640lm      | 15°        | 48V   |  | 30                                                                                  | -     |
| 42110/B/V  | Black  | CCT V        | 3000K-3500K-4000K | 8W    | 640lm      | 15°        | 48V   |  | 30                                                                                  | -     |



42110L/B/V

**42110L** | 8W | CCT DALI Tunable | Honeycomb | Aluminium

new

DARK LIGHT

IP20

LED BUILT IN

90 CRI

DALI DIMMABLE

cctv

ADJUSTABLE

CE

3 YEAR




42110L/W/V

MINI

MIDI

MAXI

P&P



| Order Code | Colour | Light Colour | CCT (K)             | Watts | Lumen (lm) | Beam Angle | Input | Class                                                                                 |  | Notes |
|------------|--------|--------------|---------------------|-------|------------|------------|-------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|-------|
| 42110L/W/V | White  | CCT V        | 3000K-4000K tunable | 8W    | 640lm      | 15°        | 48V   |  | 30                                                                                    | -     |
| 42110L/B/V | Black  | CCT V        | 3000K-4000K tunable | 8W    | 640lm      | 15°        | 48V   |  | 30                                                                                    | -     |



42144/B/V

**42144** | 10W | Honeycomb | Aluminium

new

DARK LIGHT

IP20

LED BUILT IN

90 CRI

cctv

ADJUSTABLE

CE

3 YEAR




42144/W/V

MINI

MIDI

MAXI

P&P



| Order Code | Colour | Light Colour | CCT (K)           | Watts | Lumen (lm) | Beam Angle | Input | Class                                                                                 |  | Notes |
|------------|--------|--------------|-------------------|-------|------------|------------|-------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|-------|
| 42144/W/V  | White  | CCT V        | 3000K-3500K-4000K | 10W   | 700lm      | 38°        | 48V   |  | 20                                                                                    | -     |
| 42144/B/V  | Black  | CCT V        | 3000K-3500K-4000K | 10W   | 700lm      | 38°        | 48V   |  | 20                                                                                    | -     |



42144L/B/V

**42144L** | 10W | CCT DALI Tunable | Honeycomb | Aluminium

new

DARK LIGHT

IP20

LED BUILT IN

90 CRI

DALI DIMMABLE

cctv

ADJUSTABLE

CE

3 YEAR




42144L/W/V

MINI

MIDI

MAXI

P&P




| Order Code | Colour | Light Colour | CCT (K)             | Watts | Lumen (lm) | Beam Angle | Input | Class                                                                                 |  | Notes |
|------------|--------|--------------|---------------------|-------|------------|------------|-------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|-------|
| 42144L/W/V | White  | CCT V        | 3000K-4000K tunable | 10W   | 700lm      | 38°        | 48V   |  | 20                                                                                    | -     |
| 42144L/B/V | Black  | CCT V        | 3000K-4000K tunable | 10W   | 700lm      | 38°        | 48V   |  | 20                                                                                    | -     |

New Items 2025 Edition 3

www.1-light.eu

one

Tracks & Magnetic



42114A/B/V

**42114A** | 12W | Aluminium

new

IP20

LED BUILT IN

90 CRI

cctv

ADJUSTABLE

CE

3 YEAR




42114A/W/V

MINI

MIDI

MAXI

P&P



| Order Code | Colour | Light Colour | CCT (K)           | Watts | Lumen (lm) | Beam Angle | Input | Class                                                                               |  | Notes |
|------------|--------|--------------|-------------------|-------|------------|------------|-------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------|
| 42114A/W/V | White  | CCT V        | 3000K-3500K-4000K | 12W   | 960lm      | 38°        | 48V   |  | 24                                                                                  | -     |
| 42114A/B/V | Black  | CCT V        | 3000K-3500K-4000K | 12W   | 960lm      | 38°        | 48V   |  | 24                                                                                  | -     |



42114AL/B/V

**42114AL** | 12W | CCT DALI Tunable | Aluminium

new

IP20

LED BUILT IN

90 CRI

DALI DIMMABLE

cctv

ADJUSTABLE

CE

3 YEAR




42114AL/W/V

MINI


MIDI

MAXI

P&P



| Order Code  | Colour | Light Colour | CCT (K)             | Watts | Lumen (lm) | Beam Angle | Input | Class                                                                                 |  | Notes |
|-------------|--------|--------------|---------------------|-------|------------|------------|-------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|-------|
| 42114AL/W/V | White  | CCT V        | 3000K-4000K tunable | 12W   | 960lm      | 38°        | 48V   |  | 24                                                                                    | -     |
| 42114AL/B/V | Black  | CCT V        | 3000K-4000K tunable | 12W   | 960lm      | 38°        | 48V   |  | 24                                                                                    | -     |



42114B/B/V

**42114B** | 24W | Aluminium

new

IP20

LED BUILT IN

90 CRI

cctv

ADJUSTABLE

CE

3 YEAR




42114B/W/V

MINI

MIDI

MAXI

P&P



| Order Code | Colour | Light Colour | CCT (K)           | Watts | Lumen (lm) | Beam Angle | Input | Class                                                                                 |  | Notes |
|------------|--------|--------------|-------------------|-------|------------|------------|-------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|-------|
| 42114B/W/V | White  | CCT V        | 3000K-3500K-4000K | 24W   | 1920lm     | 38°        | 48V   |  | 16                                                                                    | -     |
| 42114B/B/V | Black  | CCT V        | 3000K-3500K-4000K | 24W   | 1920lm     | 38°        | 48V   |  | 16                                                                                    | -     |



42114BL/B/V

**42114BL** | 24W | CCT DALI Tunable | Aluminium

new

IP20

LED BUILT IN

90 CRI

DALI DIMMABLE

cctv

ADJUSTABLE

CE

3 YEAR




42114BL/W/V

MINI

MIDI

MAXI

P&P



| Order Code  | Colour | Light Colour | CCT (K)             | Watts | Lumen (lm) | Beam Angle | Input | Class                                                                                 |  | Notes |
|-------------|--------|--------------|---------------------|-------|------------|------------|-------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|-------|
| 42114BL/W/V | White  | CCT V        | 3000K-4000K tunable | 24W   | 1920lm     | 38°        | 48V   |  | 16                                                                                    | -     |
| 42114BL/B/V | Black  | CCT V        | 3000K-4000K tunable | 24W   | 1920lm     | 38°        | 48V   |  | 16                                                                                    | -     |

www.1-light.eu


New Items 2025 Edition 3



42114C/B/V

**42114C** | 30W | Aluminium





42114C/W/V


MINI

MIDI

MAXI

P&P





| Order Code        | Colour | Light Colour | CCT (K)           | Watts | Lumen (lm) | Beam Angle | Input | Class                                                                               |  | Notes |
|-------------------|--------|--------------|-------------------|-------|------------|------------|-------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------|
| <b>42114C/W/V</b> | White  | CCT V        | 3000K-3500K-4000K | 24W   | 2400lm     | 38°        | 48V   |  | 16                                                                                  | -     |
| <b>42114C/B/V</b> | Black  | CCT V        | 3000K-3500K-4000K | 24W   | 2400lm     | 38°        | 48V   |  | 16                                                                                  | -     |



42114CL/B/V

**42114CL** | 30W | CCT DALI Tunable | Aluminium





42114CL/W/V


MINI

MIDI

MAXI

P&P





| Order Code         | Colour | Light Colour | CCT (K)             | Watts | Lumen (lm) | Beam Angle | Input | Class                                                                                 |  | Notes |
|--------------------|--------|--------------|---------------------|-------|------------|------------|-------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|-------|
| <b>42114CL/W/V</b> | White  | CCT V        | 3000K-4000K tunable | 24W   | 2400lm     | 38°        | 48V   |  | 16                                                                                    | -     |
| <b>42114CL/B/V</b> | Black  | CCT V        | 3000K-4000K tunable | 24W   | 2400lm     | 38°        | 48V   |  | 16                                                                                    | -     |



42146/B/V

**42146** | 30W | Aluminium





42146/W/V


MINI

MIDI

MAXI

P&P





| Order Code       | Colour | Light Colour | CCT (K)           | Watts | Lumen (lm) | Input | Class                                                                                 |  | Notes |
|------------------|--------|--------------|-------------------|-------|------------|-------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|-------|
| <b>42146/W/V</b> | White  | CCT V        | 3000K-3500K-4000K | 30W   | 2700lm     | 48V   |  | 10                                                                                    | -     |
| <b>42146/B/V</b> | Black  | CCT V        | 3000K-3500K-4000K | 30W   | 2700lm     | 48V   |  | 10                                                                                    | -     |



42146L/B/V

**42146L** | 30W | CCT DALI Tunable | Aluminium





42146L/W/V


MINI

MIDI

MAXI

P&P





| Order Code        | Colour | Light Colour | CCT (K)             | Watts | Lumen (lm) | Input | Class                                                                                 |  | Notes |
|-------------------|--------|--------------|---------------------|-------|------------|-------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|-------|
| <b>42146L/W/V</b> | White  | CCT V        | 3000K-4000K tunable | 30W   | 2700lm     | 48V   |  | 10                                                                                    | -     |
| <b>42146L/B/V</b> | Black  | CCT V        | 3000K-4000K tunable | 30W   | 2700lm     | 48V   |  | 10                                                                                    | -     |

New Items 2025 Edition 3

www.1-light.eu

one

Tracks & Magnetic



42130A/B/V

**42130A** | 5W | Aluminium





42130A/W/V


MINI

MIDI

MAXI

P&P





| Order Code        | Colour | Light Colour | CCT (K)           | Watts | Lumen (lm) | Beam Angle | Input | Class                                                                               |  | Notes |
|-------------------|--------|--------------|-------------------|-------|------------|------------|-------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------|
| <b>42130A/B/V</b> | Black  | CCT V        | 3000K-3500K-4000K | 9W    | 350lm      | 38°        | 48V   |  | 30                                                                                  | -     |



42130B/B/V

**42130B** | 9W | Aluminium





42130B/W/V


MINI

MIDI

MAXI

P&P





| Order Code        | Colour | Light Colour | CCT (K)           | Watts | Lumen (lm) | Beam Angle | Input | Class                                                                                 |  | Notes |
|-------------------|--------|--------------|-------------------|-------|------------|------------|-------|---------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------|
| <b>42130B/W/V</b> | White  | CCT V        | 3000K-3500K-4000K | 9W    | 630lm      | 38°        | 48V   |   | 30                                                                                  | -     |
| <b>42130B/B/V</b> | Black  | CCT V        | 3000K-3500K-4000K | 9W    | 630lm      | 38°        | 48V   |  | 30                                                                                  | -     |



42130BL/B/V

**42130BL** | 9W | CCT DALI Tunable | Aluminium





42130BL/W/V


MINI

MIDI

MAXI

P&P






| Order Code         | Colour | Light Colour | CCT (K)             | Watts | Lumen (lm) | Beam Angle | Input | Class                                                                                 |  | Notes |
|--------------------|--------|--------------|---------------------|-------|------------|------------|-------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|-------|
| <b>42130BL/W/V</b> | White  | CCT V        | 3000K-4000K tunable | 9W    | 630lm      | 38°        | 48V   |  | 30                                                                                    | -     |
| <b>42130BL/B/V</b> | Black  | CCT V        | 3000K-4000K tunable | 9W    | 630lm      | 38°        | 48V   |  | 30                                                                                    | -     |

www.1-light.eu

New Items 2025 Edition 3





42142/B/V

42142 | 10W | Aluminium

LED BUILT IN

90 CRI

CE 3 YEAR

↑

CCT V

ADJUSTABLE



42142/W/V

200mm

1500mm

150mm

110mm

MINI


MIDI

MAXI

P&P

110°

| Order Code | Colour | Light Colour | CCT (K)           | Watts | Lumen (lm) | Beam Angle | Input | Class |    | Notes |
|------------|--------|--------------|-------------------|-------|------------|------------|-------|-------|----|-------|
| 42142/W/V  | White  | CCT V        | 3000K-3500K-4000K | 10W   | 700lm      | 110°       | 48V   | III   | 20 | -     |
| 42142/B/V  | Black  | CCT V        | 3000K-3500K-4000K | 10W   | 700lm      | 110°       | 48V   | III   | 20 | -     |



42142L/B/V

42142L | 10W | CCT DALI Tunable | Aluminium

LED BUILT IN

90 CRI

CE 3 YEAR

↑

DALI

ADJUSTABLE



42142L/W/V

200mm

1500mm

150mm

110mm

MINI


MIDI

MAXI

P&P

110°

| Order Code | Colour | Light Colour | CCT (K)             | Watts | Lumen (lm) | Beam Angle | Input | Class |    | Notes |
|------------|--------|--------------|---------------------|-------|------------|------------|-------|-------|----|-------|
| 42142L/W/V | White  | CCT V        | 3000K-4000K tunable | 10W   | 700lm      | 110°       | 48V   | III   | 20 | -     |
| 42142L/B/V | Black  | CCT V        | 3000K-4000K tunable | 10W   | 700lm      | 110°       | 48V   | III   | 20 | -     |



42136/B/V

42136 | 10W | Aluminium + acrylic

LED BUILT IN

90 CRI

CE 3 YEAR

↑

CCT V



42136/W/V

200mm

1500mm

93mm

MINI

MIDI

MAXI

P&P

| Order Code | Colour | Light Colour | CCT (K)           | Watts | Lumen (lm) | Input | Class |    | Notes |
|------------|--------|--------------|-------------------|-------|------------|-------|-------|----|-------|
| 42136/W/V  | White  | CCT V        | 3000K-3500K-4000K | 10W   | 700lm      | 48V   | III   | 15 | -     |
| 42136/B/V  | Black  | CCT V        | 3000K-3500K-4000K | 10W   | 700lm      | 48V   | III   | 15 | -     |



Plug & Play

P&P



Watch video

Tracks & Magnetic

one



42001P | 42002P | 42003P

Magnetic profile | ON/OFF / DALI | Aluminium

Plug & Play.

new

IP20

CE

5

YEAR

42001P/W

38mm

380mm

27mm

38mm

620mm

27mm

38mm

980mm

27mm

P&P

✓



42001PA | 42002PA | 42003PA

Cover for 42001P, 42002P & 42003P

Plug & Play.

new

IP20

CE

5

YEAR

42001PA/W

38mm

380mm

27mm

38mm

620mm

27mm

38mm

980mm

27mm

P&P

✓



42100PA | 42100PB | 42100PC

Adjustable | Aluminium

Plug & Play.

new

IP20

90

CRI

CE

3

YEAR

LED BUILT IN

DALI

ADJUSTABLE

42100PA/W/V

38mm

380mm

27mm

38mm

620mm

27mm

38mm

980mm

27mm

P&P

✓

110°



42100PAL | 42100PBL | 42100PCL

CCT DALI Tunable | Adjustable | Aluminium

Plug & Play.

new

IP20

90

CRI

CE

3

YEAR

LED BUILT IN

DALI

ADJUSTABLE

42100PAL/W/V

38mm

380mm

27mm

38mm

620mm

27mm

38mm

980mm

27mm

P&P

✓

110°

one



Tracks & Magnetic



42112PA | 42112PB | 42112PC

Adjustable | Aluminium

Plug & Play.

new

IP20

90

CRI

CE

3

YEAR

LED BUILT IN

DALI

ADJUSTABLE

42112PA/W/V

38mm

380mm

27mm

38mm

620mm

27mm

38mm

980mm

27mm

P&P

✓

50°



42112PAL | 42112PBL | 42112PCL

CCT DALI Tunable | Adjustable | Aluminium

Plug & Play.

new

IP20

90

CRI

CE

3

YEAR

LED BUILT IN

DALI

ADJUSTABLE

42112PAL/W/V

38mm

380mm

27mm

38mm

620mm

27mm

38mm

980mm

27mm

P&P

✓

50°



42004PM/B

**42004PM** | Surface rod 7cm | Aluminium | Compatible with all surface accessories

Plug & Play.



5 YEAR



50

**new**


IP20



42004PM/W



P&P



60mm  
25mm  
70mm  
13,5mm



42004PN/B

**42004PN** | Surface rod 33cm | Aluminium | Compatible with all surface accessories

Plug & Play.



5 YEAR



50

**new**


IP20



42004PN/W



P&P



60mm  
25mm  
333mm  
13,5mm



42004PP/B

**42004PP** | Surface rod 63cm | Aluminium | Compatible with all surface accessories

Plug & Play.



5 YEAR



50

**new**


IP20



42004PP/W



P&P



60mm  
25mm  
633mm  
13,5mm



42004PA/B

**42004PA** | Power supply cable + end cap | ON/OFF / DALI | Aluminium

Plug & Play.



5 YEAR



200cm  
50

**new**


IP20



42004PA/W



P&P



2000mm  
37mm  
27mm  
80mm



42004PB/B

**42004PB** | Suspended/surface end cap | Aluminium

Plug & Play.



5 YEAR



50

**new**


IP20




42004PB/W



P&P



2000mm  
37mm  
27mm  
80mm



42004PD/B

**42004PD** | Surface base with power supply & end cap | ON/OFF / DALI | Aluminium

Plug & Play.



5 YEAR



50

**new**


IP20



42004PD/W



P&P



70mm  
37mm  
80mm



42004PR/B

**42004PR** | Recessed base with power supply cable & end cap | ON/OFF / DALI | Aluminium

Plug & Play.



5 YEAR



200cm  
50

**new**


IP20



42004PR/W



P&P



75mm  
21mm  
2000mm  
37mm  
80mm  
62mm  
70mm



42004PC/B

**42004PC** | Driver base + end cap | ON/OFF / DALI | Aluminium

Plug & Play.



5 YEAR



200cm  
50

**new**


IP20



42004PC/W



P&P



500mm  
46mm  
30mm  
2000mm  
37mm  
80mm



42004PE/B

**42004PE** | Power supply cable adjustable corner | ON/OFF / DALI | Aluminium

Plug & Play.



5 YEAR



200cm  
ADJUSTABLE  
50

**new**


IP20



42004PE/W



P&P



2000mm  
37mm  
27mm  
136mm



42004PG/B

**42004PG** | Suspended/surface adjustable corner | Aluminium

Plug & Play.



5 YEAR



200cm  
ADJUSTABLE  
50

**new**


IP20



42004PG/W




P&P



2000mm  
37mm  
27mm  
136mm



one



42004PF | Suspended/surface connector | Aluminium

Plug & Play.

5  
YEAR

CE

50

new

IP20

P&P

✓



42004PH | Suspended/surface ceiling to wall corner | Aluminium

Plug & Play.

5  
YEAR

CE

50

new

IP20

P&P

✓



42004PJ | Suspended/surface T-connector | Aluminium

Plug & Play.

5  
YEAR

CE

50

new

IP20

P&P

✓



42004PK | Suspended/surface Y-connector | Aluminium

Plug & Play.

5  
YEAR

CE

50

new

IP20

P&P

✓



42004PL | Suspended/surface X-connector | Aluminium

Plug & Play.

5  
YEAR

CE


50

new

IP20

P&P

✓



one

FLAT



Watch video



43001F | 43002F | 48V | Flat magnetic profile | ON/OFF | Aluminium

Max 15m/driver | Max 250W/circuit.





Optional 2m suspension kit.  
43004FM/B

FLAT

✓



new

| Order Code | Colour | Length | Input | Class                                                                             |  | Notes |
|------------|--------|--------|-------|-----------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------|
| 43001F/B   | Black  | 1m     | 48V   |  | 30                                                                                  | -     |
| 43002F/B   | Black  | 2m     | 48V   |  | 20                                                                                  | -     |



43006FA | 90W | 48V DC | Driver for flat magnetic profile



FLAT

✓



new

IP20

| Order Code | Colour | Input | Power | Output | Dimmable | Class                                                                               |  |  | Notes |
|------------|--------|-------|-------|--------|----------|-------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|-------|
| 43006FA/B  | Black  | 230V  | 90W   | 48V DC | NO       |  | 100cm                                                                                 | 20                                                                                    | -     |




43006FC | 180W | 48V DC | Driver for flat magnetic profile



FLAT


✓



new

IP20

| Order Code | Colour | Input | Power | Output | Dimmable | Class                                                                               |  |  | Notes |
|------------|--------|-------|-------|--------|----------|-------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|-------|
| 43006FC/B  | Black  | 230V  | 180W  | 48V DC | NO       |  | 100cm                                                                                 | 20                                                                                    | -     |



43004FA/B | End cap box for cable entry




FLAT

✓



new




43004FB/B | Power supply cable



FLAT

✓

new



43004FK/B | T-connector



FLAT

✓

new



43004FL/B | X-connector



FLAT

✓

new



43004FF/B | Connector



FLAT

✓

new



43004FG/B | Round corner 90°



FLAT

✓

new



43004FH/B | Corner 90°



FLAT

✓

new



43004FJ/B | Corner wall to ceiling | Wall to wall



FLAT

✓

new





43100FA | 10W | Linear light | Aluminium

new

IP20

LED

BUILT IN

90

CRI

CCT V

3

YEAR

CE

FLAT

✓

120°

24mm

220mm

26mm

| Order Code  | Colour | Light Colour | CCT (K)           | Watts | Lumen (lm) | Beam Angle | Input | Class                                                                               |  | Notes |
|-------------|--------|--------------|-------------------|-------|------------|------------|-------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------|
| 43100FA/B/V | Black  | CCT V        | 3000K-4000K-5000K | 10W   | 800lm      | 120°       | 48V   |  | 30                                                                                  | -     |



43100FB | 10W | Linear light | Aluminium

new

IP20

LED

BUILT IN

90

CRI

CCT V

3

YEAR

CE

FLAT

✓

120°

24mm

300mm

26mm

| Order Code  | Colour | Light Colour | CCT (K)           | Watts | Lumen (lm) | Beam Angle | Input | Class                                                                                 |  | Notes |
|-------------|--------|--------------|-------------------|-------|------------|------------|-------|---------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------|-------|
| 43100FB/B/V | Black  | CCT V        | 3000K-4000K-5000K | 10W   | 800lm      | 120°       | 48V   |  | 30                                                                                   | -     |



43100FC | 20W | Linear light | Aluminium

new

IP20

LED

BUILT IN

90

CRI

CCT V

3

YEAR

CE

FLAT

✓

120°

24mm

600mm

26mm

| Order Code  | Colour | Light Colour | CCT (K)           | Watts | Lumen (lm) | Beam Angle | Input | Class                                                                                 |  | Notes |
|-------------|--------|--------------|-------------------|-------|------------|------------|-------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|-------|
| 43100FC/B/V | Black  | CCT V        | 3000K-4000K-5000K | 20W   | 1600lm     | 120°       | 48V   |  | 20                                                                                    | -     |



43100FD | 30W | Linear light | Aluminium

new

IP20

LED

BUILT IN

90

CRI

CCT V

3

YEAR

CE

FLAT

✓

120°

24mm

900mm

26mm

| Order Code  | Colour | Light Colour | CCT (K)           | Watts | Lumen (lm) | Beam Angle | Input | Class                                                                                 |  | Notes |
|-------------|--------|--------------|-------------------|-------|------------|------------|-------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|-------|
| 43100FD/B/V | Black  | CCT V        | 3000K-4000K-5000K | 30W   | 2400lm     | 120°       | 48V   |  | 10                                                                                    | -     |



43102FA | 6W | Linear spots | Aluminium

new

IP20

LED

BUILT IN

90

CRI

CCT V

3

YEAR

CE

FLAT

✓

24°

24mm

110mm

26mm

| Order Code  | Colour | Light Colour | CCT (K)           | Watts | Lumen (lm) | Beam Angle | Input | Class                                                                               |  | Notes |
|-------------|--------|--------------|-------------------|-------|------------|------------|-------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------|
| 43102FA/B/V | Black  | CCT V        | 3000K-4000K-5000K | 6W    | 540lm      | 24°        | 48V   |  | 50                                                                                  | -     |



43102FB | 12W | Linear spots | Aluminium

new

IP20

LED

BUILT IN

90

CRI

CCT V

3

YEAR

CE

FLAT

✓

24°

24mm

220mm

26mm

| Order Code  | Colour | Light Colour | CCT (K)           | Watts | Lumen (lm) | Beam Angle | Input | Class                                                                                 |  | Notes |
|-------------|--------|--------------|-------------------|-------|------------|------------|-------|---------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------|-------|
| 43102FB/B/V | Black  | CCT V        | 3000K-4000K-5000K | 12W   | 1080lm     | 24°        | 48V   |  | 30                                                                                   | -     |



43102FC | 18W | Linear spots | Aluminium

new

IP20

LED

BUILT IN

90

CRI

CCT V

3

YEAR

CE

FLAT

✓

24°

24mm

330mm

26mm

| Order Code  | Colour | Light Colour | CCT (K)           | Watts | Lumen (lm) | Beam Angle | Input | Class                                                                                 |  | Notes |
|-------------|--------|--------------|-------------------|-------|------------|------------|-------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|-------|
| 43102FC/B/V | Black  | CCT V        | 3000K-4000K-5000K | 18W   | 1620lm     | 24°        | 48V   |  | 30                                                                                    | -     |



43102FD | 24W | Linear spots | Aluminium

new

IP20

LED

BUILT IN

90

CRI

CCT V

3

YEAR

CE

FLAT

✓

24°

24mm

440mm

26mm

| Order Code  | Colour | Light Colour | CCT (K)           | Watts | Lumen (lm) | Beam Angle | Input | Class                                                                                 |  | Notes |
|-------------|--------|--------------|-------------------|-------|------------|------------|-------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|-------|
| 43102FD/B/V | Black  | CCT V        | 3000K-4000K-5000K | 24W   | 2160lm     | 24°        | 48V   |  | 30                                                                                    | -     |





43106FA | 6W | Linear spots | Adjustable | Aluminium

new

IP20

LED

BUILT IN

90

CRI

CCT V

ADJUSTABLE

CE

3

YEAR

FLAT

✓

24°

110mm

26mm

80mm

| Order Code  | Colour | Light Colour | CCT (K)           | Watts | Lumen (lm) | Beam Angle | Input | Class |    | Notes |
|-------------|--------|--------------|-------------------|-------|------------|------------|-------|-------|----|-------|
| 43106FA/B/V | Black  | CCT V        | 3000K-4000K-5000K | 6W    | 540lm      | 24°        | 48V   |       | 50 | -     |

43106FB | 12W | Linear spots | Adjustable | Aluminium

new

IP20

LED

BUILT IN

90

CRI

CCT V

ADJUSTABLE

CE

3

YEAR

FLAT

✓

24°

220mm

26mm

80mm

| Order Code  | Colour | Light Colour | CCT (K)           | Watts | Lumen (lm) | Beam Angle | Input | Class |    | Notes |
|-------------|--------|--------------|-------------------|-------|------------|------------|-------|-------|----|-------|
| 43106FB/B/V | Black  | CCT V        | 3000K-4000K-5000K | 12W   | 1080lm     | 24°        | 48V   |       | 30 | -     |

43108FA | 5W | Linear light | Adjustable | Aluminium

new

IP20

LED

BUILT IN

90

CRI

CCT V

ADJUSTABLE

CE

3

YEAR

FLAT

✓

120°

110mm

26mm

80mm

| Order Code  | Colour | Light Colour | CCT (K)           | Watts | Lumen (lm) | Beam Angle | Input | Class |    | Notes |
|-------------|--------|--------------|-------------------|-------|------------|------------|-------|-------|----|-------|
| 43108FA/B/V | Black  | CCT V        | 3000K-4000K-5000K | 5W    | 400lm      | 120°       | 48V   |       | 50 | -     |

43108FB | 10W | Linear light | Adjustable | Aluminium

new

IP20

LED

BUILT IN

90

CRI

CCT V

ADJUSTABLE

CE

3

YEAR

FLAT

✓

120°

220mm

26mm

80mm

| Order Code  | Colour | Light Colour | CCT (K)           | Watts | Lumen (lm) | Beam Angle | Input | Class |    | Notes |
|-------------|--------|--------------|-------------------|-------|------------|------------|-------|-------|----|-------|
| 43108FB/B/V | Black  | CCT V        | 3000K-4000K-5000K | 10W   | 800lm      | 120°       | 48V   |       | 30 | -     |

43116F | 5W | Adjustable | Aluminium

new

IP20

LED

BUILT IN

90

CRI

CCT V

ADJUSTABLE

CE

3

YEAR

FLAT

✓

38°

110mm

53mm

27mm

| Order Code | Colour | Light Colour | CCT (K)           | Watts | Lumen (lm) | Beam Angle | Input | Class |    | Notes |
|------------|--------|--------------|-------------------|-------|------------|------------|-------|-------|----|-------|
| 43116F/B/V | Black  | CCT V        | 3000K-4000K-5000K | 5W    | 450lm      | 38°        | 48V   |       | 50 | -     |

43122F | 7W | Adjustable | Aluminium

new

IP20

LED

BUILT IN

90

CRI

CCT V

ADJUSTABLE

CE

3

YEAR

FLAT

✓

38°

110mm

55mm

| Order Code | Colour | Light Colour | CCT (K)           | Watts | Lumen (lm) | Beam Angle | Input | Class |    | Notes |
|------------|--------|--------------|-------------------|-------|------------|------------|-------|-------|----|-------|
| 43122F/B/V | Black  | CCT V        | 3000K-4000K-5000K | 7W    | 630lm      | 38°        | 48V   |       | 30 | -     |

43118F | 7W | Adjustable | Honeycomb | Aluminium

new

IP20

LED

BUILT IN

90

CRI

CCT V

ADJUSTABLE

CE

3

YEAR

FLAT

✓

38°

110mm

84mm

36mm

| Order Code | Colour | Light Colour | CCT (K)           | Watts | Lumen (lm) | Beam Angle | Input | Class |    | Notes |
|------------|--------|--------------|-------------------|-------|------------|------------|-------|-------|----|-------|
| 43118F/B/V | Black  | CCT V        | 3000K-4000K-5000K | 7W    | 630lm      | 38°        | 48V   |       | 50 | -     |

43120F | 10W | Adjustable | Aluminium

new

IP20

LED

BUILT IN

90

CRI

CCT V

ADJUSTABLE

CE

3

YEAR

FLAT

✓

38°

110mm

100mm

57mm

| Order Code | Colour | Light Colour | CCT (K)           | Watts | Lumen (lm) | Beam Angle | Input | Class |    | Notes |
|------------|--------|--------------|-------------------|-------|------------|------------|-------|-------|----|-------|
| 43120F/B/V | Black  | CCT V        | 3000K-4000K-5000K | 10W   | 900lm      | 38°        | 48V   |       | 30 | -     |

New Items 2025 Edition 3

www.1-light.eu

www.1-light.eu

New Items 2025 Edition 3



43110F | 6W | Honeycomb | Aluminium

new

IP20

LED BUILT IN

90 CRI

3 YEAR

LED BUILT IN

90 CRI

3 YEAR

FLAT

24°

76mm

76mm

| Order Code | Colour | Light Colour | CCT (K)           | Watts | Lumen (lm) | Beam Angle | Input | Class |    | Notes |
|------------|--------|--------------|-------------------|-------|------------|------------|-------|-------|----|-------|
| 43110F/B/V | Black  | CCT V        | 3000K-4000K-5000K | 6W    | 540lm      | 24°        | 48V   | III   | 50 | -     |



43112F | 9W | Aluminium

new

DARK LIGHT

IP20

LED BUILT IN

90 CRI

3 YEAR

LED BUILT IN

90 CRI

3 YEAR

FLAT

165mm

165mm

40mm

| Order Code | Colour | Light Colour | CCT (K)           | Watts | Lumen (lm) | Input | Class |    | Notes |
|------------|--------|--------------|-------------------|-------|------------|-------|-------|----|-------|
| 43112F/B/V | Black  | CCT V        | 3000K-4000K-5000K | 9W    | 450lm      | 48V   | III   | 30 | -     |



43128FA | 16W | Plastic

new

IP20

LED BUILT IN

90 CRI

3 YEAR

LED BUILT IN

90 CRI

3 YEAR

FLAT

Φ 20mm x 1000mm

| Order Code  | Colour | Light Colour | CCT (K) | Watts | Lumen (lm) | Input | Class |    | Notes |
|-------------|--------|--------------|---------|-------|------------|-------|-------|----|-------|
| 43128FA/B/V | Black  | Warm white   | 3000K   | 16W   | 500lm      | 48V   | III   | 20 | -     |



43126FA | 10W | Adjustable | Plastic

new

IP20

LED BUILT IN

90 CRI

3 YEAR

LED BUILT IN

90 CRI

3 YEAR

FLAT

24mm

82mm

300mm

| Order Code  | Colour | Light Colour | CCT (K)           | Watts | Lumen (lm) | Input | Class |    | Notes |
|-------------|--------|--------------|-------------------|-------|------------|-------|-------|----|-------|
| 43126FA/B/V | Black  | CCT V        | 3000K-4000K-5000K | 10W   | 900lm      | 48V   | III   | 30 | -     |



43126FB | 20W | Adjustable | Plastic

new

IP20

LED BUILT IN

90 CRI

3 YEAR

LED BUILT IN

90 CRI

3 YEAR

FLAT

24mm

82mm

600mm

| Order Code  | Colour | Light Colour | CCT (K)           | Watts | Lumen (lm) | Input | Class |    | Notes |
|-------------|--------|--------------|-------------------|-------|------------|-------|-------|----|-------|
| 43126FB/B/V | Black  | CCT V        | 3000K-4000K-5000K | 20W   | 1800lm     | 48V   | III   | 20 | -     |



38012A | 40W Downlight + Uplight | SMD | 30x120 suspended panel | Aluminium + PMMA

new

IP20

LED BUILT IN

90 CRI

UGR19

3 YEAR

LED BUILT IN

90 CRI

UGR19

3 YEAR

Complete with driver box.

35mm

450mm


60mm

18mm

1195mm

295mm

| Order Code | Colour | Light Colour | CCT (K)           | Watts | Lumen (lm) | Input | Class |   | Notes                       |
|------------|--------|--------------|-------------------|-------|------------|-------|-------|---|-----------------------------|
| 38012A/W/V | White  | CCT V        | 3000K-4000K-5700K | 40W   | 4000lm     | 230V  | II    | 4 | Complete with 1050mA driver |



38012B | 50W Downlight + Uplight | SMD | 30x150 suspended panel | Aluminium + PMMA

new

IP20

LED BUILT IN

90 CRI

UGR19

3 YEAR

LED BUILT IN

90 CRI

UGR19

3 YEAR

Complete with driver box.

35mm

450mm

60mm

18mm

1495mm

295mm

| Order Code | Colour | Light Colour | CCT (K)           | Watts | Lumen (lm) | Input | Class |   | Notes                       |
|------------|--------|--------------|-------------------|-------|------------|-------|-------|---|-----------------------------|
| 38012B/W/V | White  | CCT V        | 3000K-4000K-5700K | 50W   | 5000lm     | 230V  | II    | 4 | Complete with 1300mA driver |

| Order Code | Colour | Light Colour | CCT (K)           | Watts | Lumen (lm) | Input | Class |   | Notes                       |
|------------|--------|--------------|-------------------|-------|------------|-------|-------|---|-----------------------------|
| 38012B/W/V | White  | CCT V        | 3000K-4000K-5700K | 50W   | 5000lm     | 230V  | II    | 4 | Complete with 1300mA driver |



12108LA/B/V

12108LA | 8W | COB | Aluminium

new

IP20

LED BUILT IN

90 CRI

CE

5 YEAR

LED BUILT IN

90 CRI

CE


5 YEAR

ADJUSTABLE

CCT V



12108LA/W/V



25°  
78mm  
40mm

| Order Code  | Colour | Light Colour | CCT (K)           | Watts | Lumen (lm) | Beam Angle | Input | Class                                                                               |  | Notes                      |
|-------------|--------|--------------|-------------------|-------|------------|------------|-------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|----------------------------|
| 12108LA/W/V | White  | CCT V        | 3000K-3500K-4000K | 8W    | 600lm      | 25°        | 230V  |  | 24                                                                                  | Complete with 350mA driver |
| 12108LA/B/V | Black  | CCT V        | 3000K-3500K-4000K | 8W    | 600lm      | 25°        | 230V  |  | 24                                                                                  | Complete with 350mA driver |



38010A/B/V

38010A | 12W | SMD | Aluminium

new

IP20

LED BUILT IN

90 CRI

CE

3 YEAR

LED BUILT IN

90 CRI

CE


3 YEAR

ADJUSTABLE

CCT V



38010A/W/V



300mm  
90mm

| Order Code | Colour | Light Colour | CCT (K)           | Watts | Lumen (lm) | Input | Class                                                                                 |  | Notes                      |
|------------|--------|--------------|-------------------|-------|------------|-------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|----------------------------|
| 38010A/W/V | White  | CCT V        | 2700K-3100K-3500K | 12W   | 720lm      | 230V  |  | 10                                                                                    | Complete with 300mA driver |
| 38010A/B/V | Black  | CCT V        | 2700K-3100K-3500K | 12W   | 720lm      | 230V  |  | 10                                                                                    | Complete with 300mA driver |



38010B/B/V

38010B | 23W | SMD | Aluminium

new

IP20

LED BUILT IN

90 CRI

CE

3 YEAR

LED BUILT IN

90 CRI

CE


3 YEAR

ADJUSTABLE

CCT V



38010B/W/V



600mm  
90mm

| Order Code | Colour | Light Colour | CCT (K)           | Watts | Lumen (lm) | Input | Class                                                                                 |  | Notes                      |
|------------|--------|--------------|-------------------|-------|------------|-------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|----------------------------|
| 38010B/W/V | White  | CCT V        | 2700K-3100K-3500K | 23W   | 1380lm     | 230V  |  | 10                                                                                    | Complete with 700mA driver |
| 38010B/B/V | Black  | CCT V        | 2700K-3100K-3500K | 23W   | 1380lm     | 230V  |  | 10                                                                                    | Complete with 700mA driver |



12108C/B/V

12108C | 8W | Aluminium

new

IP20

LED BUILT IN

90 CRI

CE

5 YEAR

LED BUILT IN

90 CRI

CE


5 YEAR

ADJUSTABLE

CCT V



12108C/W/V



38°  
70mm  
70mm

| Order Code | Colour | Light Colour | CCT (K)           | Watts | Lumen (lm) | Beam Angle | Input | Class                                                                                 |  | Notes                      |
|------------|--------|--------------|-------------------|-------|------------|------------|-------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|----------------------------|
| 12108C/W/V | White  | CCT V        | 3000K-3500K-4000K | 8W    | 650lm      | 38°        | 230V  |  | 50                                                                                    | Complete with 350mA driver |
| 12108C/B/V | Black  | CCT V        | 3000K-3500K-4000K | 8W    | 650lm      | 38°        | 230V  |  | 50                                                                                    | Complete with 350mA driver |



12109M/B/V

12109M | 9W | SMD | Aluminium

new

IP20

LED BUILT IN

90 CRI

CE

3 YEAR

LED BUILT IN

90 CRI

CE


3 YEAR

ADJUSTABLE

CCT V



12109M/W/V



120°  
95mm  
65mm

| Order Code | Colour | Light Colour | CCT (K)           | Watts | Lumen (lm) | Beam Angle | Input | Class                                                                               |  | Notes                      |
|------------|--------|--------------|-------------------|-------|------------|------------|-------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|----------------------------|
| 12109M/W/V | White  | CCT V        | 3000K-4000K-5000K | 9W    | 720lm      | 120°       | 230V  |  | 50                                                                                  | Complete with 220mA driver |
| 12109M/B/V | Black  | CCT V        | 3000K-4000K-5000K | 9W    | 720lm      | 120°       | 230V  |  | 50                                                                                  | Complete with 220mA driver |



12114M/B/V

12114M | 14W | SMD | Aluminium

new

IP20

LED BUILT IN

90 CRI

CE

3 YEAR

LED BUILT IN

90 CRI

CE


3 YEAR

ADJUSTABLE

CCT V



12114M/W/V



120°  
118mm  
65mm

| Order Code | Colour | Light Colour | CCT (K)           | Watts | Lumen (lm) | Beam Angle | Input | Class                                                                                 |  | Notes                      |
|------------|--------|--------------|-------------------|-------|------------|------------|-------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|----------------------------|
| 12114M/W/V | White  | CCT V        | 3000K-4000K-5000K | 14W   | 1120lm     | 120°       | 230V  |  | 30                                                                                    | Complete with 350mA driver |
| 12114M/B/V | Black  | CCT V        | 3000K-4000K-5000K | 14W   | 1120lm     | 120°       | 230V  |  | 30                                                                                    | Complete with 350mA driver |



12120M/B/V

12120M | 20W | SMD | Aluminium

new

IP20

LED BUILT IN

90 CRI

CE

3 YEAR

LED BUILT IN


90 CRI

CE


3 YEAR

ADJUSTABLE

CCT V



12120M/W/V



145mm  
65mm

| Order Code | Colour | Light Colour | CCT (K)           | Watts | Lumen (lm) | Beam Angle | Input | Class                                                                                 |  | Notes                      |
|------------|--------|--------------|-------------------|-------|------------|------------|-------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|----------------------------|
| 12120M/W/V | White  | CCT V        | 3000K-4000K-5000K | 20W   | 1600lm     | 120°       | 230V  |  | 20                                                                                    | Complete with 500mA driver |
| 12120M/B/V | Black  | CCT V        | 3000K-4000K-5000K | 20W   | 1600lm     | 120°       | 230V  |  | 20                                                                                    | Complete with 500mA driver |



12108FD/B/V

12108FD | 8W | SMD | Aluminium

new

DARK LIGHT

IP20

LED BUILT IN

90 CRI

CE

3 YEAR

LED BUILT IN

90 CRI

CE


3 YEAR

ADJUSTABLE

CCT V



12108FD/W/V



107mm  
64mm

| Order Code  | Colour | Light Colour | CCT (K)           | Watts | Lumen (lm) | Input | Class                                                                                 |  | Notes                      |
|-------------|--------|--------------|-------------------|-------|------------|-------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|----------------------------|
| 12108FD/W/V | White  | CCT V        | 3000K-3500K-4000K | 8W    | 560lm      | 230V  |  | 36                                                                                    | Complete with 300mA driver |

New Items 2025 Edition 3

www.1-light.eu

www.1-light.eu

New Items 2025 Edition 3





67414/AN/V

67414 | 3W | SMD | ABS+PC

new

DARK LIGHT

IP65

80 CRI

CCT V

CE


2 YEAR

LED BUILT IN

IK06



67414/W/V



30mm  
135mm

| Order Code | Colour     | Light Colour | CCT (K)           | Watts | Lumen (lm) | Input | Class                                                                               |  | Notes  |
|------------|------------|--------------|-------------------|-------|------------|-------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|--------|
| 67414/W/V  | White      | CCT V        | 2700K-3300K-4000K | 3W    | 100lm      | 230V  |  | 40                                                                                  | AC LED |
| 67414/AN/V | Anthracite | CCT V        | 2700K-3300K-4000K | 3W    | 100lm      | 230V  |  | 40                                                                                  | AC LED |



67417/AN/V

67417 | 1,5W | SMD | ABS+PC

new

DARK LIGHT

IP65

80 CRI

CCT V

CE


2 YEAR

LED BUILT IN

IK06



67417/W/V



25mm  
78mm  
78mm

| Order Code | Colour     | Light Colour | CCT (K)           | Watts | Lumen (lm) | Input | Class                                                                                 |  | Notes  |
|------------|------------|--------------|-------------------|-------|------------|-------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|--------|
| 67417/W/V  | White      | CCT V        | 2700K-3300K-4000K | 1,5W  | 60lm       | 230V  |  | 20                                                                                    | AC LED |
| 67417/AN/V | Anthracite | CCT V        | 2700K-3300K-4000K | 1,5W  | 60lm       | 230V  |  | 20                                                                                    | AC LED |



67418/AN/V

67418 | 3W | SMD | ABS+PC

new

DARK LIGHT

IP65

80 CRI

CCT V

CE


2 YEAR

LED BUILT IN

IK06




67418/W/V



30mm  
120mm  
120mm

| Order Code | Colour     | CCT (K) | Light Colour      | Watts | Lumen (lm) | Input | Class                                                                                 |  | Notes  |
|------------|------------|---------|-------------------|-------|------------|-------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|--------|
| 67418/W/V  | White      | CCT V   | 2700K-3300K-4000K | 3W    | 100lm      | 230V  |  | 40                                                                                    | AC LED |
| 67418/AN/V | Anthracite | CCT V   | 2700K-3300K-4000K | 3W    | 100lm      | 230V  |  | 40                                                                                    | AC LED |



67388B/AN/V

67388B | 2W | SMD | ABS+PC

new

DARK LIGHT

IP65

80 CRI

CCT V

CE


2 YEAR

LED BUILT IN

IK08




67388B/W/V



125x125mm  
27mm

| Order Code  | Colour     | Light Colour | CCT (K)           | Watts | Lumen (lm) | Input | Class                                                                               |  | Notes  |
|-------------|------------|--------------|-------------------|-------|------------|-------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|--------|
| 67388B/W/V  | White      | CCT V        | 2700K-3300K-4000K | 2W    | 60lm       | 230V  |  | 40                                                                                  | AC LED |
| 67388B/AN/V | Anthracite | CCT V        | 2700K-3300K-4000K | 2W    | 60lm       | 230V  |  | 40                                                                                  | AC LED |



67388C/AN/V

67388C | 2W | SMD | ABS+PC

new

DARK LIGHT

IP65

80 CRI

CCT V

CE


2 YEAR

LED BUILT IN

IK08



67388C/W/V



230mm  
80mm  
27mm

| Order Code  | Colour     | Light Colour | CCT (K)           | Watts | Lumen (lm) | Input | Class                                                                                 |  | Notes  |
|-------------|------------|--------------|-------------------|-------|------------|-------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|--------|
| 67388C/W/V  | White      | CCT V        | 2700K-3300K-4000K | 2W    | 60lm       | 230V  |  | 24                                                                                    | AC LED |
| 67388C/AN/V | Anthracite | CCT V        | 2700K-3300K-4000K | 2W    | 60lm       | 230V  |  | 24                                                                                    | AC LED |



67430A/AN/V

67430A | 8W | SMD | ABS + PC

new

DARK LIGHT

IP65

80 CRI

CCT V

CE


2 YEAR

LED BUILT IN

IK08



67430A/W/V




52mm  
197mm  
197mm


| Order Code  | Colour     | Light Colour | CCT (K)           | Watts | Lumen (lm) | Input | Class                                                                                 |  | Notes                       |
|-------------|------------|--------------|-------------------|-------|------------|-------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|-----------------------------|
| 67430A/AN/V | Anthracite | CCT V        | 2700K-3300K-4000K | 8W    | 400lm      | 230V  |  | 20                                                                                    | Complete with 300mA driver. |

Wall & Ceiling LED

one




67392 | 7W | SMD | ABS+PC



| Order Code | Colour     | Light Colour | CCT (K)           | Watts | Lumen (lm) | Input | Class |    | Notes                      |
|------------|------------|--------------|-------------------|-------|------------|-------|-------|----|----------------------------|
| 67392/W/V  | White      | CCT V        | 2700K-3300K-4000K | 7W    | 490lm      | 230V  |       | 20 | Complete with 500mA driver |
| 67392/AN/V | Anthracite | CCT V        | 2700K-3300K-4000K | 7W    | 490lm      | 230V  |       | 20 | Complete with 500mA driver |




67472A | 6W | SMD | ABS + PC




| Order Code  | Colour     | Light Colour | CCT (K)           | Watts | Lumen (lm) | Input | Class |    | Notes                      |
|-------------|------------|--------------|-------------------|-------|------------|-------|-------|----|----------------------------|
| 67472A/AN/V | Anthracite | CCT V        | 2700K-3300K-4000K | 6W    | 500lm      | 230V  |       | 20 | Complete with 300mA driver |




67472 | 2x6W | SMD | ABS+PC



| Order Code | Colour     | Light Colour | CCT (K)           | Watts | Lumen (lm) | Input | Class |    | Notes                      |
|------------|------------|--------------|-------------------|-------|------------|-------|-------|----|----------------------------|
| 67472/AN/V | Anthracite | CCT V        | 2700K-3300K-4000K | 2x6W  | 2x500lm    | 230V  |       | 20 | Complete with 300mA driver |




67492 | 12W | SMD | Plastic + PC



| Order Code | Colour     | Light Colour | CCT (K)           | Watts | Lumen (lm) | Input | Class |    | Notes                      |
|------------|------------|--------------|-------------------|-------|------------|-------|-------|----|----------------------------|
| 67492/AN/V | Anthracite | CCT V        | 2700K-3300K-4000K | 12W   | 720lm      | 230V  |       | 12 | Complete with 300mA driver |



67512 | 8W | SMD | ABS+PC




| Order Code | Colour     | Light Colour | CCT (K)           | Watts | Lumen (lm) | Input | Class |    | Notes                      |
|------------|------------|--------------|-------------------|-------|------------|-------|-------|----|----------------------------|
| 67512/W/V  | White      | CCT V        | 2700K-3300K-4000K | 8W    | 400lm      | 230V  |       | 20 | Complete with 350mA driver |
| 67512/AN/V | Anthracite | CCT V        | 2700K-3300K-4000K | 8W    | 400lm      | 230V  |       | 20 | Complete with 350mA driver |

one

Wall & Ceiling LED




67394 | 3,5W | SMD | ABS+PC



| Order Code | Colour     | Light Colour | CCT (K)           | Watts | Lumen (lm) | Input | Class |    | Notes  |
|------------|------------|--------------|-------------------|-------|------------|-------|-------|----|--------|
| 67394/W/V  | White      | CCT V        | 2700K-3300K-4000K | 3,5W  | 280lm      | 230V  |       | 24 | AC LED |
| 67394/AN/V | Anthracite | CCT V        | 2700K-3300K-4000K | 3,5W  | 280lm      | 230V  |       | 24 | AC LED |




67386A | 1,5W | SMD | ABS + PC



| Order Code  | Colour     | Light Colour | CCT (K)           | Watts | Lumen (lm) | Input | Class |    | Notes  |
|-------------|------------|--------------|-------------------|-------|------------|-------|-------|----|--------|
| 67386A/W/V  | White      | CCT V        | 2700K-3300K-4000K | 1,5W  | 80lm       | 230V  |       | 40 | AC LED |
| 67386A/AN/V | Anthracite | CCT V        | 2700K-3300K-4000K | 1,5W  | 80lm       | 230V  |       | 40 | AC LED |




67386C | 4W | SMD | ABS + PC



| Order Code  | Colour     | Light Colour | CCT (K)           | Watts | Lumen (lm) | Input | Class |    | Notes  |
|-------------|------------|--------------|-------------------|-------|------------|-------|-------|----|--------|
| 67386C/W/V  | White      | CCT V        | 2700K-3300K-4000K | 4W    | 220lm      | 230V  |       | 20 | AC LED |
| 67386C/AN/V | Anthracite | CCT V        | 2700K-3300K-4000K | 4W    | 220lm      | 230V  |       | 20 | AC LED |




67396 | 6W | SMD | ABS+PC



| Order Code | Colour     | Light Colour | CCT (K)           | Watts | Lumen (lm) | Input | Class |    | Notes  |
|------------|------------|--------------|-------------------|-------|------------|-------|-------|----|--------|
| 67396/W/V  | White      | CCT V        | 2700K-3300K-4000K | 6W    | 420lm      | 230V  |       | 20 | AC LED |
| 67396/AN/V | Anthracite | CCT V        | 2700K-3300K-4000K | 6W    | 420lm      | 230V  |       | 20 | AC LED |



67396A | 6W | SMD | Sensor | ABS+PC



| Order Code  | Colour     | Light Colour | CCT (K)           | Watts | Lumen (lm) | Input | Class |    | Notes  |
|-------------|------------|--------------|-------------------|-------|------------|-------|-------|----|--------|
| 67396A/AN/V | Anthracite | CCT V        | 2700K-3300K-4000K | 6W    | 420lm      | 230V  |       | 20 | AC LED |

62026A | 15W | SMD | Metal + PMMA

LED

BUILT IN

80

CRI

CCT V

CE

new

IP20

3

YEAR

| Order Code | Colour | Light Colour | CCT (K)           | Watts | Lumen (lm) | Input | Class |   | Notes                |
|------------|--------|--------------|-------------------|-------|------------|-------|-------|---|----------------------|
| 62026A/V   | White  | CCT V        | 3000K-4000K-5000K | 15W   | 1200lm     | 230V  |       | 5 | Complete with driver |

62125D | 25W | SMD | Metal

LED

BUILT IN

90

CRI

CCT V

CE

new

IP20

3

YEAR

| Order Code | Colour | Light Colour | CCT (K)           | Watts | Lumen (lm) | Beam Angle | Input | Class |   | Notes                      |
|------------|--------|--------------|-------------------|-------|------------|------------|-------|-------|---|----------------------------|
| 62125D/W/V | White  | CCT V        | 2700K-3000K-4000K | 25W   | 2125lm     | 120°       | 230V  |       | 1 | Complete with 700mA driver |

62026B | 24W | SMD | Metal + PMMA

LED

BUILT IN

80

CRI

CCT V

CE

new

IP20

3

YEAR

| Order Code | Colour | Light Colour | CCT (K)           | Watts | Lumen (lm) | Input | Class |   | Notes                |
|------------|--------|--------------|-------------------|-------|------------|-------|-------|---|----------------------|
| 62026B/V   | White  | CCT V        | 3000K-4000K-5000K | 24W   | 1920lm     | 230V  |       | 5 | Complete with driver |

62150D | 50W | SMD | Metal

LED

BUILT IN

90

CRI

CCT V

CE

new

IP20

3

YEAR

| Order Code | Colour | Light Colour | CCT (K)           | Watts | Lumen (lm) | Beam Angle | Input | Class |   | Notes                       |
|------------|--------|--------------|-------------------|-------|------------|------------|-------|-------|---|-----------------------------|
| 62150D/W/V | White  | CCT V        | 2700K-3000K-4000K | 50W   | 4250lm     | 120°       | 230V  |       | 1 | Complete with 1400mA driver |

62026C | 30W | SMD | Metal + PMMA

LED

BUILT IN

80

CRI

CCT V

CE

new

IP20

3

YEAR

| Order Code | Colour | Light Colour | CCT (K)           | Watts | Lumen (lm) | Input | Class |   | Notes                |
|------------|--------|--------------|-------------------|-------|------------|-------|-------|---|----------------------|
| 62026C/V   | White  | CCT V        | 3000K-4000K-5000K | 30W   | 2400lm     | 230V  |       | 5 | Complete with driver |

67452 | 35W | SMD | Aluminium

LED

BUILT IN

90

CRI

CCT V

CE

new

DARK LIGHT

IP20

3

YEAR

| Order Code | Colour | Light Colour | CCT (K)           | Watts | Lumen (lm) | Input | Class |   | Notes                      |
|------------|--------|--------------|-------------------|-------|------------|-------|-------|---|----------------------------|
| 67452/W/V  | White  | CCT V        | 2700K-3000K-4000K | 35W   | 2700lm     | 230V  |       | 1 | Complete with 800mA driver |

62026D | 50W | SMD | Metal + PMMA

LED

BUILT IN

80

CRI

CCT V

CE

new

IP20

3

YEAR

| Order Code | Colour | Light Colour | CCT (K)           | Watts | Lumen (lm) | Input | Class |   | Notes                |
|------------|--------|--------------|-------------------|-------|------------|-------|-------|---|----------------------|
| 62026D/V   | White  | CCT V        | 3000K-4000K-5000K | 50W   | 4000lm     | 230V  |       | 5 | Complete with driver |

67452 | 35W | SMD | Aluminium

LED

BUILT IN

90

CRI

CCT V

CE

new

DARK LIGHT

IP20

3

YEAR

| Order Code | Colour | Light Colour | CCT (K)           | Watts | Lumen (lm) | Input | Class |   | Notes                      |
|------------|--------|--------------|-------------------|-------|------------|-------|-------|---|----------------------------|
| 67452/B/V  | Black  | CCT V        | 2700K-3000K-4000K | 35W   | 2700lm     | 230V  |       | 1 | Complete with 800mA driver |





62142N | 42W | SMD | Dimmable | Aluminium

90

CRI

TRIAC

DIMMABLE

LED

BUILT IN

CCT V

CE

3

YEAR

120°

600mm

132mm

| Order Code  | Colour     | Light Colour | CCT (K)           | Watts | Lumen (lm) | Beam Angle | Input | Class |   | Notes                                |
|-------------|------------|--------------|-------------------|-------|------------|------------|-------|-------|---|--------------------------------------|
| 62142N/AN/V | Anthracite | CCT V        | 2700K-3000K-4000K | 42W   | 3570lm     | 120°       | 230V  |       | 1 | Complete with 1050mA dimmable driver |



62144N | 50W | SMD | Dimmable | Aluminium

90

CRI

TRIAC

DIMMABLE

LED

BUILT IN

CCT V

CE

3

YEAR

120°

610mm

85mm

| Order Code | Colour | Light Colour | CCT (K)           | Watts | Lumen (lm) | Beam Angle | Input | Class |   | Notes                                |
|------------|--------|--------------|-------------------|-------|------------|------------|-------|-------|---|--------------------------------------|
| 62144N/W/V | White  | CCT V        | 2700K-3000K-4000K | 50W   | 4250lm     | 120°       | 230V  |       | 1 | Complete with 1200mA dimmable driver |
| 62144N/B/V | Black  | CCT V        | 2700K-3000K-4000K | 50W   | 4250lm     | 120°       | 230V  |       | 1 | Complete with 1200mA dimmable driver |



62140FB | 40W | SMD | Aluminium + PMMA

90

CRI

LED

BUILT IN

CCT V

CE

3

YEAR

120°

395mm

43mm

| Order Code  | Colour | Light Colour | CCT (K)           | Watts | Lumen (lm) | Input | Class |   | Notes                       |
|-------------|--------|--------------|-------------------|-------|------------|-------|-------|---|-----------------------------|
| 62140FB/W/V | White  | CCT V        | 3000K-3500K-4000K | 40W   | 3500lm     | 230V  |       | 4 | Complete with 1000mA driver |
| 62140FB/B/V | Black  | CCT V        | 3000K-3500K-4000K | 40W   | 3500lm     | 230V  |       | 4 | Complete with 1000mA driver |



62160FB | 60W | SMD | Aluminium + PMMA

90

CRI

LED

BUILT IN

CCT V

CE

3

YEAR

120°

585mm

43mm

| Order Code  | Colour | Light Colour | CCT (K)           | Watts | Lumen (lm) | Input | Class |   | Notes                       |
|-------------|--------|--------------|-------------------|-------|------------|-------|-------|---|-----------------------------|
| 62160FB/W/V | White  | CCT V        | 3000K-3500K-4000K | 60W   | 5300lm     | 230V  |       | 3 | Complete with 1500mA driver |
| 62160FB/B/V | Black  | CCT V        | 3000K-3500K-4000K | 60W   | 5300lm     | 230V  |       | 3 | Complete with 1500mA driver |



62115F | 15W | SMD | Aluminium

90

CRI

LED

BUILT IN

CCT V

CE

2

YEAR

120°

240mm

39mm

| Order Code | Colour | Light Colour | CCT (K)           | Watts | Lumen (lm) | Input | Class |    | Notes                      |
|------------|--------|--------------|-------------------|-------|------------|-------|-------|----|----------------------------|
| 62115F/W/V | White  | CCT V        | 2700K-3000K-4000K | 15W   | 1350lm     | 230V  |       | 10 | Complete with 350mA driver |
| 62115F/B/V | Black  | CCT V        | 2700K-3000K-4000K | 15W   | 1350lm     | 230V  |       | 10 | Complete with 350mA driver |



62130F | 30W | SMD | Aluminium

90

CRI

LED

BUILT IN

CCT V

CE

2

YEAR

120°

300mm

39mm

| Order Code | Colour | Light Colour | CCT (K)           | Watts | Lumen (lm) | Input | Class |    | Notes                      |
|------------|--------|--------------|-------------------|-------|------------|-------|-------|----|----------------------------|
| 62130F/W/V | White  | CCT V        | 2700K-3000K-4000K | 30W   | 2700lm     | 230V  |       | 10 | Complete with 700mA driver |
| 62130F/B/V | Black  | CCT V        | 2700K-3000K-4000K | 30W   | 2700lm     | 230V  |       | 10 | Complete with 700mA driver |



62140F | 40W | SMD | Aluminium

90

CRI

LED

BUILT IN

CCT V

CE

2

YEAR

120°

420mm

47mm

| Order Code | Colour | Light Colour | CCT (K)           | Watts | Lumen (lm) | Input | Class |   | Notes                       |
|------------|--------|--------------|-------------------|-------|------------|-------|-------|---|-----------------------------|
| 62140F/W/V | White  | CCT V        | 2700K-3000K-4000K | 40W   | 3700lm     | 230V  |       | 5 | Complete with 1000mA driver |



62122F | 22W | SMD | Aluminium

90

CRI

LED

BUILT IN

CCT V

CE

2

YEAR

120°

220mm

39mm

| Order Code | Colour | Light Colour | CCT (K)           | Watts | Lumen (lm) | Input | Class |    | Notes                      |
|------------|--------|--------------|-------------------|-------|------------|-------|-------|----|----------------------------|
| 62122F/W/V | White  | CCT V        | 2700K-3000K-4000K | 22W   | 2000lm     | 230V  |       | 10 | Complete with 500mA driver |



62130AF | 30W | SMD | Aluminium

90

CRI

LED

BUILT IN

CCT V

CE

2

YEAR

120°

300mm

39mm

| Order Code  | Colour | Light Colour | CCT (K)           | Watts | Lumen (lm) | Input | Class |    | Notes                      |
|-------------|--------|--------------|-------------------|-------|------------|-------|-------|----|----------------------------|
| 62130AF/W/V | White  | CCT V        | 2700K-3000K-4000K | 30W   | 2700lm     | 230V  |       | 10 | Complete with 700mA driver |



63156/B/W

**63156** | 50W | SMD | Aluminium

new

DARK LIGHT

IP20

LED BUILT IN


90 CRI


CE

3 YEAR

↑

LED





| Order Code       | Colour | Light Colour | CCT (K) | Watts | Lumen (lm) | Input | Class                                                                              |  | Notes                       |
|------------------|--------|--------------|---------|-------|------------|-------|------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-----------------------------|
| <b>63156/B/W</b> | Black  | Warm white   | 3000K   | 50W   | 4000lm     | 230V  |  | 1                                                                                   | Complete with 1200mA driver |



62144NB/B/V

**62144NB** | 50W | SMD | Dimmable | Aluminium

new

IP20

LED BUILT IN

90 CRI

CE

3 YEAR


↑

LED

TRIAC DIMMABLE

CCTV







62144NB/BBS/V

**62144NB** | 50W | SMD | Dimmable | Aluminium

new

IP20

LED BUILT IN

90 CRI

CE


3 YEAR

↑

LED

TRIAC DIMMABLE

CCTV





62144NB/BGL/V

**62144NB** | 50W | SMD | Dimmable | Aluminium

new

IP20

LED BUILT IN

90 CRI

CE


3 YEAR

↑

LED

TRIAC DIMMABLE

CCTV




| Order Code           | Colour        | Light Colour | CCT (K)           | Watts | Lumen (lm) | Input | Class                                                                               |  | Notes                                |
|----------------------|---------------|--------------|-------------------|-------|------------|-------|-------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|--------------------------------------|
| <b>62144NB/W/V</b>   | White         | CCT V        | 2700K-3000K-4000K | 50W   | 4250lm     | 230V  |  | 1                                                                                     | Complete with 1200mA dimmable driver |
| <b>62144NB/B/V</b>   | Black         | CCT V        | 2700K-3000K-4000K | 50W   | 4250lm     | 230V  |  | 1                                                                                     | Complete with 1200mA dimmable driver |
| <b>62144NB/BBS/V</b> | Brushed brass | CCT V        | 2700K-3000K-4000K | 50W   | 4250lm     | 230V  |  | 1                                                                                     | Complete with 1200mA dimmable driver |
| <b>62144NB/BGL/V</b> | Brushed gold  | CCT V        | 2700K-3000K-4000K | 50W   | 4250lm     | 230V  |  | 1                                                                                     | Complete with 1200mA dimmable driver |

New Items 2025 Edition 3

www.1-light.eu

Bathroom

one



38112C/B/V

**38112C** | 12W | SMD | Aluminium + acrylic

new

IP44

LED BUILT IN

90 CRI

CE

2 YEAR


←

LED


CCTV

ADJUSTABLE





| Order Code        | Colour | Light Colour | CCT (K)           | Watts | Lumen (lm) | Input | Class                                                                               |  | Notes                      |
|-------------------|--------|--------------|-------------------|-------|------------|-------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|----------------------------|
| <b>38112C/W/V</b> | White  | CCT V        | 3000K-3500K-4000K | 12W   | 1000lm     | 230V  |  | 10                                                                                  | Complete with 300mA driver |
| <b>38112C/B/V</b> | Black  | CCT V        | 3000K-3500K-4000K | 12W   | 1000lm     | 230V  |  | 10                                                                                  | Complete with 300mA driver |



38118C/B/V

**38118C** | 18W | SMD | Aluminium + acrylic

new

IP44

LED BUILT IN

90 CRI

CE

2 YEAR


←

LED


CCTV

ADJUSTABLE





| Order Code        | Colour | Light Colour | CCT (K)           | Watts | Lumen (lm) | Input | Class                                                                                 |  | Notes                      |
|-------------------|--------|--------------|-------------------|-------|------------|-------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|----------------------------|
| <b>38118C/W/V</b> | White  | CCT V        | 3000K-3500K-4000K | 18W   | 1500lm     | 230V  |  | 6                                                                                     | Complete with 600mA driver |
| <b>38118C/B/V</b> | Black  | CCT V        | 3000K-3500K-4000K | 18W   | 1500lm     | 230V  |  | 6                                                                                     | Complete with 600mA driver |



38118K/B/V

**38118K** | 18W | SMD | Aluminium + glass

new

IP44

LED BUILT IN


90 CRI


CE


3 YEAR

←

LED







38118K/BBS/V

**38118K** | 18W | SMD | Aluminium + glass

new

IP44

LED BUILT IN

90 CRI


CE

3 YEAR

←

LED





| Order Code          | Colour         | Light Colour | CCT (K)           | Watts | Lumen (lm) | Input | Class                                                                                 |  | Notes                      |
|---------------------|----------------|--------------|-------------------|-------|------------|-------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|----------------------------|
| <b>38118K/W/V</b>   | White          | CCT V        | 3000K-4000K-5000K | 18W   | 1440lm     | 230V  |  | 6                                                                                     | Complete with 450mA driver |
| <b>38118K/B/V</b>   | Black          | CCT V        | 3000K-4000K-5000K | 18W   | 1440lm     | 230V  |  | 6                                                                                     | Complete with 450mA driver |
| <b>38118K/BBS/V</b> | Brushed brass  | CCT V        | 3000K-4000K-5000K | 18W   | 1440lm     | 230V  |  | 6                                                                                     | Complete with 450mA driver |
| <b>38118K/MC/V</b>  | Brushed chrome | CCT V        | 3000K-4000K-5000K | 18W   | 1440lm     | 230V  |  | 6                                                                                     | Complete with 450mA driver |

www.1-light.eu

New Items 2025 Edition 3



new

IP44

38115C

| 15W | SMD | Aluminium + PC

LED BUILT IN

90 CRI

CCT V

CE

3 YEAR





600mm

53mm

65mm

| Order Code | Colour | Light Colour | CCT (K)     | Watts | Lumen (lm) | Input | Class                                                                              |  | Notes                      |
|------------|--------|--------------|-------------|-------|------------|-------|------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|----------------------------|
| 38115C/V   | Chrome | CCT V        | 3000K-4000K | 15W   | 1300lm     | 230V  |  | 10                                                                                  | Complete with 350mA driver |



new

IP44

38114EL

| 23W | SMD | Aluminium + acrylic

LED BUILT IN

90 CRI

CCT V

CE

2 YEAR





580mm

80mm

40mm

| Order Code | Colour | Light Colour | CCT (K)           | Watts | Lumen (lm) | Input | Class                                                                                 |  | Notes                      |
|------------|--------|--------------|-------------------|-------|------------|-------|---------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------|----------------------------|
| 38114EL/V  | Chrome | CCT V        | 3000K-4000K-5000K | 23W   | 1650lm     | 230V  |  | 8                                                                                    | Complete with 700mA driver |



new

IP44

38114N

| 14W | SMD | Aluminium + PC

LED BUILT IN

90 CRI

CCT V

CE

2 YEAR





600mm

130mm

60mm

| Order Code | Colour | Light Colour | CCT (K)           | Watts | Lumen (lm) | Input | Class                                                                                 |  | Notes                      |
|------------|--------|--------------|-------------------|-------|------------|-------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|----------------------------|
| 38114N/W/V | White  | CCT V        | 3000K-3500K-4000K | 14W   | 1200lm     | 230V  |  | 6                                                                                     | Complete with 350mA driver |
| 38114N/B/V | Black  | CCT V        | 3000K-3500K-4000K | 14W   | 1200lm     | 230V  |  | 6                                                                                     | Complete with 350mA driver |



new

IP44

38114T

| 14W | SMD | Aluminium + acrylic

LED BUILT IN

90 CRI

CCT V

CE

2 YEAR





530mm

1100mm

55mm

| Order Code | Colour | Light Colour | CCT (K)           | Watts | Lumen (lm) | Input | Class                                                                                 |  | Notes                      |
|------------|--------|--------------|-------------------|-------|------------|-------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|----------------------------|
| 38114T/W/V | White  | CCT V        | 3000K-3500K-4000K | 14W   | 1200lm     | 230V  |  | 6                                                                                     | Complete with 300mA driver |
| 38114T/B/V | Black  | CCT V        | 3000K-3500K-4000K | 14W   | 1200lm     | 230V  |  | 6                                                                                     | Complete with 300mA driver |



new

IP44

60208C

| 20W LED / 16W DEFOG | Dimmable | Glass + aluminium frame

LED BUILT IN


80 CRI

DIMMABLE

CCT V

CE

3 YEAR





600mm

38mm

| Order Code | Colour | Light Colour | CCT (K)     | Watts             | Lumen (lm) | Input | Class                                                                               |  | Notes                         |
|------------|--------|--------------|-------------|-------------------|------------|-------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------|
| 60208C/B/V | Black  | CCT V        | 3000K-6500K | 20W LED/16W DEFOG | 1600lm     | 230V  |  | 1                                                                                   | Complete with dimmable driver |



new

IP44

60208C

| 20W LED / 16W DEFOG | Dimmable | Glass + aluminium frame

LED BUILT IN

80 CRI


DIMMABLE

CCT V

CE

3 YEAR





600mm

38mm

| Order Code | Colour | Light Colour | CCT (K)     | Watts             | Lumen (lm) | Input | Class                                                                                 |  | Notes                         |
|------------|--------|--------------|-------------|-------------------|------------|-------|---------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------|-------------------------------|
| 60208C/W/V | White  | CCT V        | 3000K-6500K | 20W LED/16W DEFOG | 1600lm     | 230V  |  | 1                                                                                    | Complete with dimmable driver |



new

IP44

60208D

| 20W LED / 16W DEFOG | Dimmable | Glass + aluminium frame

LED BUILT IN

80 CRI


DIMMABLE

CCT V

CE

3 YEAR





600mm

800mm

38mm

| Order Code | Colour | Light Colour | CCT (K)     | Watts             | Lumen (lm) | Input | Class                                                                                 |  | Notes                         |
|------------|--------|--------------|-------------|-------------------|------------|-------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|-------------------------------|
| 60208D/B/V | Black  | CCT V        | 3000K-6500K | 20W LED/16W DEFOG | 1600lm     | 230V  |  | 1                                                                                     | Complete with dimmable driver |



new

IP44

60208D

| 20W LED / 16W DEFOG | Dimmable | Glass + aluminium frame

LED BUILT IN


80 CRI


DIMMABLE

CCT V

CE

3 YEAR






600mm

800mm

38mm

| Order Code | Colour | Light Colour | CCT (K)     | Watts             | Lumen (lm) | Input | Class                                                                                 |  | Notes                         |
|------------|--------|--------------|-------------|-------------------|------------|-------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|-------------------------------|
| 60208D/W/V | White  | CCT V        | 3000K-6500K | 20W LED/16W DEFOG | 1600lm     | 230V  |  | 1                                                                                     | Complete with dimmable driver |





69068A | 2W | SMD | Stainless steel 316 + Aluminium body

new

DARK LIGHT

IP67

LED BUILT IN

90 CRI


IK10

CE

2 YEAR

Supplied with box for concrete installation.

| Order Code | Colour          | Light Colour | CCT (K) | Watts | Lumen (lm) | Beam Angle | Input | Class |  |  |  |  | Notes                 |
|------------|-----------------|--------------|---------|-------|------------|------------|-------|-------|--|--|--|--|-----------------------|
| 69068A/W   | Stainless steel | Warm white   | 3000K   | 2W    | 160lm      | 30°        | 700mA |       |  |  |  |  | Requires 700mA driver |



69068B | 4,5W | SMD | Stainless steel 316 + Aluminium body

new

DARK LIGHT

IP67

LED BUILT IN

90 CRI


IK10

CE

2 YEAR

Supplied with box for concrete installation.

| Order Code | Colour          | Light Colour | CCT (K) | Watts | Lumen (lm) | Beam Angle | Input | Class |  |  |  |  | Notes                 |
|------------|-----------------|--------------|---------|-------|------------|------------|-------|-------|--|--|--|--|-----------------------|
| 69068B/W   | Stainless steel | Warm white   | 3000K   | 4,5W  | 360lm      | 30°        | 500mA |       |  |  |  |  | Requires 500mA driver |



69068C | 6,5W | COB | Stainless steel 316 + Aluminium body

new

DARK LIGHT

IP67

LED BUILT IN

90 CRI


IK10

CE

2 YEAR

Supplied with box for concrete installation.

| Order Code | Colour          | Light Colour | CCT (K) | Watts | Lumen (lm) | Beam Angle | Input | Class |  |  |  |  | Notes                 |
|------------|-----------------|--------------|---------|-------|------------|------------|-------|-------|--|--|--|--|-----------------------|
| 69068C/W   | Stainless steel | Warm white   | 3000K   | 6,5W  | 520lm      | 30°        | 700mA |       |  |  |  |  | Requires 700mA driver |



69068CH | 6,5W | COB | Stainless steel 316 + Aluminium body

Complete with honeycomb.

new

DARK LIGHT

IP67

LED BUILT IN

90 CRI

IK10

CE

2 YEAR

Supplied with box for concrete installation.

| Order Code | Colour          | Light Colour | CCT (K) | Watts | Lumen (lm) | Beam Angle | Input | Class |  |  |  |  | Notes                 |
|------------|-----------------|--------------|---------|-------|------------|------------|-------|-------|--|--|--|--|-----------------------|
| 69068CH/W  | Stainless steel | Warm white   | 3000K   | 6,5W  | 400lm      | 30°        | 700mA |       |  |  |  |  | Requires 700mA driver |



69076A | 3x1W | Stainless steel 316L + Aluminium body

Low depth application.

new

DARK LIGHT

IP67

LED BUILT IN

90 CRI

IK10

CE

2 YEAR

Supplied with box for concrete installation.

| Order Code | Colour          | Light Colour | CCT (K) | Watts | Lumen (lm) | Beam Angle | Input  | Class |  |  |  |  | Notes                  |
|------------|-----------------|--------------|---------|-------|------------|------------|--------|-------|--|--|--|--|------------------------|
| 69076A/W   | Stainless steel | Warm white   | 3000K   | 3x1W  | 300lm      | 45°        | 24V DC |       |  |  |  |  | Requires 24V DC driver |



69076B | 6x1W | Stainless steel 316L + Aluminium body

Low depth application.

new

DARK LIGHT

IP67

LED BUILT IN

90 CRI

IK10

CE

2 YEAR

Supplied with box for concrete installation.

| Order Code | Colour          | Light Colour | CCT (K) | Watts | Lumen (lm) | Beam Angle | Input  | Class |  |  |  |  | Notes                  |
|------------|-----------------|--------------|---------|-------|------------|------------|--------|-------|--|--|--|--|------------------------|
| 69076B/W   | Stainless steel | Warm white   | 3000K   | 6x1W  | 600lm      | 45°        | 24V DC |       |  |  |  |  | Requires 24V DC driver |



69076C | 9x1W | Stainless steel 316L + Aluminium body

Low depth application.

new

DARK LIGHT

IP67

LED BUILT IN

90 CRI

IK10

CE

2 YEAR

Supplied with box for concrete installation.

| Order Code | Colour          | Light Colour | CCT (K) | Watts | Lumen (lm) | Beam Angle | Input  | Class |  |  |  |  | Notes                  |
|------------|-----------------|--------------|---------|-------|------------|------------|--------|-------|--|--|--|--|------------------------|
| 69076C/W   | Stainless steel | Warm white   | 3000K   | 9x1W  | 900lm      | 45°        | 24V DC |       |  |  |  |  | Requires 24V DC driver |



69076D | 18x1W | Stainless steel 316L + Aluminium body

Low depth application.

new

DARK LIGHT

IP67

LED BUILT IN

90 CRI

IK10

CE

2 YEAR

Supplied with box for concrete installation.

| Order Code | Colour          | Light Colour | CCT (K) | Watts | Lumen (lm) | Beam Angle | Input  | Class |  |  |  |  | Notes                  |
|------------|-----------------|--------------|---------|-------|------------|------------|--------|-------|--|--|--|--|------------------------|
| 69076D/W   | Stainless steel | Warm white   | 3000K   | 18x1W | 1800lm     | 45°        | 24V DC |       |  |  |  |  | Requires 24V DC driver |



67538A | 2W | SMD | Aluminium

new

DARK LIGHT

IP65

LED BUILT IN

90 CRI

DIMMABLE


ADJUSTABLE

CE

2 YEAR



Supplied with spike.



| Order Code | Colour | Light Colour | CCT (K) | Watts | Lumen (lm) | Beam Angle | Input | Class |  |  | Notes                 |
|------------|--------|--------------|---------|-------|------------|------------|-------|-------|--|--|-----------------------|
| 67538A/B/W | Black  | Warm white   | 3000K   | 2W    | 160lm      | 36°        | 700mA |       |  |  | Requires 700mA driver |



67470 | 10W | COB | Aluminium

new

DARK LIGHT

IP65

LED BUILT IN

80 CRI


cct v

IK10

CE

2 YEAR





| Order Code | Colour | Light Colour | CCT (K)           | Watts | Lumen (lm) | Input | Class |  | Notes                      |
|------------|--------|--------------|-------------------|-------|------------|-------|-------|--|----------------------------|
| 67470/B/V  | Black  | CCT V        | 3000K-3500K-4000K | 10W   | 500lm      | 230V  |       |  | Complete with 240mA driver |



67538B | 6,5W | COB | Aluminium

new

DARK LIGHT

IP65

LED BUILT IN

90 CRI

DIMMABLE


ADJUSTABLE

CE

2 YEAR



Supplied with spike.



| Order Code | Colour | Light Colour | CCT (K) | Watts | Lumen (lm) | Beam Angle | Input | Class |  |  | Notes                 |
|------------|--------|--------------|---------|-------|------------|------------|-------|-------|--|--|-----------------------|
| 67538B/B/W | Black  | Warm white   | 3000K   | 6,5W  | 520lm      | 36°        | 700mA |       |  |  | Requires 700mA driver |



67470A | 10W | COB | Aluminium

new

DARK LIGHT

IP65

LED BUILT IN

80 CRI


cct v

IK10

CE

2 YEAR





| Order Code | Colour | Light Colour | CCT (K)           | Watts | Lumen (lm) | Input | Class |  | Notes                      |
|------------|--------|--------------|-------------------|-------|------------|-------|-------|--|----------------------------|
| 67470A/B/V | Black  | CCT V        | 3000K-3500K-4000K | 10W   | 500lm      | 230V  |       |  | Complete with 240mA driver |



67538C | 12W | COB | Aluminium

new

DARK LIGHT

IP65

LED BUILT IN

90 CRI

DIMMABLE


ADJUSTABLE

CE


2 YEAR



Supplied with spike.



| Order Code | Colour | Light Colour | CCT (K) | Watts | Lumen (lm) | Beam Angle | Input | Class |  |  | Notes                 |
|------------|--------|--------------|---------|-------|------------|------------|-------|-------|--|--|-----------------------|
| 67538C/B/W | Black  | Warm white   | 3000K   | 12W   | 960lm      | 36°        | 700mA |       |  |  | Requires 700mA driver |



0998 | 6X1W | Plastic

new

DARK LIGHT


IP65

CE

2 YEAR



Complete with Schuko driver.



| Order Code | Colour | Watts | Light colour     | CCT (K) | Input      | Class |  |  | Notes |
|------------|--------|-------|------------------|---------|------------|-------|--|--|-------|
| 0998/B     | Black  | 6x1W  | Extra warm white | 2500K   | 230V / 24V |       |  |  | -     |



38120P | T8 LED 60cm | PC + PC

new

IP65

3

YEAR

657mm

56mm

53mm



38140P | T8 LED 120cm | PC + PC

new

IP65

3

YEAR

1271mm

56mm

53mm



38150P | T8 LED 150cm | PC + PC

new

IP65

3

YEAR

1571mm

56mm

53mm

| Order Code | Colour | Input    | Class |   | Notes                          |
|------------|--------|----------|-------|---|--------------------------------|
| 38120P     | Grey   | 100-240V |       | 9 | Only suitable for T8 LED tubes |
| 38140P     | Grey   | 100-240V |       | 9 | Only suitable for T8 LED tubes |
| 38150P     | Grey   | 100-240V |       | 9 | Only suitable for T8 LED tubes |



38220P | 2xT8 LED 60cm | PC + PC

new

IP65


3

YEAR

657mm

93mm

53mm



38240P | 2xT8 LED 120cm | PC + PC

new

IP65


3

YEAR

1271mm

93mm

53mm



38250P | 2xT8 LED 150cm | PC + PC

new

IP65

3

YEAR

1571mm

93mm

53mm

| Order Code | Colour | Input    | Class |   | Notes                          |
|------------|--------|----------|-------|---|--------------------------------|
| 38220P     | Grey   | 100-240V |       | 6 | Only suitable for T8 LED tubes |
| 38240P     | Grey   | 100-240V |       | 6 | Only suitable for T8 LED tubes |
| 38250P     | Grey   | 100-240V |       | 6 | Only suitable for T8 LED tubes |



38120N | 18W PV | SMD | PC + PC

new

IP65

3

YEAR

80

CRI

CCT V

PV

600mm

70mm

60mm

| Order Code | Colour | Light Colour | CCT (K)           | Watts           | Lumen (lm) | Beam Angle | Input | Class |    | Notes                   |
|------------|--------|--------------|-------------------|-----------------|------------|------------|-------|-------|----|-------------------------|
| 38120N/V   | Grey   | CCT V        | 3000K-4000K-6500K | 10W-13W-15W-18W | 2160lm@18W | 120°       | 230V  |       | 16 | Complete with PV driver |



38140N | 36W PV | SMD | PC + PC

new

IP65

3

YEAR

80

CRI

CCT V

PV

1200mm

70mm

60mm

| Order Code | Colour | Light Colour | CCT (K)           | Watts           | Lumen (lm) | Beam Angle | Input | Class |    | Notes                   |
|------------|--------|--------------|-------------------|-----------------|------------|------------|-------|-------|----|-------------------------|
| 38140N/V   | Grey   | CCT V        | 3000K-4000K-6500K | 20W-25W-30W-36W | 4320lm@36W | 120°       | 230V  |       | 16 | Complete with PV driver |



38150N | 48W PV | SMD | PC + PC

new

IP65

3

YEAR

80

CRI

CCT V

PV

1500mm

70mm

60mm

| Order Code | Colour | Light Colour | CCT (K)           | Watts           | Lumen (lm) | Beam Angle | Input | Class |    | Notes                   |
|------------|--------|--------------|-------------------|-----------------|------------|------------|-------|-------|----|-------------------------|
| 38150N/V   | Grey   | CCT V        | 3000K-4000K-6500K | 27W-35W-40W-48W | 5760lm@48W | 120°       | 230V  |       | 12 | Complete with PV driver |





38120M | 25W PV | SMD | PC + PC

new

IP65

80 CRI

IK08

CE

LED BUILT IN

CCT V

PV

3 YEAR

Stainless steel clips.

600mm

77mm

66mm

| Order Code | Colour | Light Colour | CCT (K)           | Watts           | Lumen (lm) | Input | Class |    | Notes                   |
|------------|--------|--------------|-------------------|-----------------|------------|-------|-------|----|-------------------------|
| 38120M/V   | Grey   | CCT V        | 3000K-4000K-6500K | 14W-18W-22W-25W | 2500lm@25W | 230V  |       | 15 | Complete with PV driver |



38140M | 50W PV | SMD | PC + PC

new

IP65

80 CRI

IK08

CE

LED BUILT IN

CCT V

PV

3 YEAR

Stainless steel clips.

1200mm

77mm

66mm

| Order Code | Colour | Light Colour | CCT (K)           | Watts           | Lumen (lm) | Input | Class |    | Notes                   |
|------------|--------|--------------|-------------------|-----------------|------------|-------|-------|----|-------------------------|
| 38140M/V   | Grey   | CCT V        | 3000K-4000K-6500K | 28W-36W-42W-50W | 5000lm@50W | 230V  |       | 12 | Complete with PV driver |



38140ME | 50W PV | SMD | Emergency 3Hrs Maintained | PC + PC

new

IP65

80 CRI

IK08

CE

LED BUILT IN

CCT V

PV

3 YEAR

Stainless steel clips.

1200mm

77mm

66mm

| Order Code | Colour | Light Colour | CCT (K)           | Watts           | Lumen (lm) | Input | Class | Battery Duration |    | Notes                 |
|------------|--------|--------------|-------------------|-----------------|------------|-------|-------|------------------|----|-----------------------|
| 38140ME/V  | Grey   | CCT V        | 3000K-4000K-6500K | 28W-36W-42W-50W | 5000lm@50W | 230V  |       | 3Hrs             | 12 | Supplied with battery |



38150M | 70W PV | SMD | PC + PC

new

IP65

80 CRI

IK08

CE

LED BUILT IN

CCT V

PV

3 YEAR

Stainless steel clips.

1500mm

77mm

66mm

| Order Code | Colour | Light Colour | CCT (K)           | Watts           | Lumen (lm) | Input | Class |   | Notes                   |
|------------|--------|--------------|-------------------|-----------------|------------|-------|-------|---|-------------------------|
| 38150M/V   | Grey   | CCT V        | 3000K-4000K-6500K | 48W-55W-62W-70W | 7000lm@70W | 230V  |       | 9 | Complete with PV driver |

New Items 2025 Edition 3

www.1-light.eu

one

Industrial & Floodlights



7028CB | 7028CC | SMD | Aluminium + tempered glass

new

IP65

LED BUILT IN

80 CRI

IK06

CE

ADJUSTABLE

2 YEAR

7028CB/B/V

168mm

22mm

157mm



7028CD | 7028CE | SMD | Aluminium + tempered glass

new

IP65

LED BUILT IN

80 CRI

IK06

CE

ADJUSTABLE


2 YEAR

7028CD/B/V

295mm

30mm

246mm



7028CF | 7028CH | SMD | Aluminium + tempered glass

new

IP65

LED BUILT IN

80 CRI

IK06

CE

ADJUSTABLE

2 YEAR

7028CF/B/V

380mm

32mm

315mm

| Order Code | Colour | Light Colour | CCT (K)           | Watts | Lumen (lm) | Beam Angle | Input | Class |      | Notes |        |
|------------|--------|--------------|-------------------|-------|------------|------------|-------|-------|------|-------|--------|
| 7028CB/B/V | Black  | CCT V        | 3000K-4000K-6500K | 30W   | 3000lm     | 110°       | 230V  |       | 50cm | 20    | AC LED |
| 7028CC/B/V | Black  | CCT V        | 3000K-4000K-6500K | 50W   | 5000lm     | 110°       | 230V  |       | 50cm | 10    | AC LED |
| 7028CD/B/V | Black  | CCT V        | 3000K-4000K-6500K | 100W  | 10000lm    | 110°       | 230V  |       | 50cm | 5     | AC LED |
| 7028CE/B/V | Black  | CCT V        | 3000K-4000K-6500K | 150W  | 15000lm    | 110°       | 230V  |       | 50cm | 4     | AC LED |
| 7028CF/B/V | Black  | CCT V        | 3000K-4000K-6500K | 200W  | 20000lm    | 110°       | 230V  |       | 50cm | 4     | AC LED |
| 7028CH/B/V | Black  | CCT V        | 3000K-4000K-6500K | 300W  | 30000lm    | 110°       | 230V  |       | 50cm | 2     | AC LED |

www.1-light.eu

New Items 2025 Edition 3



7056A | 50W | SMD | Aluminium

LED BUILT IN

80 CRI

3 YEAR

CE

new

IP65

260mm

300mm

115mm

| Order Code | Colour | Light Colour | CCT (K)           | Watts | Lumen (lm) | Input | Class |   | Notes                       |
|------------|--------|--------------|-------------------|-------|------------|-------|-------|---|-----------------------------|
| 7056A/V    | Black  | CCT V        | 3000K-4000K-5000K | 50W   | 4250lm     | 230V  |       | 6 | Complete with 1200mA driver |



89048 | 50W | 650-1400mA

Adjustable outputs using DIP switches.

5 YEAR

new

IP20

Emergency Lights



67366E | 12W | SMD | Emergency 3Hrs Maintained | PC

LED BUILT IN

80 CRI

2 YEAR

IK08

new

IP54

250mm

50mm

| Order Code | Colour | Light Colour | CCT (K)           | Watts | Lumen (lm) | Input | Class | Battery Duration |    | Notes                 |
|------------|--------|--------------|-------------------|-------|------------|-------|-------|------------------|----|-----------------------|
| 67366E/W/V | White  | CCT V        | 3000K-4000K-5000K | 12W   | 1000lm     | 230V  |       | 3Hrs             | 20 | Supplied with battery |



89300VT | 100-300W | 24V DC | TRIAC Dimmable

TRIAC DIMMABLE

5 YEAR

new

IP20



89090VL | 10-90W | 24V DC | DALI & Push to DIM Dimmable

PUSH TO DIM

DALI DIMMABLE

5 YEAR

new

IP20



89414 | 1W | Emergency 3Hrs | Maintained & Non-Maintained modes | PC

Ceiling/Wall mounted | Self-test.

LED BUILT IN

CE

2 YEAR

new

IP20

323mm

260mm

40mm

Supplied with 4 stickers



89200VL | 20-200W | 24V DC | DALI & Push to DIM Dimmable

PUSH TO DIM

DALI DIMMABLE

5 YEAR

new

IP20





Lamps



new

LED

80

CRI


CCT V

CE

2

YEAR





| Order Code | Lampholder | Light Colour | CCT (K)           | Watts | Lumen (lm) | Input | Dimmable |  | Notes |
|------------|------------|--------------|-------------------|-------|------------|-------|----------|-------------------------------------------------------------------------------------|-------|
| 9G09/V/E   | E27        | CCT V        | 2700K-3000K-4000K | 9W    | 800lm      | 230V  | NO       | 100                                                                                 | -     |



new

LED

90

CRI

CCT V

CE

2

YEAR





| Order Code | Lampholder | Light Colour | CCT (K)           | Watts | Lumen (lm) | Input | Dimmable |  | Notes |
|------------|------------|--------------|-------------------|-------|------------|-------|----------|--------------------------------------------------------------------------------------|-------|
| 9F07L/V    | GX53       | CCT V        | 3000K-4000K-5000K | 7W    | 700lm      | 230V  | NO       | 50                                                                                   | -     |

Ceiling Fans



new

IP54

LED

BUILT IN

85

CRI

DIMMABLE

+

CCT V

DC

MOTOR

CE

2

YEAR




Extra Remote control 030152A.



Complete with 15cm & 30cm rod.



Optional 1m rod 030156/W.



1320mm

345mm (with 15cm Rod)



120°

| Order Code | Colour | Light Colour | CCT (K)           | LED Watts | Lumen (lm) | Beam Angle | FAN Watts | Input | Class                                                                                 |  | Notes                        |
|------------|--------|--------------|-------------------|-----------|------------|------------|-----------|-------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|------------------------------|
| 6320/W/V   | White  | CCT V        | 3000K-4000K-5500K | 22W       | 2000lm     | 120°       | 32W       | 230V  |  | 1                                                                                     | Complete with remote control |



new

IP54

LED

BUILT IN

85

CRI

DIMMABLE

+

CCT V

DC

MOTOR


CE

2


YEAR




Extra Remote control 030152A.



Complete with 15cm & 30cm rod.



Optional 1m rod 030156/B.



1320mm

345mm (with 15cm Rod)



120°

| Order Code | Colour | Light Colour | CCT (K)           | LED Watts | Lumen (lm) | Beam Angle | FAN Watts | Input | Class                                                                                 |  | Notes                        |
|------------|--------|--------------|-------------------|-----------|------------|------------|-----------|-------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|------------------------------|
| 6320/B/V   | Black  | CCT V        | 3000K-4000K-5500K | 22W       | 2000lm     | 120°       | 32W       | 230V  |  | 1                                                                                     | Complete with remote control |