


# NEW PRODUCTS 2025

EDITION 4

one

Recessed Spots Fixed LED



10107DX | 7W | COB | Aluminium

new

DARK LIGHT

IP20

90 CRI


5 YEAR

LED BUILT IN

CCT V

CE





| Order Code  | Colour | Light Colour | CCT (K)           | Watts | Lumen (lm) | Beam Angle | Input | Class |  |  |  | Notes                      |
|-------------|--------|--------------|-------------------|-------|------------|------------|-------|-------|--|--|--|----------------------------|
| 10107DX/W/V | White  | CCT V        | 3000K-3500K-4000K | 7W    | 560lm      | 36°        | 230V  |       |  |  |  | Complete with 160mA driver |



10112DX | 12W | COB | Aluminium

new

DARK LIGHT

IP20

90 CRI


5 YEAR

LED BUILT IN

CCT V

CE





| Order Code  | Colour | Light Colour | CCT (K)           | Watts | Lumen (lm) | Beam Angle | Input | Class |  |  |  | Notes                      |
|-------------|--------|--------------|-------------------|-------|------------|------------|-------|-------|--|--|--|----------------------------|
| 10112DX/W/V | White  | CCT V        | 3000K-3500K-4000K | 12W   | 960lm      | 36°        | 230V  |       |  |  |  | Complete with 300mA driver |



10118DX | 18W | COB | Aluminium

new

DARK LIGHT

IP20

90 CRI


5 YEAR

LED BUILT IN


CCT V

CE





| Order Code  | Colour | Light Colour | CCT (K)           | Watts | Lumen (lm) | Beam Angle | Input | Class |  |  |  | Notes                      |
|-------------|--------|--------------|-------------------|-------|------------|------------|-------|-------|--|--|--|----------------------------|
| 10118DX/W/V | White  | CCT V        | 3000K-3500K-4000K | 18W   | 1440lm     | 36°        | 230V  |       |  |  |  | Complete with 450mA driver |



10112BTR | 12W | COB | Trimless | Aluminium

new

DARK LIGHT

IP20

90 CRI

DIMMABLE


5 YEAR

LED BUILT IN

CCT V

CE





2-Step reflector.

| Order Code    | Colour | Light Colour | CCT (K)           | Watts | Lumen (lm) | Beam Angle | Input | Class |  |  |  | Notes                 |
|---------------|--------|--------------|-------------------|-------|------------|------------|-------|-------|--|--|--|-----------------------|
| 10112BTR/BS/V | Brass  | CCT V        | 3000K-3500K-4000K | 12W   | 1200lm     | 38°        | 700mA |       |  |  |  | Requires 700mA driver |

one

Recessed Spots Adjustable LED



11107P | 6,5W | COB | Aluminium

new

IP54

90 CRI

5 YEAR


LED BUILT IN

DIMMABLE

CCT V

CE





| Order Code | Colour | Light Colour | CCT (K)           | Watts | Lumen (lm) | Beam Angle | Input | Class |  |  |  | Notes                 |
|------------|--------|--------------|-------------------|-------|------------|------------|-------|-------|--|--|--|-----------------------|
| 11107P/W/V | White  | CCT V        | 3000K-3500K-4000K | 6,5W  | 600lm      | 36°        | 700mA |       |  |  |  | Requires 700mA driver |



11107RA | 6,5W | COB | Aluminium

new

DARK LIGHT

IP20

90 CRI

5 YEAR

LED BUILT IN

DIMMABLE

CCT V


CE





Complete with Black & White reflectors.

| Order Code  | Colour | Light Colour | CCT (K)           | Watts | Lumen (lm) | Beam Angle | Input | Class |  |  |  | Notes                 |
|-------------|--------|--------------|-------------------|-------|------------|------------|-------|-------|--|--|--|-----------------------|
| 11107RA/W/V | White  | CCT V        | 3000K-3500K-4000K | 6,5W  | 500lm      | 36°        | 700mA |       |  |  |  | Requires 700mA driver |



11107RA | 6,5W | COB | Aluminium

new

DARK LIGHT

IP20

90 CRI


5 YEAR

LED BUILT IN

DIMMABLE

CCT V

CE





Complete with Brass & Black reflectors.

| Order Code  | Colour | Light Colour | CCT (K)           | Watts | Lumen (lm) | Beam Angle | Input | Class |  |  |  | Notes                 |
|-------------|--------|--------------|-------------------|-------|------------|------------|-------|-------|--|--|--|-----------------------|
| 11107RA/B/V | Black  | CCT V        | 3000K-3500K-4000K | 6,5W  | 500lm      | 36°        | 700mA |       |  |  |  | Requires 700mA driver |



11107BT | 6,5W | COB | Trimless | Aluminium

new

DARK LIGHT

IP54

90 CRI

DIMMABLE


5 YEAR

LED BUILT IN

CCT V

CE





| Order Code  | Colour | Light Colour | CCT (K)           | Watts | Lumen (lm) | Beam Angle | Input | Class |  |  |  | Notes                 |
|-------------|--------|--------------|-------------------|-------|------------|------------|-------|-------|--|--|--|-----------------------|
| 11107BT/W/V | White  | CCT V        | 3000K-3500K-4000K | 6,5W  | 650lm      | 36°        | 700mA |       |  |  |  | Requires 700mA driver |



10107Z/W/V + 050378A/W

**10107Z** | 7W | COB | Aluminium

**new**  
DARK LIGHT  
IP20

90 CRI  
3 YEAR

LED BUILT IN  
CCT V  
CE

Reflector must be ordered separately.  
050378A/W, 050378A/B, 050378A/BS.





| Order Code | Colour | Light Colour | CCT (K)           | Watts | Lumen (lm) | Beam Angle | Input | Class |      |      |    | Notes                      |
|------------|--------|--------------|-------------------|-------|------------|------------|-------|-------|------|------|----|----------------------------|
| 10107Z/W/V | White  | CCT V        | 3000K-3500K-4000K | 7W    | 560lm      | 45°        | 230V  |       | 65mm | 80mm | 40 | Complete with 160mA driver |



10107Z/B/V + 050378A/BS

**10107Z** | 7W | COB | Aluminium

**new**  
DARK LIGHT  
IP20

90 CRI  
3 YEAR

LED BUILT IN  
CCT V  
CE

Reflector must be ordered separately.  
050378A/W, 050378A/B, 050378A/BS.





| Order Code | Colour | Light Colour | CCT (K)           | Watts | Lumen (lm) | Beam Angle | Input | Class |      |      |    | Notes                      |
|------------|--------|--------------|-------------------|-------|------------|------------|-------|-------|------|------|----|----------------------------|
| 10107Z/B/V | Black  | CCT V        | 3000K-3500K-4000K | 7W    | 560lm      | 45°        | 230V  |       | 65mm | 80mm | 40 | Complete with 160mA driver |



10112Z/W/V + 050378B/W

**10112Z** | 12W | COB | Aluminium

**new**  
DARK LIGHT  
IP20

90 CRI  
3 YEAR

LED BUILT IN  
CCT V  
CE

Reflector must be ordered separately.  
050378B/W, 050378B/B, 050378B/BS.





| Order Code | Colour | Light Colour | CCT (K)           | Watts | Lumen (lm) | Beam Angle | Input | Class |      |      |    | Notes                      |
|------------|--------|--------------|-------------------|-------|------------|------------|-------|-------|------|------|----|----------------------------|
| 10112Z/W/V | White  | CCT V        | 3000K-3500K-4000K | 12W   | 960lm      | 45°        | 230V  |       | 82mm | 88mm | 30 | Complete with 300mA driver |



10112Z/B/V + 050378B/BS

**10112Z** | 12W | COB | Aluminium

**new**  
DARK LIGHT  
IP20

90 CRI  
3 YEAR

LED BUILT IN  
CCT V  
CE

Reflector must be ordered separately.  
050378B/W, 050378B/B, 050378B/BS.





| Order Code | Colour | Light Colour | CCT (K)           | Watts | Lumen (lm) | Beam Angle | Input | Class |      |      |    | Notes                      |
|------------|--------|--------------|-------------------|-------|------------|------------|-------|-------|------|------|----|----------------------------|
| 10112Z/B/V | Black  | CCT V        | 3000K-3500K-4000K | 12W   | 960lm      | 45°        | 230V  |       | 82mm | 88mm | 30 | Complete with 300mA driver |



10120Z/W/V + 050378C/W

**10120Z** | 20W | COB | Aluminium

**new**  
DARK LIGHT  
IP20

90 CRI  
3 YEAR

LED BUILT IN  
CCT V  
CE

Reflector must be ordered separately.  
050378C/W, 050378C/B, 050378C/BS.





| Order Code | Colour | Light Colour | CCT (K)           | Watts | Lumen (lm) | Beam Angle | Input | Class |       |       |    | Notes                      |
|------------|--------|--------------|-------------------|-------|------------|------------|-------|-------|-------|-------|----|----------------------------|
| 10120Z/W/V | White  | CCT V        | 3000K-3500K-4000K | 20W   | 1600lm     | 45°        | 230V  |       | 105mm | 105mm | 20 | Complete with 500mA driver |



10120Z/B/V + 050378C/BS

**10120Z** | 20W | COB | Aluminium

**new**  
DARK LIGHT  
IP20

90 CRI  
3 YEAR





LED BUILT IN  
CCT V  
CE

Reflector must be ordered separately.  
050378C/W, 050378C/B, 050378C/BS.





| Order Code | Colour | Light Colour | CCT (K)           | Watts | Lumen (lm) | Beam Angle | Input | Class |       |       |    | Notes                      |
|------------|--------|--------------|-------------------|-------|------------|------------|-------|-------|-------|-------|----|----------------------------|
| 10120Z/B/V | Black  | CCT V        | 3000K-3500K-4000K | 20W   | 1600lm     | 45°        | 230V  |       | 105mm | 105mm | 20 | Complete with 500mA driver |







10110DH | 10W | COB | Aluminium

Complete with honeycomb.

new

DARK LIGHT

IP20


90 CRI

5 YEAR

LED BUILT IN

cctv

CE



36°

50mm

86mm

| Order Code  | Colour | Light Colour | CCT (K)           | Watts | Lumen (lm) | Beam Angle | Input | Class |      |      |    | Notes                      |
|-------------|--------|--------------|-------------------|-------|------------|------------|-------|-------|------|------|----|----------------------------|
| 10110DH/W/V | White  | CCT V        | 3000K-3500K-4000K | 10W   | 800lm      | 36°        | 230V  |       | 75mm | 60mm | 50 | Complete with 250mA driver |

| Order Code  | Colour | Light Colour | CCT (K)           | Watts | Lumen (lm) | Beam Angle | Input | Class |      |      |    | Notes                      |
|-------------|--------|--------------|-------------------|-------|------------|------------|-------|-------|------|------|----|----------------------------|
| 10110DH/W/V | White  | CCT V        | 3000K-3500K-4000K | 10W   | 800lm      | 36°        | 230V  |       | 75mm | 60mm | 50 | Complete with 250mA driver |



10114DH | 14W | COB | Aluminium

Complete with honeycomb.

new

DARK LIGHT

IP20


90 CRI

5 YEAR

LED BUILT IN

cctv

CE




36°

50mm

105mm

| Order Code  | Colour | Light Colour | CCT (K)           | Watts | Lumen (lm) | Beam Angle | Input | Class |      |      |    | Notes                      |
|-------------|--------|--------------|-------------------|-------|------------|------------|-------|-------|------|------|----|----------------------------|
| 10114DH/W/V | White  | CCT V        | 3000K-3500K-4000K | 14W   | 1120lm     | 36°        | 230V  |       | 95mm | 60mm | 30 | Complete with 350mA driver |



10120DH | 20W | COB | Aluminium

Complete with honeycomb.

new

DARK LIGHT

IP20

90 CRI

5 YEAR

LED BUILT IN

cctv

CE



36°

50mm

135mm

| Order Code  | Colour | Light Colour | CCT (K)           | Watts | Lumen (lm) | Beam Angle | Input | Class |       |      |    | Notes                      |
|-------------|--------|--------------|-------------------|-------|------------|------------|-------|-------|-------|------|----|----------------------------|
| 10120DH/W/V | White  | CCT V        | 3000K-3500K-4000K | 20W   | 1600lm     | 36°        | 230V  |       | 120mm | 60mm | 20 | Complete with 500mA driver |



10130DH | 30W | COB | Aluminium

Complete with honeycomb.

new

DARK LIGHT

IP20

90 CRI

5 YEAR

LED BUILT IN

cctv

CE



36°

57mm

160mm

| Order Code  | Colour | Light Colour | CCT (K)           | Watts | Lumen (lm) | Beam Angle | Input | Class |       |      |    | Notes                      |
|-------------|--------|--------------|-------------------|-------|------------|------------|-------|-------|-------|------|----|----------------------------|
| 10130DH/W/V | White  | CCT V        | 3000K-3500K-4000K | 30W   | 2400lm     | 36°        | 230V  |       | 145mm | 70mm | 10 | Complete with 750mA driver |



10110BX | 10W | SMD | Aluminium

new

IP54

90 CRI

5 YEAR

LED BUILT IN

cctv

CE



90°

50mm

86mm

| Order Code  | Colour | Light Colour | CCT (K)           | Watts | Lumen (lm) | Beam Angle | Input | Class |      |      |    | Notes                      |
|-------------|--------|--------------|-------------------|-------|------------|------------|-------|-------|------|------|----|----------------------------|
| 10110BX/W/V | White  | CCT V        | 3000K-4000K-5000K | 10W   | 900lm      | 90°        | 230V  |       | 75mm | 60mm | 50 | Complete with 250mA driver |



10115BX | 15W | SMD | Aluminium

new

IP54


90 CRI

5 YEAR

LED BUILT IN

cctv

CE



90°

50mm

105mm

| Order Code  | Colour | Light Colour | CCT (K)           | Watts | Lumen (lm) | Beam Angle | Input | Class |      |      |    | Notes                      |
|-------------|--------|--------------|-------------------|-------|------------|------------|-------|-------|------|------|----|----------------------------|
| 10115BX/W/V | White  | CCT V        | 3000K-4000K-5000K | 15W   | 1350lm     | 90°        | 230V  |       | 95mm | 60mm | 30 | Complete with 350mA driver |



10120BX | 20W | SMD | Aluminium

new

IP54


90 CRI

5 YEAR

LED BUILT IN

cctv

CE



90°

50mm

135mm

| Order Code  | Colour | Light Colour | CCT (K)           | Watts | Lumen (lm) | Beam Angle | Input | Class |       |      |    | Notes                      |
|-------------|--------|--------------|-------------------|-------|------------|------------|-------|-------|-------|------|----|----------------------------|
| 10120BX/W/V | White  | CCT V        | 3000K-4000K-5000K | 20W   | 1800lm     | 90°        | 230V  |       | 120mm | 60mm | 20 | Complete with 500mA driver |



10125BX | 25W | SMD | Aluminium

new

IP65


90 CRI

5 YEAR

LED BUILT IN

cctv

CE



90°

50mm

190mm

| Order Code  | Colour | Light Colour | CCT (K)           | Watts | Lumen (lm) | Beam Angle | Input | Class |       |      |    | Notes                      |
|-------------|--------|--------------|-------------------|-------|------------|------------|-------|-------|-------|------|----|----------------------------|
| 10125BX/W/V | White  | CCT V        | 3000K-4000K-5000K | 25W   | 2250lm     | 90°        | 230V  |       | 170mm | 80mm | 20 | Complete with 650mA driver |



10130BX | 30W | SMD | Aluminium

new

IP65


90 CRI

5 YEAR

LED BUILT IN

cctv

CE



90°

55mm

225mm

| Order Code  | Colour | Light Colour | CCT (K)           | Watts | Lumen (lm) | Beam Angle | Input | Class |       |      |    | Notes                      |
|-------------|--------|--------------|-------------------|-------|------------|------------|-------|-------|-------|------|----|----------------------------|
| 10110BX/W/V | White  | CCT V        | 3000K-4000K-5000K | 10W   | 900lm      | 90°        | 230V  |       | 75mm  | 60mm | 50 | Complete with 250mA driver |
| 10115BX/W/V | White  | CCT V        | 3000K-4000K-5000K | 15W   | 1350lm     | 90°        | 230V  |       | 95mm  | 60mm | 30 | Complete with 350mA driver |
| 10120BX/W/V | White  | CCT V        | 3000K-4000K-5000K | 20W   | 1800lm     | 90°        | 230V  |       | 120mm | 60mm | 20 | Complete with 500mA driver |
| 10125BX/W/V | White  | CCT V        | 3000K-4000K-5000K | 25W   | 2250lm     | 90°        | 230V  |       | 170mm | 80mm | 20 | Complete with 650mA driver |
| 10130BX/W/V | White  | CCT V        | 3000K-4000K-5000K | 30W   | 2700lm     | 90°        | 230V  |       | 205mm | 80mm | 10 | Complete with 700mA driver |





7844L | 7,5W/m | COB LED | 480LEDs/m

Can be connected in 20m full length / 3M Double face adhesive.

new

IP20

LED BUILT IN

90 CRI

DIMMABLE


CE

5 YEAR

Supplied in 20m roll.

Cut every 5cm (24-LED segment)

| Order Code | Light Colour | CCT (K) | Watts  | Lumen (lm) | Input  | Class |    | Notes                  |
|------------|--------------|---------|--------|------------|--------|-------|----|------------------------|
| 7844L/C    | Cool white   | 4000K   | 7,5W/m | 700lm/m    | 24V DC |       | 10 | Requires 24V DC driver |
| 7844L/W    | Warm white   | 3000K   | 7,5W/m | 675lm/m    | 24V DC |       | 10 | Requires 24V DC driver |



7844LW | 7,5W/m | COB LED | 480LEDs/m | Silicone

Can be connected in 20m full length / 3M Double face adhesive.

new

IP67

LED BUILT IN

90 CRI

DIMMABLE

CE

3 YEAR

Supplied in 20m roll.

Cut every 5cm (24-LED segment)

| Order Code | Light Colour | CCT (K) | Watts  | Lumen (lm) | Input  | Class |    | Notes                                          |
|------------|--------------|---------|--------|------------|--------|-------|----|------------------------------------------------|
| 7844LW/C   | Cool white   | 4000K   | 7,5W/m | 700lm/m    | 24V DC |       | 10 | Requires 24V DC driver / Avoid direct sunlight |
| 7844LW/W   | Warm white   | 3000K   | 7,5W/m | 675lm/m    | 24V DC |       | 10 | Requires 24V DC driver / Avoid direct sunlight |



7846 | 14W/m | COB LED | 608LEDs/m

3M Double face adhesive.

new

IP20

LED BUILT IN

90 CRI

DIMMABLE

CE

3 YEAR

Supplied in 5m roll.

Variable colour temperature.

Cut every 2,63cm (16-LED segment)

| Order Code | Light Colour                | CCT (K)     | Watts | Lumen (lm)                 | Input  | Class |    | Notes                  |
|------------|-----------------------------|-------------|-------|----------------------------|--------|-------|----|------------------------|
| 7846/DEW   | Extra warm white - Daylight | 2700K-6500K | 14W/m | 630lm/m (EW) + 770lm/m (D) | 24V DC |       | 50 | Requires 24V DC driver |



65634BT | 20W PV | COB | Aluminium

new

IP20

LED BUILT IN

90 CRI

ADJUSTABLE

CE

5 YEAR

65634BT/W/V

65634BT/B/V

87mm

80mm

| Order Code  | Colour | Light Colour | CCT (K)           | Watts       | Lumen (lm) | Beam Angle | Input | Class |    | Notes                   |
|-------------|--------|--------------|-------------------|-------------|------------|------------|-------|-------|----|-------------------------|
| 65634BT/W/V | White  | CCT V        | 3000K-3500K-4000K | 10W-15W-20W | 2200lm@20W | 38°        | 230V  |       | 12 | Complete with PV driver |
| 65634BT/B/V | Black  | CCT V        | 3000K-3500K-4000K | 10W-15W-20W | 2200lm@20W | 38°        | 230V  |       | 12 | Complete with PV driver |



65634DT | 35W PV | COB | Aluminium

new

IP20

LED BUILT IN

90 CRI

ADJUSTABLE

CE

5 YEAR

65634DT/W/V

65634DT/B/V

100mm

100mm

| Order Code  | Colour | Light Colour | CCT (K)           | Watts       | Lumen (lm) | Beam Angle | Input | Class |    | Notes                   |
|-------------|--------|--------------|-------------------|-------------|------------|------------|-------|-------|----|-------------------------|
| 65634DT/W/V | White  | CCT V        | 3000K-3500K-4000K | 26W-30W-35W | 3500lm@35W | 38°        | 230V  |       | 10 | Complete with PV driver |
| 65634DT/B/V | Black  | CCT V        | 3000K-3500K-4000K | 26W-30W-35W | 3500lm@35W | 38°        | 230V  |       | 10 | Complete with PV driver |



65670CTT | 40W | COB | TRIAC Dimmable | Aluminium

new

IP20

LED BUILT IN

90 CRI

ADJUSTABLE

CE

5 YEAR

65670CTT/W/V

65670CTT/B/V

125mm

90mm

| Order Code   | Colour | Light Colour | CCT (K)           | Watts | Lumen (lm) | Beam Angle | Input | Class |    | Notes                         |
|--------------|--------|--------------|-------------------|-------|------------|------------|-------|-------|----|-------------------------------|
| 65670CTT/W/V | White  | CCT V        | 3000K-3500K-4000K | 40W   | 4800lm     | 38°        | 230V  |       | 10 | Complete with dimmable driver |
| 65670CTT/B/V | Black  | CCT V        | 3000K-3500K-4000K | 40W   | 4800lm     | 38°        | 230V  |       | 10 | Complete with dimmable driver |



65606AT | 10W | COB | Aluminium

new

IP20

LED BUILT IN

90 CRI

CE


↑

CCT V

5 YEAR

ADJUSTABLE





| Order Code  | Colour | Light Colour | CCT (K)           | Watts | Lumen (lm) | Beam Angle | Input | Class                                                                               |  | Notes                      |
|-------------|--------|--------------|-------------------|-------|------------|------------|-------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|----------------------------|
| 65606AT/W/V | White  | CCT V        | 3000K-3500K-4000K | 10W   | 1000lm     | 38°        | 230V  |  | 18                                                                                  | Complete with 250mA driver |



65606AT | 10W | COB | Aluminium

new

IP20

LED BUILT IN

90 CRI

CE


↑

CCT V

5 YEAR

ADJUSTABLE





| Order Code  | Colour | Light Colour | CCT (K)           | Watts | Lumen (lm) | Beam Angle | Input | Class                                                                               |  | Notes                      |
|-------------|--------|--------------|-------------------|-------|------------|------------|-------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|----------------------------|
| 65606AT/B/V | Black  | CCT V        | 3000K-3500K-4000K | 10W   | 1000lm     | 38°        | 230V  |  | 18                                                                                  | Complete with 250mA driver |



65606BT | 20W PV | COB | Aluminium

new

IP20

LED BUILT IN

90 CRI

CE

↑


CCT V

5 YEAR

ADJUSTABLE

PV





| Order Code  | Colour | Light Colour | CCT (K)           | Watts       | Lumen (lm) | Beam Angle | Input | Class                                                                                 |  | Notes                   |
|-------------|--------|--------------|-------------------|-------------|------------|------------|-------|---------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------|-------------------------|
| 65606BT/W/V | White  | CCT V        | 3000K-3500K-4000K | 10W-15W-20W | 2000lm@20W | 38°        | 230V  |  | 12                                                                                   | Complete with PV driver |



65606BT | 20W PV | COB | Aluminium

new

IP20

LED BUILT IN

90 CRI

CE

↑


CCT V

5 YEAR

ADJUSTABLE

PV





| Order Code  | Colour | Light Colour | CCT (K)           | Watts       | Lumen (lm) | Beam Angle | Input | Class                                                                                 |  | Notes                   |
|-------------|--------|--------------|-------------------|-------------|------------|------------|-------|---------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------|-------------------------|
| 65606BT/B/V | Black  | CCT V        | 3000K-3500K-4000K | 10W-15W-20W | 2000lm@20W | 38°        | 230V  |  | 12                                                                                   | Complete with PV driver |



65606CT | 30W PV | COB | Aluminium

new

IP20

LED BUILT IN

90 CRI

CE

↑


CCT V

5 YEAR

ADJUSTABLE

PV





| Order Code  | Colour | Light Colour | CCT (K)           | Watts       | Lumen (lm) | Beam Angle | Input | Class                                                                                 |  | Notes                   |
|-------------|--------|--------------|-------------------|-------------|------------|------------|-------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|-------------------------|
| 65606CT/W/V | White  | CCT V        | 3000K-3500K-4000K | 20W-25W-30W | 3000lm@30W | 38°        | 230V  |  | 10                                                                                    | Complete with PV driver |



65606CT | 30W PV | COB | Aluminium

new

IP20

LED BUILT IN

90 CRI

CE

↑


CCT V

5 YEAR

ADJUSTABLE

PV





| Order Code  | Colour | Light Colour | CCT (K)           | Watts       | Lumen (lm) | Beam Angle | Input | Class                                                                                 |  | Notes                   |
|-------------|--------|--------------|-------------------|-------------|------------|------------|-------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|-------------------------|
| 65606CT/B/V | Black  | CCT V        | 3000K-3500K-4000K | 20W-25W-30W | 3000lm@30W | 38°        | 230V  |  | 10                                                                                    | Complete with PV driver |



65606DT | 40W PV | COB | Aluminium

new

IP20

LED BUILT IN

90 CRI

CE

↑


CCT V

5 YEAR

ADJUSTABLE

PV





| Order Code  | Colour | Light Colour | CCT (K)           | Watts       | Lumen (lm) | Beam Angle | Input | Class                                                                                 |  | Notes                   |
|-------------|--------|--------------|-------------------|-------------|------------|------------|-------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|-------------------------|
| 65606DT/W/V | White  | CCT V        | 3000K-3500K-4000K | 30W-35W-40W | 4000lm@40W | 38°        | 230V  |  | 10                                                                                    | Complete with PV driver |



65606DT | 40W PV | COB | Aluminium

new

IP20

LED BUILT IN

90 CRI

CE

↑


CCT V

5 YEAR

ADJUSTABLE

PV





| Order Code  | Colour | Light Colour | CCT (K)           | Watts       | Lumen (lm) | Beam Angle | Input | Class                                                                                 |  | Notes                   |
|-------------|--------|--------------|-------------------|-------------|------------|------------|-------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|-------------------------|
| 65606DT/B/V | Black  | CCT V        | 3000K-3500K-4000K | 30W-35W-40W | 4000lm@40W | 38°        | 230V  |  | 10                                                                                    | Complete with PV driver |

New Items 2025 Edition 4

www.1-light.eu

www.1-light.eu

New Items 2025 Edition 4



42001TR | 42002TR | 48V | Trimless recessed | ON/OFF / DALI | Aluminium

Max 10m/driver | Max 400W/circuit.







Complete with 2 pcs mechanical connectors & 4 pcs side connectors.



Complete with 2 pcs end caps.



Complete with cover.



MAXI  
✓


| Order Code | Colour | Length | Input | Class                                                                             |  |  |  | Notes |
|------------|--------|--------|-------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------|
| 42001TR/W  | White  | 1m     | 48V   |  | 42x1000mm                                                                         | 120mm                                                                               | 1                                                                                   | -     |
| 42002TR/W  | White  | 2m     | 48V   |  | 42x2000mm                                                                         | 120mm                                                                               | 1                                                                                   | -     |



42012ATR/W | Trimless recessed corner for 42001TR & 42002TR | Aluminium

Can not pass through cutout hole.






55mm  
42mm  
95mm



120mm



110mm 110mm  
75mm 50mm

MAXI  
✓

Wall & Ceiling




65105N | 10W | MR16 | GU10 | Aluminium





65105N/B/B



70mm | 130mm  
20mm  
100mm 68mm



| Order Code | Colour | Reflector | Watts | Input    | Class                                                                                 |  | Notes |
|------------|--------|-----------|-------|----------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|-------|
| 65105N/W/W | White  | White     | 10W   | 100-240V |  | 12                                                                                    | -     |
| 65105N/B/B | Black  | Black     | 10W   | 100-240V |  | 12                                                                                    | -     |



12110R | 10W | COB | Aluminium





12110R/B/V



Optional White reflector code 050106B/W.



Optional Brass reflector code 050106B/BS.



38°



80mm  
85mm

| Order Code | Colour | Reflector | Light Colour | CCT (K)           | Watts | Lumen (lm) | Beam Angle | Input | Class                                                                               |  | Notes                      |
|------------|--------|-----------|--------------|-------------------|-------|------------|------------|-------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|----------------------------|
| 12110R/W/V | White  | Black     | CCT V        | 3000K-3500K-4000K | 10W   | 1000lm     | 38°        | 230V  |  | 30                                                                                  | Complete with 250mA driver |
| 12110R/B/V | Black  | Black     | CCT V        | 3000K-3500K-4000K | 10W   | 1000lm     | 38°        | 230V  |  | 30                                                                                  | Complete with 250mA driver |



12118R | 18W | COB | Aluminium





12118R/B/V



Optional White reflector code 050106C/W.



Optional Brass reflector code 050106C/BS.



38°



100mm  
100mm

| Order Code | Colour | Reflector | Light Colour | CCT (K)           | Watts | Lumen (lm) | Beam Angle | Input | Class                                                                                 |  | Notes                      |
|------------|--------|-----------|--------------|-------------------|-------|------------|------------|-------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|----------------------------|
| 12118R/W/V | White  | Black     | CCT V        | 3000K-3500K-4000K | 18W   | 1800lm     | 38°        | 230V  |  | 20                                                                                    | Complete with 450mA driver |
| 12118R/B/V | Black  | Black     | CCT V        | 3000K-3500K-4000K | 18W   | 1800lm     | 38°        | 230V  |  | 20                                                                                    | Complete with 450mA driver |



12125R | 25W | COB | Aluminium





12125R/B/V



Optional White reflector code 050106D/W.



Optional Brass reflector code 050106D/BS.



38°



120mm  
120mm

| Order Code | Colour | Reflector | Light Colour | CCT (K)           | Watts | Lumen (lm) | Beam Angle | Input | Class                                                                                 |  | Notes                      |
|------------|--------|-----------|--------------|-------------------|-------|------------|------------|-------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|----------------------------|
| 12125R/W/V | White  | Black     | CCT V        | 3000K-3500K-4000K | 25W   | 2500lm     | 38°        | 230V  |  | 18                                                                                    | Complete with 650mA driver |
| 12125R/B/V | Black  | Black     | CCT V        | 3000K-3500K-4000K | 25W   | 2500lm     | 38°        | 230V  |  | 18                                                                                    | Complete with 650mA driver |






12106E/W/V


**12106E** | 6W | COB | Aluminium

**new**  
DARK LIGHT  
IP20

90 CRI  
3 YEAR  
LED BUILT IN  
CCT V  
CE



12106E/B/V



| Order Code        | Colour | Light Colour | CCT (K)           | Watts | Lumen (lm) | Beam Angle | Input | Class |    | Notes                      |
|-------------------|--------|--------------|-------------------|-------|------------|------------|-------|-------|----|----------------------------|
| <b>12106E/W/V</b> | White  | CCT V        | 3000K-3500K-4000K | 6W    | 420lm      | 38°        | 230V  | ⌚     | 50 | Complete with 150mA driver |
| <b>12106E/B/V</b> | Black  | CCT V        | 3000K-3500K-4000K | 6W    | 420lm      | 38°        | 230V  | ⌚     | 50 | Complete with 150mA driver |




12112E/W/V


**12112E** | 12W | COB | Aluminium

**new**  
DARK LIGHT  
IP20

90 CRI  
3 YEAR  
LED BUILT IN  
CCT V  
CE



12112E/B/V



| Order Code        | Colour | Light Colour | CCT (K)           | Watts | Lumen (lm) | Beam Angle | Input | Class |    | Notes                      |
|-------------------|--------|--------------|-------------------|-------|------------|------------|-------|-------|----|----------------------------|
| <b>12112E/W/V</b> | White  | CCT V        | 3000K-3500K-4000K | 12W   | 840lm      | 38°        | 230V  | ⌚     | 50 | Complete with 300mA driver |
| <b>12112E/B/V</b> | Black  | CCT V        | 3000K-3500K-4000K | 12W   | 840lm      | 38°        | 230V  | ⌚     | 50 | Complete with 300mA driver |




12114E/W/V


**12114E** | 14W | COB | Aluminium

**new**  
DARK LIGHT  
IP20

90 CRI  
3 YEAR  
LED BUILT IN  
CCT V  
CE



12114E/B/V



| Order Code        | Colour | Light Colour | CCT (K)           | Watts | Lumen (lm) | Beam Angle | Input | Class |    | Notes                      |
|-------------------|--------|--------------|-------------------|-------|------------|------------|-------|-------|----|----------------------------|
| <b>12114E/W/V</b> | White  | CCT V        | 3000K-3500K-4000K | 14W   | 980lm      | 38°        | 230V  | ⌚     | 50 | Complete with 350mA driver |
| <b>12114E/B/V</b> | Black  | CCT V        | 3000K-3500K-4000K | 14W   | 980lm      | 38°        | 230V  | ⌚     | 50 | Complete with 350mA driver |



12112Z/B/V + 050378B/BS


**12112Z** | 12W | COB | Aluminium

**new**  
DARK LIGHT  
IP20

90 CRI  
3 YEAR  
LED BUILT IN  
CCT V  
CE



12112Z/W/V + 050378B/W



Reflector must be ordered separately.

| Order Code        | Colour | Light Colour | CCT (K)           | Watts | Lumen (lm) | Beam Angle | Input | Class |    | Notes                      |
|-------------------|--------|--------------|-------------------|-------|------------|------------|-------|-------|----|----------------------------|
| <b>12112Z/W/V</b> | White  | CCT V        | 3000K-3500K-4000K | 12W   | 960lm      | 45°        | 230V  | ⌚     | 30 | Complete with 300mA driver |
| <b>12112Z/B/V</b> | Black  | CCT V        | 3000K-3500K-4000K | 12W   | 960lm      | 45°        | 230V  | ⌚     | 30 | Complete with 300mA driver |



050378B/W White



050378B/B Black



050378B/BS Brass



12120Z/B/V + 050378C/BS


**12120Z** | 20W | COB | Aluminium

**new**  
DARK LIGHT  
IP20

90 CRI  
3 YEAR  
LED BUILT IN  
CCT V  
CE



12120Z/W/V + 050378C/W



Reflector must be ordered separately.

| Order Code        | Colour | Light Colour | CCT (K)           | Watts | Lumen (lm) | Beam Angle | Input | Class |    | Notes                      |
|-------------------|--------|--------------|-------------------|-------|------------|------------|-------|-------|----|----------------------------|
| <b>12120Z/W/V</b> | White  | CCT V        | 3000K-3500K-4000K | 20W   | 1600lm     | 45°        | 230V  | ⌚     | 24 | Complete with 500mA driver |
| <b>12120Z/B/V</b> | Black  | CCT V        | 3000K-3500K-4000K | 20W   | 1600lm     | 45°        | 230V  | ⌚     | 24 | Complete with 500mA driver |



050378C/W White



050378C/B Black



050378C/BS Brass



67359/AN/V

67359 | 3W | SMD | Aluminium

new

DARK LIGHT

IP65

LED BUILT IN

80 CRI


2 YEAR

CCT V

CE



67359/W/V



| Order Code | Colour     | Light Colour | CCT (K)                 | Watts | Lumen (lm) | Input | Class |    | Notes                      |
|------------|------------|--------------|-------------------------|-------|------------|-------|-------|----|----------------------------|
| 67359/W/V  | White      | CCT V        | 2200K-2700K-3200K-4000K | 3W    | 200lm      | 230V  |       | 32 | Complete with 350mA driver |
| 67359/AN/V | Anthracite | CCT V        | 2200K-2700K-3200K-4000K | 3W    | 200lm      | 230V  |       | 32 | Complete with 350mA driver |



62002A/W/V

62002A | 22W+3W | SMD | ABS + PC

new

IP20

LED BUILT IN

90 CRI

3 YEAR

CCT V


CE



62002A/B/V



Backlit.



| Order Code | Colour | Light Colour | CCT (K)           | Watts  | Lumen (lm) | Input | Class |    | Notes                |
|------------|--------|--------------|-------------------|--------|------------|-------|-------|----|----------------------|
| 62002A/W/V | White  | CCT V        | 2700K-3200K-4000K | 22W+3W | 2400lm     | 230V  |       | 10 | Complete with driver |
| 62002A/B/V | Black  | CCT V        | 2700K-3200K-4000K | 22W+3W | 2400lm     | 230V  |       | 10 | Complete with driver |



67359A/AN/V

67359A | 3W | SMD | Aluminium

new

DARK LIGHT

IP65

LED BUILT IN

80 CRI


2 YEAR

CCT V

CE



67359A/W/V



| Order Code  | Colour     | Light Colour | CCT (K)                 | Watts | Lumen (lm) | Input | Class |    | Notes                      |
|-------------|------------|--------------|-------------------------|-------|------------|-------|-------|----|----------------------------|
| 67359A/W/V  | White      | CCT V        | 2200K-2700K-3200K-4000K | 3W    | 200lm      | 230V  |       | 30 | Complete with 350mA driver |
| 67359A/AN/V | Anthracite | CCT V        | 2200K-2700K-3200K-4000K | 3W    | 200lm      | 230V  |       | 30 | Complete with 350mA driver |



62002B/W/V

62002B | 30W+3W | SMD | ABS + PC

new

IP20

LED BUILT IN

90 CRI

3 YEAR

CCT V


CE



62002B/B/V



Backlit.



| Order Code | Colour | Light Colour | CCT (K)           | Watts  | Lumen (lm) | Input | Class |    | Notes                |
|------------|--------|--------------|-------------------|--------|------------|-------|-------|----|----------------------|
| 62002B/W/V | White  | CCT V        | 2700K-3200K-4000K | 30W+3W | 2880lm     | 230V  |       | 10 | Complete with driver |
| 62002B/B/V | Black  | CCT V        | 2700K-3200K-4000K | 30W+3W | 2880lm     | 230V  |       | 10 | Complete with driver |



67359C/AN/V

67359C | 3W | SMD | Aluminium

new

DARK LIGHT

IP65

LED BUILT IN

80 CRI


2 YEAR

CCT V

CE



67359C/W/V



| Order Code  | Colour     | Light Colour | CCT (K)                 | Watts | Lumen (lm) | Input | Class |    | Notes                      |
|-------------|------------|--------------|-------------------------|-------|------------|-------|-------|----|----------------------------|
| 67359C/W/V  | White      | CCT V        | 2200K-2700K-3200K-4000K | 3W    | 200lm      | 230V  |       | 12 | Complete with 350mA driver |
| 67359C/AN/V | Anthracite | CCT V        | 2200K-2700K-3200K-4000K | 3W    | 200lm      | 230V  |       | 12 | Complete with 350mA driver |



62002C/W/V

62002C | 38W+4W | SMD | ABS + PC

new

IP20

LED BUILT IN

90 CRI

3 YEAR

CCT V


CE



62002C/B/V



Backlit.



| Order Code | Colour | Light Colour | CCT (K)           | Watts  | Lumen (lm) | Input | Class |   | Notes                |
|------------|--------|--------------|-------------------|--------|------------|-------|-------|---|----------------------|
| 62002C/W/V | White  | CCT V        | 2700K-3200K-4000K | 38W+4W | 3400lm     | 230V  |       | 8 | Complete with driver |
| 62002C/B/V | Black  | CCT V        | 2700K-3200K-4000K | 38W+4W | 3400lm     | 230V  |       | 8 | Complete with driver |



62002D/W/V

62002D | 45W+5W | SMD | ABS + PC

new

IP20

LED BUILT IN

90 CRI

3 YEAR

CCT V


CE



62002D/B/V



Backlit.



| Order Code | Colour | Light Colour | CCT (K)           | Watts  | Lumen (lm) | Input | Class |   | Notes                |
|------------|--------|--------------|-------------------|--------|------------|-------|-------|---|----------------------|
| 62002D/W/V | White  | CCT V        | 2700K-3200K-4000K | 45W+5W | 4500lm     | 230V  |       | 4 | Complete with driver |
| 62002D/B/V | Black  | CCT V        | 2700K-3200K-4000K | 45W+5W | 4500lm     | 230V  |       | 4 | Complete with driver |

New Items 2025 Edition 4

www.1-light.eu

www.1-light.eu



New Items 2025 Edition 4

one

Plafó

|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |        |              |                   |       |            |       |                                                                                     |                                                                                     |                      |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |        |              |                   |       |            |       |                                                                                     |                                                                                     |                      |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------|--------------|-------------------|-------|------------|-------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|----------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------|--------------|-------------------|-------|------------|-------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|----------------------|
| <div><div><div>62020AU/W/V</div></div><div><div><div>new</div><div>IP20</div></div><div><div><div><div><div></div><div></div></div><div>90</div><div>CRI</div></div><div><div><div></div><div></div></div><div>UGR19</div></div><div><div><div>LED</div><div>BUILT IN</div></div><div><div></div><div></div></div><div>cctv</div></div></div><div><div>CE</div><div>3</div><div>YEAR</div></div></div></div><div><div>62020AU/B/V</div></div><div><div>Suspension base.<br/>Order code 050138A/W,<br/>050138A/B.</div></div><div><div><div>Prismatic diffuser.</div><div><div><div>180mm</div><div>25mm</div></div></div></div></div></div> |        |              |                   |       |            |       |                                                                                     |                                                                                     |                      | <div><div><div>62020DU/W/V</div></div><div><div><div>new</div><div>IP20</div></div><div><div><div><div><div></div><div></div></div><div>90</div><div>CRI</div></div><div><div><div></div><div></div></div><div>UGR19</div></div><div><div><div>LED</div><div>BUILT IN</div></div><div><div></div><div></div></div><div>cctv</div></div></div><div><div>CE</div><div>3</div><div>YEAR</div></div></div></div><div><div>62020DU/B/V</div></div><div><div>Suspension base.<br/>Order code 050138A/W,<br/>050138A/B.</div></div><div><div><div>Prismatic diffuser.</div><div><div><div>400mm</div><div>25mm</div></div></div></div></div></div> |        |              |                   |       |            |       |                                                                                     |                                                                                     |                      |
| Order Code                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        | Colour | Light Colour | CCT (K)           | Watts | Lumen (lm) | Input | Class                                                                               |  | Notes                | Order Code                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              | Colour | Light Colour | CCT (K)           | Watts | Lumen (lm) | Input | Class                                                                               |  | Notes                |
| 62020AU/W/V                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       | White  | CCT V        | 2800K-3300K-4000K | 12W   | 1020lm     | 230V  |  | 10                                                                                  | Complete with driver | 62020DU/W/V                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             | White  | CCT V        | 2800K-3300K-4000K | 32W   | 2720lm     | 230V  |  | 10                                                                                  | Complete with driver |
| 62020AU/B/V                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       | Black  | CCT V        | 2800K-3300K-4000K | 12W   | 1020lm     | 230V  |  | 10                                                                                  | Complete with driver | 62020DU/B/V                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             | Black  | CCT V        | 2800K-3300K-4000K | 32W   | 2720lm     | 230V  |  | 10                                                                                  | Complete with driver |

|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |        |              |                   |       |            |       |                                                                                       |                                                                                       |                      |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |        |              |                   |       |            |       |                                                                                       |                                                                                       |                      |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------|--------------|-------------------|-------|------------|-------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|----------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------|--------------|-------------------|-------|------------|-------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|----------------------|
| <div><div><div>62020BU/W/V</div></div><div><div><div>new</div><div>IP20</div></div><div><div><div><div><div></div><div></div></div><div>90</div><div>CRI</div></div><div><div><div></div><div></div></div><div>UGR19</div></div><div><div><div>LED</div><div>BUILT IN</div></div><div><div></div><div></div></div><div>cctv</div></div></div><div><div>CE</div><div>3</div><div>YEAR</div></div></div></div><div><div>62020BU/B/V</div></div><div><div>Suspension base.<br/>Order code 050138A/W,<br/>050138A/B.</div></div><div><div><div>Prismatic diffuser.</div><div><div><div>230mm</div><div>25mm</div></div></div></div></div></div> |        |              |                   |       |            |       |                                                                                       |                                                                                       |                      | <div><div><div>62020EU/W/V</div></div><div><div><div>new</div><div>IP20</div></div><div><div><div><div><div></div><div></div></div><div>90</div><div>CRI</div></div><div><div><div></div><div></div></div><div>UGR19</div></div><div><div><div>LED</div><div>BUILT IN</div></div><div><div></div><div></div></div><div>cctv</div></div></div><div><div>CE</div><div>3</div><div>YEAR</div></div></div></div><div><div>62020EU/B/V</div></div><div><div>Suspension base.<br/>Order code 050138A/W,<br/>050138A/B.</div></div><div><div><div>Prismatic diffuser.</div><div><div><div>500mm</div><div>27mm</div></div></div></div></div></div> |        |              |                   |       |            |       |                                                                                       |                                                                                       |                      |
| Order Code                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        | Colour | Light Colour | CCT (K)           | Watts | Lumen (lm) | Input | Class                                                                                 |  | Notes                | Order Code                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              | Colour | Light Colour | CCT (K)           | Watts | Lumen (lm) | Input | Class                                                                                 |  | Notes                |
| 62020BU/W/V                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       | White  | CCT V        | 2800K-3300K-4000K | 18W   | 1530lm     | 230V  |  | 10                                                                                    | Complete with driver | 62020EU/W/V                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             | White  | CCT V        | 2800K-3300K-4000K | 40W   | 3400lm     | 230V  |  | 5                                                                                     | Complete with driver |
| 62020BU/B/V                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       | Black  | CCT V        | 2800K-3300K-4000K | 18W   | 1530lm     | 230V  |  | 10                                                                                    | Complete with driver | 62020EU/B/V                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             | Black  | CCT V        | 2800K-3300K-4000K | 40W   | 3400lm     | 230V  |  | 5                                                                                     | Complete with driver |

|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |        |              |                   |       |            |       |                                                                                       |                                                                                       |                      |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |        |              |                   |       |            |       |                                                                                       |                                                                                       |                      |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------|--------------|-------------------|-------|------------|-------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|----------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------|--------------|-------------------|-------|------------|-------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|----------------------|
| <div><div><div>62020CU/W/V</div></div><div><div><div>new</div><div>IP20</div></div><div><div><div><div><div></div><div></div></div><div>90</div><div>CRI</div></div><div><div><div></div><div></div></div><div>UGR19</div></div><div><div><div>LED</div><div>BUILT IN</div></div><div><div></div><div></div></div><div>cctv</div></div></div><div><div>CE</div><div>3</div><div>YEAR</div></div></div></div><div><div>62020CU/B/V</div></div><div><div>Suspension base.<br/>Order code 050138A/W,<br/>050138A/B.</div></div><div><div><div>Prismatic diffuser.</div><div><div><div>300mm</div><div>25mm</div></div></div></div></div></div> |        |              |                   |       |            |       |                                                                                       |                                                                                       |                      | <div><div><div>62020FU/W/V</div></div><div><div><div>new</div><div>IP20</div></div><div><div><div><div><div></div><div></div></div><div>90</div><div>CRI</div></div><div><div><div></div><div></div></div><div>UGR19</div></div><div><div><div>LED</div><div>BUILT IN</div></div><div><div></div><div></div></div><div>cctv</div></div></div><div><div>CE</div><div>3</div><div>YEAR</div></div></div></div><div><div>62020FU/B/V</div></div><div><div>Suspension base.<br/>Order code 050138A/W,<br/>050138A/B.</div></div><div><div><div>Prismatic diffuser.</div><div><div><div>600mm</div><div>27mm</div></div></div></div></div></div> |        |              |                   |       |            |       |                                                                                       |                                                                                       |                      |
| Order Code                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                | Colour | Light Colour | CCT (K)           | Watts | Lumen (lm) | Input | Class                                                                                 |  | Notes                | Order Code                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      | Colour | Light Colour | CCT (K)           | Watts | Lumen (lm) | Input | Class                                                                                 |  | Notes                |
| 62020CU/W/V                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               | White  | CCT V        | 2800K-3300K-4000K | 24W   | 2040lm     | 230V  |  | 10                                                                                    | Complete with driver | 62020FU/W/V                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     | White  | CCT V        | 2800K-3300K-4000K | 50W   | 4250lm     | 230V  |  | 5                                                                                     | Complete with driver |
| 62020CU/B/V                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               | Black  | CCT V        | 2800K-3300K-4000K | 24W   | 2040lm     | 230V  |  | 10                                                                                    | Complete with driver | 62020FU/B/V                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     | Black  | CCT V        | 2800K-3300K-4000K | 50W   | 4250lm     | 230V  |  | 5                                                                                     | Complete with driver |





**62020HU** | 18W | SMD | ABS

LED BUILT IN


90 CRI UGR19

CE 3 YEAR

new IP20



Suspension base.  
Order code 050138B/W.



| Order Code  | Colour | Light Colour | CCT (K)           | Watts | Lumen (lm) | Input | Class |    | Notes                |
|-------------|--------|--------------|-------------------|-------|------------|-------|-------|----|----------------------|
| 62020HU/W/V | White  | CCT V        | 2800K-3300K-4000K | 18W   | 1440lm     | 230V  |       | 10 | Complete with driver |



**62020HU** | 18W | SMD | ABS

LED BUILT IN


90 CRI UGR19

CE 3 YEAR

new IP20



Suspension base.  
Order code 050138B/B.



| Order Code  | Colour | Light Colour | CCT (K)           | Watts | Lumen (lm) | Input | Class |    | Notes                |
|-------------|--------|--------------|-------------------|-------|------------|-------|-------|----|----------------------|
| 62020HU/B/V | Black  | CCT V        | 2800K-3300K-4000K | 18W   | 1440lm     | 230V  |       | 10 | Complete with driver |



**62020JU** | 24W | SMD | ABS

LED BUILT IN


90 CRI UGR19

CE 3 YEAR

new IP20



Suspension base.  
Order code 050138B/W.



| Order Code  | Colour | Light Colour | CCT (K)           | Watts | Lumen (lm) | Input | Class |    | Notes                |
|-------------|--------|--------------|-------------------|-------|------------|-------|-------|----|----------------------|
| 62020JU/W/V | White  | CCT V        | 2800K-3300K-4000K | 24W   | 1920lm     | 230V  |       | 10 | Complete with driver |



**62020JU** | 24W | SMD | ABS

LED BUILT IN


90 CRI UGR19

CE 3 YEAR

new IP20



Suspension base.  
Order code 050138B/B.



| Order Code  | Colour | Light Colour | CCT (K)           | Watts | Lumen (lm) | Input | Class |    | Notes                |
|-------------|--------|--------------|-------------------|-------|------------|-------|-------|----|----------------------|
| 62020JU/B/V | Black  | CCT V        | 2800K-3300K-4000K | 24W   | 1920lm     | 230V  |       | 10 | Complete with driver |



**62020KU** | 32W | SMD | ABS

LED BUILT IN


90 CRI UGR19

CE 3 YEAR

new IP20



Suspension base.  
Order code 050138B/W.



| Order Code  | Colour | Light Colour | CCT (K)           | Watts | Lumen (lm) | Input | Class |    | Notes                |
|-------------|--------|--------------|-------------------|-------|------------|-------|-------|----|----------------------|
| 62020KU/W/V | White  | CCT V        | 2800K-3300K-4000K | 32W   | 2560lm     | 230V  |       | 10 | Complete with driver |



**62020KU** | 32W | SMD | ABS

LED BUILT IN


90 CRI UGR19

CE 3 YEAR


new IP20



Suspension base.  
Order code 050138B/B.



| Order Code  | Colour | Light Colour | CCT (K)           | Watts | Lumen (lm) | Input | Class |    | Notes                |
|-------------|--------|--------------|-------------------|-------|------------|-------|-------|----|----------------------|
| 62020KU/B/V | Black  | CCT V        | 2800K-3300K-4000K | 32W   | 2560lm     | 230V  |       | 10 | Complete with driver |



**62020LU** | 40W | SMD | ABS

LED BUILT IN

90 CRI UGR19

CE 3 YEAR

new IP20



Suspension base.  
Order code 050138B/W.



| Order Code  | Colour | Light Colour | CCT (K)           | Watts | Lumen (lm) | Input | Class |   | Notes                |
|-------------|--------|--------------|-------------------|-------|------------|-------|-------|---|----------------------|
| 62020LU/W/V | White  | CCT V        | 2800K-3300K-4000K | 40W   | 3200lm     | 230V  |       | 5 | Complete with driver |



**62020LU** | 40W | SMD | ABS

LED BUILT IN

90 CRI UGR19

CE 3 YEAR


new IP20



Suspension base.  
Order code 050138B/B.



| Order Code  | Colour | Light Colour | CCT (K)           | Watts | Lumen (lm) | Input | Class |   | Notes                |
|-------------|--------|--------------|-------------------|-------|------------|-------|-------|---|----------------------|
| 62020LU/B/V | Black  | CCT V        | 2800K-3300K-4000K | 40W   | 3200lm     | 230V  |       | 5 | Complete with driver |



62020MU | 50W | SMD | ABS

Prismatic diffuser.

new

IP20

90 CRI


UGR19

LED BUILT IN


cctv

CE

3 YEAR




Suspension base.  
Order code 050138B/W.





| Order Code  | Colour | Light Colour | CCT (K)           | Watts | Lumen (lm) | Input | Class |   | Notes                |
|-------------|--------|--------------|-------------------|-------|------------|-------|-------|---|----------------------|
| 62020MU/W/V | White  | CCT V        | 2800K-3300K-4000K | 50W   | 3750lm     | 230V  |       | 5 | Complete with driver |



62020MU | 50W | SMD | ABS

Prismatic diffuser.

new

IP20

90 CRI


UGR19

LED BUILT IN


cctv

CE

3 YEAR



Suspension base.  
Order code 050138B/B.





| Order Code  | Colour | Light Colour | CCT (K)           | Watts | Lumen (lm) | Input | Class |   | Notes                |
|-------------|--------|--------------|-------------------|-------|------------|-------|-------|---|----------------------|
| 62020MU/B/V | Black  | CCT V        | 2800K-3300K-4000K | 50W   | 3750lm     | 230V  |       | 5 | Complete with driver |



62020PU | 60W | SMD | ABS

Prismatic diffuser.

new

IP20

90 CRI

UGR19

LED BUILT IN


cctv

CE

3 YEAR



Suspension base.  
Order code 050138B/W.





| Order Code  | Colour | Light Colour | CCT (K)           | Watts | Lumen (lm) | Input | Class |   | Notes                |
|-------------|--------|--------------|-------------------|-------|------------|-------|-------|---|----------------------|
| 62020PU/W/V | White  | CCT V        | 2800K-3300K-4000K | 60W   | 4200lm     | 230V  |       | 4 | Complete with driver |



62020PU | 60W | SMD | ABS

Prismatic diffuser.

new

IP20

90 CRI

UGR19

LED BUILT IN


cctv

CE

3 YEAR



Suspension base.  
Order code 050138B/B.





| Order Code  | Colour | Light Colour | CCT (K)           | Watts | Lumen (lm) | Input | Class |   | Notes                |
|-------------|--------|--------------|-------------------|-------|------------|-------|-------|---|----------------------|
| 62020PU/B/V | Black  | CCT V        | 2800K-3300K-4000K | 60W   | 4200lm     | 230V  |       | 4 | Complete with driver |



65746RA | 3W | SMD | Wall recessed | Aluminium

With switch, USB type A and USB type C.

new

IP20

90 CRI

ADJUSTABLE


LED BUILT IN

CE

3 YEAR



Complete with  
Black & Brass reflectors.





| Order Code  | Colour | Light Colour | CCT (K) | Watts | Lumen (lm) | Beam Angle | Input | Class                                                                               |  |  |  | Notes                      |
|-------------|--------|--------------|---------|-------|------------|------------|-------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|----------------------------|
| 65746RA/B/W | Black  | Warm white   | 3000K   | 3W    | 150lm      | 36°        | 230V  |  | 170x65mm                                                                            | 50mm                                                                                | 24                                                                                  | Complete with 700mA driver |



62020MU | 50W | SMD | ABS

Prismatic diffuser.

new

IP20

90 CRI

UGR19

LED BUILT IN

cctv

CE

3 YEAR




Suspension base.  
Order code 050138B/B.





| Order Code  | Colour | Light Colour | CCT (K)           | Watts | Lumen (lm) | Input | Class |   | Notes                |
|-------------|--------|--------------|-------------------|-------|------------|-------|-------|---|----------------------|
| 62020MU/B/V | Black  | CCT V        | 2800K-3300K-4000K | 50W   | 3750lm     | 230V  |       | 5 | Complete with driver |



38108N | 8W | SMD | Aluminium + PC

new

IP44


90 CRI

LED BUILT IN

cctv


CE

2 YEAR





| Order Code | Colour | Light Colour | CCT (K)           | Watts | Lumen (lm) | Input | Class |    | Notes                      |
|------------|--------|--------------|-------------------|-------|------------|-------|-------|----|----------------------------|
| 38108N/W/V | White  | CCT V        | 3000K-3500K-4000K | 8W    | 700lm      | 230V  |       | 12 | Complete with 180mA driver |



38108N | 8W | SMD | Aluminium + PC

new

IP44


90 CRI

LED BUILT IN

cctv

CE

2 YEAR





| Order Code | Colour | Light Colour | CCT (K)           | Watts | Lumen (lm) | Input | Class |    | Notes                      |
|------------|--------|--------------|-------------------|-------|------------|-------|-------|----|----------------------------|
| 38108N/B/V | Black  | CCT V        | 3000K-3500K-4000K | 8W    | 700lm      | 230V  |       | 12 | Complete with 180mA driver |




68068B/W/V

**68068B** | 6W | SMD | Aluminium

Supplied with box for concrete installation.





| Order Code         | Colour     | Light Colour | CCT (K)                 | Watts | Lumen (lm) | Input | Class | Concrete installation | Gypsum installation | Height | Pack | Notes                      |
|--------------------|------------|--------------|-------------------------|-------|------------|-------|-------|-----------------------|---------------------|--------|------|----------------------------|
| <b>68068B/W/V</b>  | White      | CCT V        | 2200K-2700K-3200K-4000K | 6W    | 400lm      | 230V  | ⌚     | 145x70mm              | 130x60mm            | 80mm   | 12   | Complete with 300mA driver |
| <b>68068B/AN/V</b> | Anthracite | CCT V        | 2200K-2700K-3200K-4000K | 6W    | 400lm      | 230V  | ⌚     | 145x70mm              | 130x60mm            | 80mm   | 12   | Complete with 300mA driver |
| <b>68068B/B/V</b>  | Black      | CCT V        | 2200K-2700K-3200K-4000K | 6W    | 400lm      | 230V  | ⌚     | 145x70mm              | 130x60mm            | 80mm   | 12   | Complete with 300mA driver |
| <b>68068B/G/V</b>  | Grey       | CCT V        | 2200K-2700K-3200K-4000K | 6W    | 400lm      | 230V  | ⌚     | 145x70mm              | 130x60mm            | 80mm   | 12   | Complete with 300mA driver |




68068A/AN/V

**68068A** | 3W | SMD | Aluminium

Supplied with box for concrete installation.





| Order Code         | Colour     | Light Colour | CCT (K)                 | Watts | Lumen (lm) | Input | Class | Concrete installation | Gypsum installation | Height | Pack | Notes                      |
|--------------------|------------|--------------|-------------------------|-------|------------|-------|-------|-----------------------|---------------------|--------|------|----------------------------|
| <b>68068A/AN/V</b> | Anthracite | CCT V        | 2200K-2700K-3200K-4000K | 3W    | 300lm      | 230V  | ⌚     | 110x110mm             | 100x100mm           | 60mm   | 24   | Complete with 350mA driver |




70118A

**70118A** | SMD | DOB | 50W | Aluminium + PC

Mounting bracket must be ordered separately.





| Order Code         | Colour     | Light Colour | CCT (K)           | Watts | Lumen (lm) | Beam Angle | Input | Class | Height | Pack | Notes |
|--------------------|------------|--------------|-------------------|-------|------------|------------|-------|-------|--------|------|-------|
| <b>70118A/AN/V</b> | Anthracite | CCT V        | 3000K-4000K-5000K | 50W   | 5000lm     | 130°x75°   | 230V  | ⌚     | 100cm  | 6    | -     |




70118B

**70118B** | SMD | DOB | 100W | Aluminium + PC

Mounting bracket must be ordered separately.





| Order Code         | Colour     | Light Colour | CCT (K)           | Watts | Lumen (lm) | Beam Angle | Input | Class | Height | Pack | Notes |
|--------------------|------------|--------------|-------------------|-------|------------|------------|-------|-------|--------|------|-------|
| <b>70118B/AN/V</b> | Anthracite | CCT V        | 3000K-4000K-5000K | 100W  | 10000lm    | 130°x75°   | 230V  | ⌚     | 100cm  | 5    | -     |





70118C

**70118C** | SMD | DOB | 150W | Aluminium + PC

Mounting bracket must be ordered separately.





| Order Code         | Colour     | Light Colour | CCT (K)           | Watts | Lumen (lm) | Beam Angle | Input | Class | Height | Pack | Notes |
|--------------------|------------|--------------|-------------------|-------|------------|------------|-------|-------|--------|------|-------|
| <b>70118C/AN/V</b> | Anthracite | CCT V        | 3000K-4000K-5000K | 150W  | 15000lm    | 130°x75°   | 230V  | ⌚     | 100cm  | 5    | -     |




70118D

**70118D** | SMD | DOB | 200W | Aluminium + PC


Mounting bracket must be ordered separately.





| Order Code         | Colour     | Light Colour | CCT (K)           | Watts | Lumen (lm) | Beam Angle | Input | Class | Height | Pack | Notes |
|--------------------|------------|--------------|-------------------|-------|------------|------------|-------|-------|--------|------|-------|
| <b>70118D/AN/V</b> | Anthracite | CCT V        | 3000K-4000K-5000K | 200W  | 20000lm    | 130°x75°   | 230V  | ⌚     | 100cm  | 5    | -     |





38100A | 20W PV | SMD | Linear system | Aluminium

Maximum 600W can be connected together.

new

IP20

90 CRI

CCT V

LED BUILT IN

CE

3 YEAR

↑

↓

Complete with 2 pcs fixing clips & plastic connector.

Optional 2m suspension kit. Order code 050012.


110°

74mm

46mm

576mm

| Order Code | Colour | Light Colour | CCT (K)           | Watts           | Lumen (lm) | Beam Angle | Input | Class                              | <div><div></div><div>S</div></div> | <div><div></div><div>Box</div></div> | Notes                   |
|------------|--------|--------------|-------------------|-----------------|------------|------------|-------|------------------------------------|------------------------------------|--------------------------------------|-------------------------|
| 38100A/W/V | White  | CCT V        | 3000K-4000K-5000K | 12W-14W-17W-20W | 2600lm@20W | 110°       | 230V  | <div><div></div><div>⊕</div></div> | 80cm                               | 10                                   | Complete with PV driver |



38100A | 20W PV | SMD | Linear system | Aluminium

Maximum 600W can be connected together.

new

IP20

90 CRI

CCT V

LED BUILT IN

CE

3 YEAR

↑

↓

Complete with 2 pcs fixing clips & plastic connector.

Optional 2m suspension kit. Order code 050012.

110°

74mm

46mm

576mm

| Order Code | Colour | Light Colour | CCT (K)           | Watts           | Lumen (lm) | Beam Angle | Input | Class                              | <div><div></div><div>S</div></div> | <div><div></div><div>Box</div></div> | Notes                   |
|------------|--------|--------------|-------------------|-----------------|------------|------------|-------|------------------------------------|------------------------------------|--------------------------------------|-------------------------|
| 38100A/B/V | Black  | CCT V        | 3000K-4000K-5000K | 12W-14W-17W-20W | 2600lm@20W | 110°       | 230V  | <div><div></div><div>⊕</div></div> | 80cm                               | 10                                   | Complete with PV driver |



38100B | 40W PV | SMD | Linear system | Aluminium

Maximum 600W can be connected together.

new

IP20

90 CRI

CCT V

LED BUILT IN

CE

3 YEAR

↑

↓

Complete with 2 pcs fixing clips & plastic connector.

Optional 2m suspension kit. Order code 050012.


110°

74mm

46mm

1144mm

| Order Code | Colour | Light Colour | CCT (K)           | Watts           | Lumen (lm) | Beam Angle | Input | Class                              | <div><div></div><div>S</div></div> | <div><div></div><div>Box</div></div> | Notes                   |
|------------|--------|--------------|-------------------|-----------------|------------|------------|-------|------------------------------------|------------------------------------|--------------------------------------|-------------------------|
| 38100B/W/V | White  | CCT V        | 3000K-4000K-5000K | 23W-28W-34W-40W | 5200lm@40W | 110°       | 230V  | <div><div></div><div>⊕</div></div> | 140cm                              | 10                                   | Complete with PV driver |



38100B | 40W PV | SMD | Linear system | Aluminium

Maximum 600W can be connected together.

new

IP20

90 CRI

CCT V

LED BUILT IN

CE

3 YEAR

↑

↓

Complete with 2 pcs fixing clips & plastic connector.

Optional 2m suspension kit. Order code 050012.

110°

74mm

46mm

1144mm

| Order Code | Colour | Light Colour | CCT (K)           | Watts           | Lumen (lm) | Beam Angle | Input | Class                              | <div><div></div><div>S</div></div> | <div><div></div><div>Box</div></div> | Notes                   |
|------------|--------|--------------|-------------------|-----------------|------------|------------|-------|------------------------------------|------------------------------------|--------------------------------------|-------------------------|
| 38100B/B/V | Black  | CCT V        | 3000K-4000K-5000K | 23W-28W-34W-40W | 5200lm@40W | 110°       | 230V  | <div><div></div><div>⊕</div></div> | 140cm                              | 10                                   | Complete with PV driver |



38100C | 60W PV | SMD | Linear system | Aluminium

Maximum 600W can be connected together.

new

IP20

90 CRI

CCT V

LED BUILT IN

CE

3 YEAR

↑

↓

Complete with 2 pcs fixing clips & plastic connector.

Optional 2m suspension kit. Order code 050012.


110°

74mm

46mm

1428mm

| Order Code | Colour | Light Colour | CCT (K)           | Watts           | Lumen (lm) | Beam Angle | Input | Class                              | <div><div></div><div>S</div></div> | <div><div></div><div>Box</div></div> | Notes                   |
|------------|--------|--------------|-------------------|-----------------|------------|------------|-------|------------------------------------|------------------------------------|--------------------------------------|-------------------------|
| 38100C/W/V | White  | CCT V        | 3000K-4000K-5000K | 34W-40W-50W-60W | 7800lm@60W | 110°       | 230V  | <div><div></div><div>⊕</div></div> | 170cm                              | 10                                   | Complete with PV driver |



38100C | 60W PV | SMD | Linear system | Aluminium

Maximum 600W can be connected together.

new

IP20

90 CRI

CCT V

LED BUILT IN

CE

3 YEAR

↑

↓

Complete with 2 pcs fixing clips & plastic connector.

Optional 2m suspension kit. Order code 050012.

110°

74mm

46mm

1428mm

| Order Code | Colour | Light Colour | CCT (K)           | Watts           | Lumen (lm) | Beam Angle | Input | Class                              | <div><div></div><div>S</div></div> | <div><div></div><div>Box</div></div> | Notes                   |
|------------|--------|--------------|-------------------|-----------------|------------|------------|-------|------------------------------------|------------------------------------|--------------------------------------|-------------------------|
| 38100C/B/V | Black  | CCT V        | 3000K-4000K-5000K | 34W-40W-50W-60W | 7800lm@60W | 110°       | 230V  | <div><div></div><div>⊕</div></div> | 170cm                              | 10                                   | Complete with PV driver |



050012A | Connector for 38100A, 38100B, 38100C

5 YEAR

↑

100

CE

050012 | Suspension 2m for 38100A, 38100B, 38100C

5 YEAR

↑

100

CE



050012A | Connector for 38100A, 38100B, 38100C

5 YEAR

↑

100

CE

050012 | Suspension 2m for 38100A, 38100B, 38100C

5 YEAR

↑

100

CE



63100NB | 100W PV | SMD | Aluminium + PC

new

IP65

LED BUILT IN

80 CRI

IK09


CCT V

PV

CE

5 YEAR





| Order Code | Colour | Light Colour | CCT (K)           | Watts        | Lumen (lm)   | Beam Angle   | Input | Class                                                                               |  |  | Notes                   |
|------------|--------|--------------|-------------------|--------------|--------------|--------------|-------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------|
| 63100NB/V  | Black  | CCT V        | 3000K-4000K-5000K | 60W-80W-100W | 15000lm@100W | 70°-90°-110° | 230V  |  | 50cm                                                                                | 1                                                                                   | Complete with PV driver |



63100L/C | SMD | 100W | Linear high bay | Aluminium

new

IP65

LED BUILT IN


80 CRI

IK06

ADJUSTABLE

CE

3 YEAR



| Order Code | Colour | Light Colour | CCT (K) | Watts | Lumen (lm) | Beam Angle | Input    | Class                                                                               |  |  | Notes                |
|------------|--------|--------------|---------|-------|------------|------------|----------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|----------------------|
| 63100L/C   | Black  | Cool white   | 4000K   | 100W  | 10000lm    | 120°       | 120-240V |  | 100cm                                                                               | 6                                                                                   | Complete with driver |



63150NB | 150W PV | SMD | Aluminium + PC

new

IP65

LED BUILT IN

80 CRI

IK09


CCT V

PV


CE

5 YEAR





| Order Code | Colour | Light Colour | CCT (K)           | Watts         | Lumen (lm)   | Beam Angle   | Input | Class                                                                                 |  |  | Notes                   |
|------------|--------|--------------|-------------------|---------------|--------------|--------------|-------|---------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------|-------------------------|
| 63150NB/V  | Black  | CCT V        | 3000K-4000K-5000K | 80W-120W-150W | 22500lm@150W | 70°-90°-110° | 230V  |  | 50cm                                                                                 | 1                                                                                    | Complete with PV driver |



63150L/C | SMD | 150W | Linear high bay | Aluminium

new

IP65

LED BUILT IN


80 CRI

IK06

ADJUSTABLE

CE

3 YEAR



| Order Code | Colour | Light Colour | CCT (K) | Watts | Lumen (lm) | Beam Angle | Input    | Class                                                                                 |  |  | Notes                |
|------------|--------|--------------|---------|-------|------------|------------|----------|---------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------|----------------------|
| 63150L/C   | Black  | Cool white   | 4000K   | 150W  | 15000lm    | 120°       | 120-240V |  | 100cm                                                                                | 4                                                                                    | Complete with driver |



63200NB | 200W PV | SMD | Aluminium + PC

new

IP65

LED BUILT IN

80 CRI

IK09


CCT V

PV


CE

5 YEAR





| Order Code | Colour | Light Colour | CCT (K)           | Watts          | Lumen (lm)   | Beam Angle   | Input | Class                                                                                 |  |  | Notes                   |
|------------|--------|--------------|-------------------|----------------|--------------|--------------|-------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|-------------------------|
| 63200NB/V  | Black  | CCT V        | 3000K-4000K-5000K | 100W-150W-200W | 30000lm@200W | 70°-90°-110° | 230V  |  | 50cm                                                                                  | 1                                                                                     | Complete with PV driver |



63200L/C | SMD | 200W | Linear high bay | Aluminium

new

IP65

LED BUILT IN


80 CRI

IK06

ADJUSTABLE

CE

3 YEAR



| Order Code | Colour | Light Colour | CCT (K) | Watts | Lumen (lm) | Beam Angle | Input    | Class                                                                                 |  |  | Notes                |
|------------|--------|--------------|---------|-------|------------|------------|----------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|----------------------|
| 63200L/C   | Black  | Cool white   | 4000K   | 200W  | 20000lm    | 120°       | 120-240V |  | 100cm                                                                                 | 4                                                                                     | Complete with driver |

New Items 2025 Edition 4

www.1-light.eu

www.1-light.eu

New Items 2025 Edition 4



89404A | 4W | LED | Emergency 3Hrs Maintained | PC

Auto self-test & test button.



LED  
BUILT IN




2  
YEAR

new

IP65



Supplied with 3 stickers.



352mm  
65mm  
110mm



22008AB | 500W (LED) / 1000W (Incandescent) | Recessed infrared motion sensor



18m




2  
YEAR

new

IP20

Detection Angle: 360°  
Detection Distance: Max. 8m (<24°C)  
Time Delay: 10sec ± 3sec to 30min ± 2 min (adjustable)  
Ambient Light: <3-2000lux (adjustable)  
Installation height: 1,8-4m



76mm  
48mm

| Order Code | Colour | Light Colour | CCT (K) | Watts | Lumen (lm) | Input | Class                                                                             | Battery Type        | Battery Duration |    | Notes                 |
|------------|--------|--------------|---------|-------|------------|-------|-----------------------------------------------------------------------------------|---------------------|------------------|----|-----------------------|
| 89404A     | White  | Daylight     | 6000K   | 4W    | 400lm      | 230V  |  | Li-FePO4 3,2V 1,5Ah | 3Hrs             | 12 | Supplied with battery |



22008AB | 500W (LED) / 1000W (Incandescent) | Recessed infrared motion sensor



18m




2  
YEAR

new

IP20

Detection Angle: 360°  
Detection Distance: Max. 8m (<24°C)  
Time Delay: 10sec ± 3sec to 30min ± 2 min (adjustable)  
Ambient Light: <3-2000lux (adjustable)  
Installation height: 1,8-4m



76mm  
48mm

|                                                                             |  |  |            |        |                                   |       |                                                                                     |                                                                                     |                                                                                     |                                                                                     |       |
|-----------------------------------------------------------------------------|--|--|------------|--------|-----------------------------------|-------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------|
| 22004M   250W (LED) / 500W (Incandescent)   Surface microwave motion sensor |  |  | Order Code | Colour | Power                             | Input | Class                                                                               |  |  |  | Notes |
|                                                                             |  |  | 22008MP    | White  | 800W (LED) / 1600W (Incandescent) | 230V  |  | 64mm                                                                                | 90mm                                                                                | 50                                                                                  | -     |



22004M | 250W (LED) / 500W (Incandescent) | Surface microwave motion sensor



16m




2  
YEAR

new

IP20

Detection Angle: 360°  
Detection Distance: Max. 16m (adjustable) (<24°C)  
Time Delay: 10sec ± 3sec to 15min ± 1 min (adjustable)  
Ambient Light: <3-2000lux (adjustable)  
Installation height: 2-6m



102mm  
24mm



22008MP | 800W (LED) / 1600W (Incandescent) | Recessed microwave motion & presence sensor



6m




2  
YEAR

new

IP20

Detection Angle: 360°  
Detection Distance: Max. 6m (adjustable) (<24°C)  
Time Delay: 10sec ± 3sec to 12min ± 1 min (adjustable)  
Ambient Light: <3-2000lux (adjustable)  
Installation height: 2-4m



76mm  
68mm

| Order Code | Colour | Power                            | Input | Class                                                                               |    |  | Notes                        |
|------------|--------|----------------------------------|-------|-------------------------------------------------------------------------------------|----|--|------------------------------|
| 22004M     | White  | 250W (LED) / 500W (Incandescent) | 230V  |  | 50 |  | Cable entry is from the back |



22004P | 800W (LED) / 1600W (Incandescent) | Surface infrared motion & presence sensor



6m




2  
YEAR

new

IP20

Detection Angle: 360°  
Detection Distance: Max. 6m (adjustable) (<24°C)  
Time Delay: 10sec ± 3sec to 15min ± 2 min (adjustable)  
Ambient Light: <3-2000lux (adjustable)  
Installation height: 2,2-4m



115mm  
24mm



22008P | 800W (LED) / 1600W (Incandescent) | Recessed infrared motion & presence sensor



6m



2  
YEAR

new

IP20

Detection Angle: 360°  
Detection Distance: Max. 6m (adjustable) (<24°C)  
Time Delay: 10sec ± 3sec to 15min ± 2 min (adjustable)  
Ambient Light: <3-2000lux (adjustable)  
Installation height: 2,2-4m



76mm  
70mm

| Order Code | Colour | Power                             | Input | Class                                                                               |    |  | Notes                        |
|------------|--------|-----------------------------------|-------|-------------------------------------------------------------------------------------|----|--|------------------------------|
| 22004P     | White  | 800W (LED) / 1600W (Incandescent) | 230V  |  | 50 |  | Cable entry is from the back |





0802BA | Waterproof screwless connection box 2 WAY | 16A | 450V | Cable diameter 4-11mm



new



2 YEAR



200



98mm

29mm



0802A | Waterproof screwless connection box 3 WAY | 16A | 450V | Cable diameter 4-11mm



new



2 YEAR



100



130mm

87mm



0802C | Waterproof screwless connection box 4 WAY | 16A | 450V | Cable diameter 4-11mm



new



2 YEAR



100



130mm

130mm



0802D | Waterproof connection box 4 WAY | 24A | 450V | Cable diameter 4-14mm




new



2 YEAR



20



Suitable for driver protection.

151mm

165mm

www.1-light.eu

one

Ceiling Fans



6322C | Metal body | White ABS blades | Ceiling mounted | 6 Speed | Winter reverse mode



new



LED BUILT IN



85 CRI



DIMMABLE




CCT V



DC MOTOR



3 YEAR



Extra Remote control 030152A.

120°

1200mm

270mm

| Order Code | Colour | Light Colour | CCT (K)           | LED Watts | Lumen (lm) | Beam Angle | FAN Watts | Input | Class                                                                               |   | Notes                        |
|------------|--------|--------------|-------------------|-----------|------------|------------|-----------|-------|-------------------------------------------------------------------------------------|---|------------------------------|
| 6322C/W/V  | White  | CCT V        | 3000K-4000K-5500K | 15W       | 1400lm     | 120°       | 29W       | 230V  |  | 1 | Complete with remote control |



6322C | Metal body | Black ABS blades | Ceiling mounted | 6 Speed | Winter reverse mode



new



LED BUILT IN



85 CRI



DIMMABLE




CCT V



DC MOTOR



3 YEAR



Extra Remote control 030152A.

120°

1200mm

270mm

| Order Code | Colour | Light Colour | CCT (K)           | LED Watts | Lumen (lm) | Beam Angle | FAN Watts | Input | Class                                                                                 |   | Notes                        |
|------------|--------|--------------|-------------------|-----------|------------|------------|-----------|-------|---------------------------------------------------------------------------------------|---|------------------------------|
| 6322C/B/V  | Black  | CCT V        | 3000K-4000K-5500K | 15W       | 1400lm     | 120°       | 29W       | 230V  |  | 1 | Complete with remote control |



6300A | Metal body | White ABS blades | Ceiling mounted | 6 Speed | Winter reverse mode



new



LED BUILT IN



85 CRI



DIMMABLE




CCT V



DC MOTOR



3 YEAR



Extra Remote control 030152A.

200mm

500mm

| Order Code | Colour | Light Colour | CCT (K)           | LED Watts | Lumen (lm) | FAN Watts | Input | Class                                                                                 |   | Notes                        |
|------------|--------|--------------|-------------------|-----------|------------|-----------|-------|---------------------------------------------------------------------------------------|---|------------------------------|
| 6300A/W/V  | White  | CCT V        | 3000K-4000K-5500K | 28W       | 2000lm     | 20W       | 230V  |  | 1 | Complete with remote control |



6300A | Metal body | Black ABS blades | Ceiling mounted | 6 Speed | Winter reverse mode



new



LED BUILT IN



85 CRI



DIMMABLE




CCT V



DC MOTOR



3 YEAR



Extra Remote control 030152A.

200mm

500mm

| Order Code | Colour | Light Colour | CCT (K)           | LED Watts | Lumen (lm) | FAN Watts | Input | Class                                                                                 |   | Notes                        |
|------------|--------|--------------|-------------------|-----------|------------|-----------|-------|---------------------------------------------------------------------------------------|---|------------------------------|
| 6300A/B/V  | Black  | CCT V        | 3000K-4000K-5500K | 28W       | 2000lm     | 20W       | 230V  |  | 1 | Complete with remote control |

www.1-light.eu

New Items 2025 Edition 4

New Items 2025 Edition 4



060054 | ONE LIGHT Catalogue 2027 | Edition 1



new