

NEW
PRODUCTS
2027

EDITION 2

Recessed Spots Fixed



10103G2/W

10103G2 | 5W | MR11 | GU10 | Aluminium

new

IP20

CE 5 YEAR

new

10103G2/B

Complete with 0950G.

Order Code	Colour	Watts	Input	Class				Notes
10103G2/W	White	5W	100-240V		48mm	100mm	100	-
10103G2/B	Black	5W	100-240V		48mm	100mm	100	-



10103G1/W

10103G1 | 5W | MR11 | GU10 | Aluminium

new

DARK LIGHT

IP20

CE 5 YEAR

new

10103G1/B

Complete with 0950G.

Order Code	Colour	Watts	Input	Class				Notes
10103G1/W	White	5W	100-240V		48mm	100mm	100	-
10103G1/B	Black	5W	100-240V		48mm	100mm	100	-



10103GP/W

10103GP | 5W | MR11 | GU10 | Aluminium

new

DARK LIGHT

IP65

CE 5 YEAR

new

10103GP/B

Complete with 0950G.

Order Code	Colour	Watts	Input	Class				Notes
10103GP/W	White	5W	100-240V		58mm	110mm	100	-
10103GP/B	Black	5W	100-240V		58mm	110mm	100	-



10103GTR/W

10103GTR | 5W | MR11 | GU10 | Trimless | Aluminium

new

DARK LIGHT

IP20

CE 5 YEAR

new

10103GTR/B


Order Code	Colour	Watts	Input	Class				Notes
10103GTR/W	White	5W	100-240V		50mm	90mm	100	-
10103GTR/B	Black	5W	100-240V		50mm	90mm	100	-



10105R2/B

10105R2 | 10W | MR16 | GU10 | Aluminium

new
DARK LIGHT
IP65




Order Code	Colour	Watts	Input	Class					Notes
10105R2/B	Black	10W	100-240V		15cm	82mm	130mm	50	Clear glass




10107D/B/V

10107D | 7W | COB | Aluminium

new
DARK LIGHT
IP20




Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Beam Angle	Input	Class				Notes
10107D/B/V	Black	CCT V	3000K-4000K-5000K	7W	630lm	50°	230V		65mm	95mm	50	Complete with 160mA driver




10112D/B/V

10112D | 12W | COB | Aluminium

new
DARK LIGHT
IP20




Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Beam Angle	Input	Class				Notes
10112D/B/V	Black	CCT V	3000K-4000K-5000K	12W	1080lm	50°	230V		72mm	100mm	50	Complete with 300mA driver



10115D/B/V


10115D | 15W | COB | Aluminium

new
DARK LIGHT
IP20



Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Beam Angle	Input	Class				Notes
10115D/B/V	Black	CCT V	3000K-4000K-5000K	15W	1350lm	50°	230V		83mm	110mm	30	Complete with 350mA driver


Recessed Spots Fixed LED




10107DX/B/V

10107DX | 7W | COB | Aluminium

LED BUILT IN
 90 CRI
 CCTV
 CE
 5 YEAR
 DARK LIGHT
 IP20




Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Beam Angle	Input	Class				Notes
10107DX/B/V	Black	CCT V	3000K-3500K-4000K	7W	560lm	36°	230V		54mm	60mm	50	Complete with 160mA driver




10112DX/B/V

10112DX | 12W | COB | Aluminium

LED BUILT IN
 90 CRI
 CCTV
 CE
 5 YEAR
 DARK LIGHT
 IP20




Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Beam Angle	Input	Class				Notes
10112DX/B/V	Black	CCT V	3000K-3500K-4000K	12W	960lm	36°	230V		70mm	70mm	30	Complete with 300mA driver



10118DX/B/V

10118DX | 18W | COB | Aluminium

LED BUILT IN
 90 CRI
 CCTV
 CE
 5 YEAR
 DARK LIGHT
 IP20



Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Beam Angle	Input	Class				Notes
10118DX/B/V	Black	CCT V	3000K-3500K-4000K	18W	1440lm	36°	230V		82mm	80mm	20	Complete with 450mA driver



10107K | 6,5W | COB | Aluminium

Ring must be ordered separately.




050104/W White



050104/B Black



050104/C Chrome



050104/BS Brass

Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Beam Angle	Input	Class					Notes
10107K/W/V	White	CCT V	3000K-3500K-4000K	6,5W	650lm	35°	700mA		40cm	76mm	100mm	30	Requires 700mA driver



10112K | 12W | COB | Aluminium

Reflector must be ordered separately.



10112K/W/V + 050280/B



10112K | 12W | COB | Aluminium

Reflector must be ordered separately.




10112K/B/V + 050280/BS



050280/W White



050280/B Black



050280/BS Brass

Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Beam Angle	Input	Class					Notes
10112K/W/V	White	CCT V	3000K-3500K-4000K	12W	1100lm	38°	700mA		40cm	67mm	120mm	50	Requires 700mA driver
10112K/B/V	Black	CCT V	3000K-3500K-4000K	12W	1100lm	38°	700mA		40cm	67mm	120mm	50	Requires 700mA driver


Recessed Spots Fixed LED





10103M/W/V

10103M | 3W | SMD | Aluminium


new
IP65



10103M/B/V




Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Beam Angle	Input	Class					Notes
10103M/W/V	White	CCT V	3000K-3500K-4000K	3W	270lm	30°	350mA				60cm 38mm 55mm	50	Requires 350mA driver
10103M/B/V	Black	CCT V	3000K-3500K-4000K	3W	270lm	30°	350mA				60cm 38mm 55mm	50	Requires 350mA driver




10102H/W/V

10102H | 2W | SMD | Aluminium

new
DARK LIGHT
IP65





Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Beam Angle	Input	Class				Notes
10102H/W/V	White	CCT V	3000K-3500K-4000K	2W	160lm	30°	230V			30mm 50mm	50	Complete with 350mA driver



10102H/B/V

10102H | 2W | SMD | Aluminium

new
DARK LIGHT
IP65




Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Beam Angle	Input	Class				Notes
10102H/B/V	Black	CCT V	3000K-3500K-4000K	2W	160lm	30°	230V			30mm 50mm	50	Complete with 350mA driver



10107DB/W/V

10107DB | 6,5W | COB | Aluminium

new
DARK LIGHT
IP65



Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Beam Angle	Input	Class					Notes
10107DB/W/V	White	CCT V	3000K-3500K-4000K	6,5W	500lm	36°	700mA				40cm 60mm 80mm	50	Requires 700mA driver




10107MD/W/V

10107MD | 6,5W | COB | Aluminium


new
DARK LIGHT
IP65

90 CRI
5 YEAR

LED BUILT IN
cctv
CE



10107MD/B/V



Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Beam Angle	Input	Class				Notes
10107MD/W/V	White	CCT V	3000K-3500K-4000K	6,5W	650lm	36°	230V					Complete with 150mA driver
10107MD/B/V	Black	CCT V	3000K-3500K-4000K	6,5W	650lm	36°	230V					Complete with 150mA driver




10106P/W/V

10106P | 6W | SMD | Dimmable | Plastic

new
IP65

80 CRI
IK03
2 YEAR

LED BUILT IN
TRIAC DIMMABLE
cctv
CE



Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Beam Angle	Input	Class				Notes
10106P/W/V	White	CCT V	2700K-3000K-4000K	6W	600lm	100°	230V					Complete with dimmable driver



10103BTR/W/V

10103BTR | 3W | COB | Trimless | Aluminium

new
DARK LIGHT
IP20


90 CRI
QUICK FIX
5 YEAR

LED BUILT IN
DIMMABLE
cctv
CE




2-Step reflector.

Suitable for 89004 driver.



Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Beam Angle	Input	Class				Notes
10103BTR/W/V	White	CCT V	3000K-3500K-4000K	3W	240lm	36°	350mA					Requires 350mA driver



10103BTR/B/V

10103BTR | 3W | COB | Trimless | Aluminium

new
DARK LIGHT
IP20


90 CRI
QUICK FIX
5 YEAR

LED BUILT IN
DIMMABLE
cctv
CE




2-Step reflector.

Suitable for 89004 driver.



Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Beam Angle	Input	Class				Notes
10103BTR/B/V	Black	CCT V	3000K-3500K-4000K	3W	240lm	36°	350mA					Requires 350mA driver

Recessed Spots Adjustable LED



11107K/W/V + 050102/W

11107K | 6,5W | COB | Aluminium


Ring must be ordered separately.



050102/W White



050102/B Black



050102/BS Brass




050102/CU Copper

Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Beam Angle	Input	Class					Notes
11107K/W/V	White	CCT V	3000K-3500K-4000K	6,5W	650lm	35°	700mA		40cm	76mm	100mm	30	Requires 700mA driver



11112TA/W/V

11112TA | 12W | COB | Aluminium




Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Beam Angle	Input	Class					Notes
11112TA/W/V	White	CCT V	3000K-3500K-4000K	12W	1100lm	40°	700mA		40cm	92mm	100mm	50	Requires 700mA driver



11207WD/W/V

11207WD | 2x6,5W | COB | Aluminium




Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Beam Angle	Input	Class					Notes
11207WD/W/V	White	CCT V	3000K-3500K-4000K	2x6,5W	2x600lm	36°	700mA		40cm	160x83mm	100mm	16	Requires 2x700mA drivers




11112RA/W/V

11112RA | 12W | COB | Aluminium





Order Code	Colour	Reflector	Light Colour	CCT (K)	Watts	Lumen (lm)	Beam Angle	Input	Class					Notes
11112RA/W/V	White	Black/White	CCT V	3000K-3500K-4000K	12W	1020lm	36°	700mA		40cm	55mm	50mm	20	Requires 700mA driver



11112RA/B/V

11112RA | 12W | COB | Aluminium



Order Code	Colour	Reflector	Light Colour	CCT (K)	Watts	Lumen (lm)	Beam Angle	Input	Class					Notes
11112RA/B/V	Black	Black/Brass	CCT V	3000K-3500K-4000K	12W	1020lm	36°	700mA		40cm	55mm	50mm	20	Requires 700mA driver

Downlights Fixed



10107CA/B/V


10107CA | 7W | COB | Aluminium

LED BUILT IN
 90 CRI
 CCT V
 CE
 3 YEAR

new
IP20



Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Beam Angle	Input	Class				Notes
10107CA/B/V	Black	CCT V	3000K-4000K-5000K	7W	600lm	60°	230V		75mm	70mm	50	Complete with 160mA driver




10110CA/B/V

10110CA | 10W | COB | Aluminium

LED BUILT IN
 90 CRI
 CCT V
 CE
 3 YEAR

new
IP20



Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Beam Angle	Input	Class				Notes
10110CA/B/V	Black	CCT V	3000K-4000K-5000K	10W	850lm	60°	230V		100mm	100mm	50	Complete with 250mA driver



10115CA/B/V

10115CA | 15W | COB | Aluminium

LED BUILT IN
 90 CRI
 CCT V
 CE
 3 YEAR

new
IP20



Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Beam Angle	Input	Class				Notes
10115CA/B/V	Black	CCT V	3000K-4000K-5000K	15W	1275lm	60°	230V		125mm	100mm	30	Complete with 350mA driver



10120CA/B/V

10120CA | 20W | COB | Aluminium

LED BUILT IN
 90 CRI
 CCT V
 CE
 3 YEAR
 IP20



Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Beam Angle	Input	Class				Notes
10120CA/B/V	Black	CCT V	3000K-4000K-5000K	20W	1800lm	60°	230V		145mm	100mm	20	Complete with 500mA driver



10120CB/B/V

10120CB | 20W | COB | Aluminium

LED BUILT IN
 90 CRI
 CCT V
 CE
 3 YEAR
 IP20



Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Beam Angle	Input	Class				Notes
10120CB/B/V	Black	CCT V	3000K-4000K-5000K	20W	1800lm	60°	230V		180mm	110mm	20	Complete with 500mA driver



10130CA/B/V


10130CA | 30W | COB | Aluminium

LED BUILT IN
 90 CRI
 CCT V
 CE
 3 YEAR
 IP20



Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Beam Angle	Input	Class				Notes
10130CA/B/V	Black	CCT V	3000K-4000K-5000K	30W	2700lm	60°	230V		210mm	170mm	10	Complete with 750mA driver

Downlights Fixed



10110DH/B/V

10110DH | 10W | COB | Aluminium

Complete with honeycomb.

new
DARK LIGHT
IP20


90 CRI

5 YEAR


LED BUILT IN

CCT V

CE



Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Beam Angle	Input	Class	Depth	Width	Quantity	Notes
10110DH/B/V	Black	CCT V	3000K-3500K-4000K	10W	800lm	36°	230V	□	75mm	60mm	50	Complete with 250mA driver



10114DH/B/V

10114DH | 14W | COB | Aluminium

Complete with honeycomb.

new
DARK LIGHT
IP20



90 CRI

5 YEAR


LED BUILT IN

CCT V

CE



Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Beam Angle	Input	Class	Depth	Width	Quantity	Notes
10114DH/B/V	Black	CCT V	3000K-3500K-4000K	14W	1120lm	36°	230V	□	95mm	60mm	30	Complete with 350mA driver



10120DH/B/V

10120DH | 20W | COB | Aluminium

Complete with honeycomb.

new
DARK LIGHT
IP20



90 CRI

5 YEAR


LED BUILT IN

CCT V

CE



Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Beam Angle	Input	Class	Depth	Width	Quantity	Notes
10120DH/B/V	Black	CCT V	3000K-3500K-4000K	20W	1600lm	36°	230V	□	120mm	60mm	20	Complete with 500mA driver



10130DH/B/V

10130DH | 30W | COB | Aluminium

Complete with honeycomb.

new
DARK LIGHT
IP20



90 CRI

5 YEAR

LED BUILT IN

CCT V

CE



Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Beam Angle	Input	Class	Depth	Width	Quantity	Notes
10130DH/B/V	Black	CCT V	3000K-3500K-4000K	30W	2400lm	36°	230V	□	145mm	70mm	10	Complete with 750mA driver





10110BX/B/V

10110BX | 10W | SMD | Aluminium

new

IP54




10115BX/B/V

10115BX | 15W | SMD | Aluminium

new

IP54




10120BX/B/V

10120BX | 20W | SMD | Aluminium

new

IP54





10125BX/B/V

10125BX | 25W | SMD | Aluminium

new

IP65





10130BX/B/V

10130BX | 30W | SMD | Aluminium

new

IP65



Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Beam Angle	Input	Class				Notes
10110BX/B/V	Black	CCT V	3000K-4000K-5000K	10W	900lm	90°	230V		75mm	60mm	50	Complete with 250mA driver
10115BX/B/V	Black	CCT V	3000K-4000K-5000K	15W	1350lm	90°	230V		95mm	60mm	30	Complete with 350mA driver
10120BX/B/V	Black	CCT V	3000K-4000K-5000K	20W	1800lm	90°	230V		120mm	60mm	20	Complete with 500mA driver
10125BX/B/V	Black	CCT V	3000K-4000K-5000K	25W	2250lm	90°	230V		170mm	80mm	20	Complete with 650mA driver
10130BX/B/V	Black	CCT V	3000K-4000K-5000K	30W	2700lm	90°	230V		205mm	80mm	10	Complete with 700mA driver


Downlights Fixed



10112GA/W/V

10112GA | 12W | COB | Aluminium

new
IP65




Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Beam Angle	Input	Class				Notes
10112GA/W/V	White	CCT V	3000K-3500K-4000K	12W	1200lm	40°	230V		75mm	60mm	40	Complete with 300mA driver



10118GA/W/V

10118GA | 18W | COB | Aluminium

new
IP65




Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Beam Angle	Input	Class				Notes
10118GA/W/V	White	CCT V	3000K-3500K-4000K	18W	1800lm	40°	230V		95mm	65mm	20	Complete with 450mA driver



10125GA/W/V

10125GA | 25W | COB | Aluminium

new
IP65




Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Beam Angle	Input	Class				Notes
10125GA/W/V	White	CCT V	3000K-3500K-4000K	25W	2500lm	40°	230V		120mm	80mm	10	Complete with 600mA driver



10135GA/W/V

10135GA | 35W | COB | Aluminium

new
IP65



Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Beam Angle	Input	Class				Notes
10135GA/W/V	White	CCT V	3000K-3500K-4000K	35W	3500lm	40°	230V		145mm	90mm	10	Complete with 900mA driver





10112G/W/V

10112G | 12W | COB | Aluminium

new
DARK LIGHT
IP65

90 CRI
3 YEAR

LED BUILT IN
CCTV
CE




10118G/W/V

10118G | 18W | COB | Aluminium

new
DARK LIGHT
IP65

90 CRI
3 YEAR

LED BUILT IN
CCTV
CE





10125G/W/V

10125G | 25W | COB | Aluminium

new
DARK LIGHT
IP65

90 CRI
3 YEAR

LED BUILT IN
CCTV
CE






10135G/W/V

10135G | 35W | COB | Aluminium

new
DARK LIGHT
IP65

90 CRI
3 YEAR

LED BUILT IN
CCTV
CE





10140G/W/V

10140G | 40W | COB | Aluminium

new
DARK LIGHT
IP65

90 CRI
3 YEAR

LED BUILT IN
CCTV
CE



Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Beam Angle	Input	Class				Notes
10112G/W/V	White	CCT V	3000K-3500K-4000K	12W	1200lm	40°	230V		74mm	80mm	40	Complete with 300mA driver
10112G/B/V	Black	CCT V	3000K-3500K-4000K	12W	1200lm	40°	230V		74mm	80mm	40	Complete with 300mA driver
10118G/W/V	White	CCT V	3000K-3500K-4000K	18W	1800lm	40°	230V		93mm	90mm	20	Complete with 450mA driver
10118G/B/V	Black	CCT V	3000K-3500K-4000K	18W	1800lm	40°	230V		93mm	90mm	20	Complete with 450mA driver
10125G/W/V	White	CCT V	3000K-3500K-4000K	25W	2500lm	40°	230V		118mm	100mm	10	Complete with 600mA driver
10125G/B/V	Black	CCT V	3000K-3500K-4000K	25W	2500lm	40°	230V		118mm	100mm	10	Complete with 600mA driver
10135G/W/V	White	CCT V	3000K-3500K-4000K	35W	3500lm	40°	230V		145mm	120mm	10	Complete with 900mA driver
10135G/B/V	Black	CCT V	3000K-3500K-4000K	35W	3500lm	40°	230V		145mm	120mm	10	Complete with 900mA driver
10140G/W/V	White	CCT V	3000K-3500K-4000K	40W	4000lm	40°	230V		165mm	130mm	10	Complete with 1050mA driver
10140G/B/V	Black	CCT V	3000K-3500K-4000K	40W	4000lm	40°	230V		165mm	130mm	10	Complete with 1050mA driver

Strips & Profiles






7829AW/EW

new
IP68

7829AW | 9,6W/m | SMD 2835 | 70LEDs/m | Silicone

3M Double face adhesive.




Order Code	Light Colour	CCT (K)	Watts	Lumen (lm)	Input	Class	Box	Notes
7829AW/C	Cool white	4000K	9,6W/m	920lm/m	24V DC	III	40	Requires 24V DC driver / Avoid direct sunlight
7829AW/W	Warm white	3000K	9,6W/m	900lm/m	24V DC	III	40	Requires 24V DC driver / Avoid direct sunlight
7829AW/EW	Extra warm white	2700K	9,6W/m	810lm/m	24V DC	III	40	Requires 24V DC driver / Avoid direct sunlight



7901A/W

new

7901A/W | 2m Surface profile | Aluminium | Suitable for 7841 LED Strip




7901R/W

new

7901R/W | 2m Recessed profile + PC opal diffuser | Aluminium



FOR LED STRIPS
IP20
10W/m





42128B/B/V

42128B | 3x2W | SMD | Linear spots | Aluminium



new
IP20




Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Beam Angle	Input	Class	Box	Notes
42128B/B/V	Black	CCT V	3000K-3500K-4000K	3x2W	300lm	36°	48V	III	50	-




43118FA/B/V

43118FA | 7W | Adjustable | Aluminium



new
IP20



Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Beam Angle	Input	Class	Box	Notes
43118FA/B/V	Black	CCT V	3000K-4000K-5000K	7W	630lm	38°	48V	III	25	-


Wall & Ceiling



12105D1/W

12105D1 | 10W | MR16 | GU10 | Aluminium

new
DARK LIGHT
IP20




Order Code	Colour	Reflector	Watts	Input	Class		Notes
12105D1/W	White	White	10W	100-240V		36	-



12105D1/B

12105D1 | 10W | MR16 | GU10 | Aluminium

new
DARK LIGHT
IP20




Order Code	Colour	Reflector	Watts	Input	Class		Notes
12105D1/B	Black	Black	10W	100-240V		36	-



12103G/W

12103G | 5W | MR11 | GU10 | Aluminium

new
IP20




Order Code	Colour	Watts	Input	Class		Notes
12103G/W	White	5W	100-240V		100	-



12103G/B

12103G | 5W | MR11 | GU10 | Aluminium

new
IP20



Order Code	Colour	Watts	Input	Class		Notes
12103G/B	Black	5W	100-240V		100	-




12105Y/W/W

12105Y | 10W | MR16 | GU10 | Aluminium



CE 5 YEAR

new
IP20



Order Code	Colour	Watts	Input	Class	Box	Notes
12105Y/W/W	White	10W	100-240V	⊕	20	-

Wall & Ceiling LED




12208LA/W/V

12208LA | 2x8W | COB | Aluminium



90 CRI CCT V CE 5 YEAR

new
IP20



Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Beam Angle	Input	Class	Box	Notes
12208LA/W/V	White	CCT V	3000K-3500K-4000K	2x8W	2x600lm	25°	230V	⊕	18	Complete with 2x350mA drivers




12208LA/B/V

12208LA | 2x8W | COB | Aluminium



90 CRI CCT V CE 5 YEAR

new
IP20



Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Beam Angle	Input	Class	Box	Notes
12208LA/B/V	Black	CCT V	3000K-3500K-4000K	2x8W	2x600lm	25°	230V	⊕	18	Complete with 2x350mA drivers

Wall & Ceiling LED




12107VA/W/W

12107VA | 7W | LED | Dimmable | Aluminium

LED BUILT IN
90 CRI

3 YEAR

new
IP20



Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Beam Angle	Input	Class		Notes
12107VA/W/W	White	Warm white	3000K	7W	500lm	40°	230V		20	AC LED




12107VA/B/W

12107VA | 7W | LED | Dimmable | Aluminium

LED BUILT IN
90 CRI

3 YEAR

new
IP20



Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Beam Angle	Input	Class		Notes
12107VA/B/W	Black	Warm white	3000K	7W	500lm	40°	230V		20	AC LED



12112F/W/V

12112F | 12W | COB | Aluminium

LED BUILT IN
90 CRI

3 YEAR

new
IP20



Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Beam Angle	Input	Class		Notes
12112F/W/V	White	CCT V	3000K-3500K-4000K	12W	960lm	120°	230V		50	Complete with 300mA driver




12112F/B/V

12112F | 12W | COB | Aluminium

LED BUILT IN
90 CRI

3 YEAR

new
IP20



Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Beam Angle	Input	Class		Notes
12112F/B/V	Black	CCT V	3000K-3500K-4000K	12W	960lm	120°	230V		50	Complete with 300mA driver



12122C/W/V


12122C | 22W | COB | Aluminium

90 CRI

5 YEAR

new

IP20



Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Beam Angle	Input	Class		Notes
12122C/W/V	White	CCT V	3000K-3500K-4000K	22W	1760lm	38°	230V		20	Complete with 500mA driver



12122C/B/V


12122C | 22W | COB | Aluminium

90 CRI

5 YEAR

new

IP20



Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Beam Angle	Input	Class		Notes
12122C/B/V	Black	CCT V	3000K-3500K-4000K	22W	1760lm	38°	230V		20	Complete with 500mA driver



67359B/AN/V

67359B | 6W | SMD | Aluminium


80 CRI

2 YEAR

new

DARK LIGHT

IP65



Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Input	Class		Notes
67359B/AN/V	Anthracite	CCT V	2200K-2700K-3000K-4000K	6W	400lm	230V		24	Complete with 300mA driver

Wall & Ceiling LED





67540A | 12W | COB | Aluminium

new
DARK LIGHT
IP65

90 CRI
LED BUILT IN
CE
2 YEAR

Optional Black reflector for 67540A/W/W.
Order code 050406A/B.




67540B | 18W | COB | Aluminium

new
DARK LIGHT
IP65

90 CRI
LED BUILT IN
CE
2 YEAR

Optional Black reflector for 67540B/W/W.
Order code 050406B/B.




67540C | 25W | COB | Aluminium

new
DARK LIGHT
IP65

90 CRI
CCT V
LED BUILT IN
CE
2 YEAR

Optional Black reflector for 67540C/W/V.
Order code 050406C/B.




67540D | 35W | COB | Aluminium

new
DARK LIGHT
IP65

90 CRI
CCT V
LED BUILT IN
CE
2 YEAR

Optional Black reflector for 67540D/W/V.
Order code 050406D/B.




67540E | 40W | COB | Aluminium

new
DARK LIGHT
IP65

90 CRI
CCT V
LED BUILT IN
CE
2 YEAR

Optional Black reflector for 67540E/W/V.
Order code 050406E/B.



Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Beam Angle	Input	Class		Notes
67540A/W/W	White	Warm white	3000K	12W	1200lm	40°	230V		40	Complete with 300mA driver
67540B/W/W	White	Warm white	3000K	18W	1800lm	40°	230V		20	Complete with 450mA driver
67540C/W/V	White	CCT V	3000K-3500K-4000K	25W	2500lm	40°	230V		10	Complete with 600mA driver
67540D/W/V	White	CCT V	3000K-3500K-4000K	35W	3500lm	40°	230V		10	Complete with 900mA driver
67540E/W/V	White	CCT V	3000K-3500K-4000K	40W	4000lm	40°	230V		10	Complete with 1000mA driver



67540A/B/W


67540A | 12W | COB | Aluminium

new
DARK LIGHT
IP65

90 CRI

LED BUILT IN

CE 2 YEAR



67540B/B/W



67540B | 18W | COB | Aluminium

new
DARK LIGHT
IP65

90 CRI

LED BUILT IN

CE 2 YEAR



67540C/B/V

67540C | 25W | COB | Aluminium



new
DARK LIGHT
IP65

90 CRI

cctv

LED BUILT IN

CE 2 YEAR



67540D/B/V

67540D | 35W | COB | Aluminium



new
DARK LIGHT
IP65

90 CRI

cctv

LED BUILT IN

CE 2 YEAR



67540E/B/V

67540E | 40W | COB | Aluminium


new
DARK LIGHT
IP65

90 CRI

cctv

LED BUILT IN

CE 2 YEAR



Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Beam Angle	Input	Class		Notes
67540A/B/W	Black	Warm white	3000K	12W	1200lm	40°	230V		40	Complete with 300mA driver
67540B/B/W	Black	Warm white	3000K	18W	1800lm	40°	230V		20	Complete with 450mA driver
67540C/B/V	Black	CCT V	3000K-3500K-4000K	25W	2500lm	40°	230V		10	Complete with 600mA driver
67540D/B/V	Black	CCT V	3000K-3500K-4000K	35W	3500lm	40°	230V		10	Complete with 900mA driver
67540E/B/V	Black	CCT V	3000K-3500K-4000K	40W	4000lm	40°	230V		10	Complete with 1000mA driver

Plafó




62006BD/W/V

62006BD | 32W | SMD | Dimmable | ABS Body

new
IP20

LED BUILT IN
90 CRI

CE



Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Input	Class		Notes
62006BD/W/V	White	CCT V	2700K-3200K-4000K	32W	2880lm	230V		10	Complete with dimmable driver




62006BD/B/V

62006BD | 32W | SMD | Dimmable | ABS Body

new
IP20

LED BUILT IN
90 CRI

CE



Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Input	Class		Notes
62006BD/B/V	Black	CCT V	2700K-3200K-4000K	32W	2880lm	230V		10	Complete with dimmable driver




62006CD/W/V

62006CD | 40W | SMD | Dimmable | ABS Body

new
IP20

LED BUILT IN
90 CRI

CE



Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Input	Class		Notes
62006CD/W/V	White	CCT V	2700K-3200K-4000K	40W	3600lm	230V		8	Complete with dimmable driver




62006CD/B/V

62006CD | 40W | SMD | Dimmable | ABS Body


new
IP20

LED BUILT IN
90 CRI

CE






Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Input	Class		Notes
62006CD/B/V	Black	CCT V	2700K-3200K-4000K	40W	3600lm	230V		8	Complete with dimmable driver



62002BD/W/V

62002BD | 30W+3W | SMD | Dimmable | ABS + PC

new
IP20






Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Input	Class	Box	Notes
62002BD/W/V	White	CCT V	2700K-3200K-4000K	30W+3W	2880lm	230V	□	10	Complete with dimmable driver



62002BD/B/V

62002BD | 30W+3W | SMD | Dimmable | ABS + PC

new
IP20






Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Input	Class	Box	Notes
62002BD/B/V	Black	CCT V	2700K-3200K-4000K	30W+3W	2880lm	230V	□	10	Complete with dimmable driver



62002CD/W/V

62002CD | 38W+4W | SMD | Dimmable | ABS + PC

new
IP20





Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Input	Class	Box	Notes
62002CD/W/V	White	CCT V	2700K-3200K-4000K	38W+4W	3400lm	230V	□	8	Complete with dimmable driver



62002CD/B/V

62002CD | 38W+4W | SMD | Dimmable | ABS + PC

new
IP20



Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Input	Class	Box	Notes
62002CD/B/V	Black	CCT V	2700K-3200K-4000K	38W+4W	3400lm	230V	□	8	Complete with dimmable driver


Wall Recessed & Inground





68000B/W/V

68000B | 3W | SMD | British standard box | Aluminium


Cover plate must be ordered separately.



68000B/W/V + 050000B3/B



050000B1/W White
050000B1/B Black



050000B2/W White
050000B2/B Black



050000B3/W White
050000B3/B Black



050000B4/W White
050000B4/B Black



050000B5/W White
050000B5/B Black


Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Input	Class			Notes
68000B/W/V	White	CCT V	2500K-2800K-3000K-3500K-4000K	3W	180lm	230V		20cm	20	Complete with 230mA driver





68000B/B/V

68000B | 3W | SMD | British standard box | Aluminium


Cover plate must be ordered separately.




68000B/B/V + 050000B3/B



050000B1/W White
050000B1/B Black




050000B2/W White
050000B2/B Black



050000B3/W White
050000B3/B Black



050000B4/W White
050000B4/B Black



050000B5/W White
050000B5/B Black

Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Input	Class			Notes
68000B/B/V	Black	CCT V	2500K-2800K-3000K-3500K-4000K	3W	180lm	230V		20cm	20	Complete with 230mA driver



68000E/W/V

68000E | 3W | SMD | European round box | Aluminium

Cover plate must be ordered separately.


new
DARK LIGHT
IP65

80 CRI
2 YEAR

LED BUILT IN
CCT V
CE



68000E/W/V + 050000E2/B



050000E1/W White
050000E1/B Black



050000E2/W White
050000E2/B Black



050000E3/W White
050000E3/B Black



050000E4/W White
050000E4/B Black



050000E5/W White
050000E5/B Black



050000E6/W White
050000E6/B Black

Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Input	Class			Notes
68000E/W/V	White	CCT V	2500K-2800K-3000K-3500K-4000K	3W	180lm	230V		20cm	20	Complete with 230mA driver



68000E/B/V

68000E | 3W | SMD | European round box | Aluminium

Cover plate must be ordered separately.


new
DARK LIGHT
IP65

80 CRI
2 YEAR


LED BUILT IN
CCT V
CE



68000E/B/V + 050000E2/B




050000E1/W White
050000E1/B Black



050000E2/W White
050000E2/B Black



050000E3/W White
050000E3/B Black



050000E4/W White
050000E4/B Black



050000E5/W White
050000E5/B Black



050000E6/W White
050000E6/B Black

Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Input	Class			Notes
68000E/B/V	Black	CCT V	2500K-2800K-3000K-3500K-4000K	3W	180lm	230V		20cm	20	Complete with 230mA driver


Wall Recessed & Inground




68068/W/V

68068 | 3W | SMD | Aluminium

Supplied with box for concrete installation.




Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Input	Class	Concrete installation	Gypsum installation	Depth	Quantity	Notes
68068/W/V	White	CCT V	2200K-2700K-3000K-4000K	3W	300lm	230V	⊕	110mm	100mm	60mm	24	Complete with 350mA driver



68068/AN/V

68068 | 3W | SMD | Aluminium

Supplied with box for concrete installation.




Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Input	Class	Concrete installation	Gypsum installation	Depth	Quantity	Notes
68068/AN/V	Anthracite	CCT V	2200K-2700K-3000K-4000K	3W	300lm	230V	⊕	110mm	100mm	60mm	24	Complete with 350mA driver



68068A/W/V

68068A | 3W | SMD | Aluminium

Supplied with box for concrete installation.




Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Input	Class	Concrete installation	Gypsum installation	Depth	Quantity	Notes
68068A/W/V	White	CCT V	2200K-2700K-3000K-4000K	3W	300lm	230V	⊕	110x110mm	100x100mm	60mm	24	Complete with 350mA driver



68068A/B/V

68068A | 3W | SMD | Aluminium

Supplied with box for concrete installation.




Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Input	Class	Concrete installation	Gypsum installation	Depth	Quantity	Notes
68068A/B/V	Black	CCT V	2200K-2700K-3000K-4000K	3W	300lm	230V	⊕	110x110mm	100x100mm	60mm	24	Complete with 350mA driver



68068C/AN/V

68068C | 6W | SMD | Aluminium

Supplied with box for concrete installation.




Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Input	Class	Concrete installation	Gypsum installation	Height	Length	Notes
68068C/AN/V	Anthracite	CCT V	2200K-2700K-3000K-4000K	6W	550lm	230V	⊕	220x70mm	210x60mm	80mm	12	Complete with 350mA driver



68068C/B/V

68068C | 6W | SMD | Aluminium

Supplied with box for concrete installation.




Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Input	Class	Concrete installation	Gypsum installation	Height	Length	Notes
68068C/B/V	Black	CCT V	2200K-2700K-3000K-4000K	6W	550lm	230V	⊕	220x70mm	210x60mm	80mm	12	Complete with 350mA driver



68068C/G/V

68068C | 6W | SMD | Aluminium

Supplied with box for concrete installation.



Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Input	Class	Concrete installation	Gypsum installation	Height	Length	Notes
68068C/G/V	Grey	CCT V	2200K-2700K-3000K-4000K	6W	550lm	230V	⊕	220x70mm	210x60mm	80mm	12	Complete with 350mA driver


Garden & Underwater



7012/B

new

7012 | Tree mounting strap for spots | Max. 2KG load



Industrial & Floodlights





7055A/RGBW

new
IP66

7055A/RGBW | 12W | LED | RGB + W | Aluminium

Connect maximum 10pcs.



Order Code	Colour	Light Colour	CCT (K)	Watts	Beam Angle	Input	Class	Length	Quantity	Notes
7055A/RGBW	Grey	RGB + Warm white	RGB + 3000K	12W	60°x20°	24V DC	III	100cm	12	Requires 24V DC driver





7055B/RGBW

new
IP66

7055B/RGBW | 24W | LED | RGB + W | Aluminium

Connect maximum 5pcs.






Order Code	Colour	Light Colour	CCT (K)	Watts	Beam Angle	Input	Class	Length	Quantity	Notes
7055B/RGBW	Grey	RGB + Warm white	RGB + 3000K	24W	60°x20°	24V DC	III	100cm	12	Requires 24V DC driver



89416 | 3W | LED | Emergency 3Hrs Maintained | PC

Ceiling/Wall/Recessed mounted | Self-test.




new
IP20

Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Input	Class	Battery Type	Battery Duration	Light Size	Depth	Box Qty	Notes
89416	White	Daylight	6500K	3W	200lm	230V	□	Li-FePO4 3,2V 2,0Ah	3Hrs	380x70mm	90mm	4	Supplied with battery

Lamps



7201G | 3W | SMD LED | MR11 | GU10




new

Order Code	Lampholder	Light Colour	CCT (K)	Watts	Lumen (lm)	Beam Angle	Input	Dimmable	Box Qty	Notes
7201G/W	GU10	Warm white	3000K	3W	240lm	36°	230V	NO	100	-



7306CGA | 6W | COB LED | MR16 | GU10 | 24V DC

Low voltage.




new

Order Code	Lampholder	Light Colour	CCT (K)	Watts	Lumen (lm)	Beam Angle	Input	Dimmable	Box Qty
7306CGA/W	GU10	Warm white	3000K	6W	600lm	60°	24V DC	NO	100



7307G | 7W | COB LED | MR16 | GU10 | Dimmable

Full spectrum CRI97.



new

Order Code	Lampholder	Light Colour	CCT (K)	Watts	Lumen (lm)	Beam Angle	Input	Dimmable	Box Qty
7307G/W/10	GU10	Warm white	3000K	7W	440lm	10°	230V	YES	100

Lamps




7306DG/W

new

7306DG | 6W | COB LED | MR16 | GU10

Full spectrum CRI97.

LED 97 CRI
CE 3 YEAR



Order Code	Lampholder	Light Colour	CCT (K)	Watts	Lumen (lm)	Beam Angle	Input	Dimmable	
7306DG/W	GU10	Warm white	3000K	6W	500lm	60°	230V	NO	100




7306DG/EW

new

7306DG | 6W | COB LED | MR16 | GU10

Full spectrum CRI97.

LED 97 CRI
CE 3 YEAR



Order Code	Lampholder	Light Colour	CCT (K)	Watts	Lumen (lm)	Beam Angle	Input	Dimmable	
7306DG/EW	GU10	Extra warm white	2700K	6W	500lm	60°	230V	NO	100




7306DGD/W

new

7306DGD | 6W | COB LED | MR16 | GU10 | Dimmable

Full spectrum CRI97.

LED 97 CRI TRIAC DIMMABLE
CE 3 YEAR



Order Code	Lampholder	Light Colour	CCT (K)	Watts	Lumen (lm)	Beam Angle	Input	Dimmable	
7306DGD/W	GU10	Warm white	3000K	6W	500lm	60°	230V	YES	100




7306DGD/EW

new

7306DGD | 6W | COB LED | MR16 | GU10 | Dimmable

Full spectrum CRI97.

LED 97 CRI TRIAC DIMMABLE
CE 3 YEAR



Order Code	Lampholder	Light Colour	CCT (K)	Watts	Lumen (lm)	Beam Angle	Input	Dimmable	
7306DGD/EW	GU10	Extra warm white	2700K	6W	500lm	60°	230V	YES	100


9G10B | 10W | SMD LED | E27




9G10B/W/E

LED 80
CRI
CE 2
YEAR

new



Order Code	Lampholder	Light Colour	CCT (K)	Watts	Lumen (lm)	Input	Dimmable	
9G10B/C/E	E27	Cool white	4000K	10W	900lm	230V	NO	100
9G10B/W/E	E27	Warm white	3000K	10W	900lm	230V	NO	100
9G10B/EW/E	E27	Extra warm white	2700K	10W	900lm	230V	NO	100