

NEW PRODUCTS 2021

EDITION 2

Recessed Spots Fixed



E-A⁺⁺

10105AD | 50W | MR16 | GU10 | Aluminium



69mm



49mm



Order Code	Colour	Reflector	Watts	Input	Class					Notes
10105AD/B/BS	Black	Brass	50W	100-240V		15cm	64mm	130mm	36	-




E-A⁺⁺

10109F | 50W | MR16 | GU10 | Fire Rated | Die cast




85mm



124mm



Order Code	Colour	Watts	Input	Class				Notes
10109F/W	White	50W	100-240V		73mm	160mm	30	-

 A-A⁺⁺ 10103B/W/C													
10103B 1W/3W COB LED Aluminium 1W@350mA / 3W@700mA new IP20 90 CRI DIMMABLE LED BUILT IN QUICK FIX CE 3 YEAR  10103B/B/C 													
Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Beam Angle	Input	Class					Notes
10103B/W/C	White	Cool white	4000K	1W/3W	270lm@3W	40°	350mA/700mA		40cm	35mm	50mm	100	Requires 350mA/700mA driver
10103B/B/C	Black	Cool white	4000K	1W/3W	270lm@3W	40°	350mA/700mA		40cm	35mm	50mm	100	Requires 350mA/700mA driver
 A-A⁺⁺													
10112BTR 12W COB LED Aluminium new DARK LIGHT IP20 90 CRI DIMMABLE LED BUILT IN QUICK FIX CE 5 YEAR  2-Step reflector. 													
Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Beam Angle	Input	Class					Notes
10112BTR/W/W	White	Warm white	3000K	12W	1100lm	40°	700mA		40cm	70mm	110mm	48	Requires 700mA driver
10112BTR/B/W	Black	Warm white	3000K	12W	1100lm	40°	700mA		40cm	70mm	110mm	48	Requires 700mA driver
10112BTR/BS/W	Brass	Warm white	3000K	12W	1100lm	40°	700mA		40cm	70mm	110mm	48	Requires 700mA driver



A-A⁺⁺

10110TD | 10W | SMD 2835 | Aluminium



Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Beam Angle	Input	Class				Notes
10110TD/W/C	White	Cool white	4000K	10W	850lm	60°	230V		95mm	110mm	30	Complete with 230mA driver
10110TD/W/W	White	Warm white	3000K	10W	850lm	60°	230V		95mm	110mm	30	Complete with 230mA driver



A-A⁺⁺

10118TD | 18W | SMD 2835 | Aluminium



Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Beam Angle	Input	Class				Notes
10118TD/W/C	White	Cool white	4000K	18W	1530lm	60°	230V		150mm	120mm	24	Complete with 450mA driver
10118TD/W/W	White	Warm white	3000K	18W	1530lm	60°	230V		150mm	120mm	24	Complete with 450mA driver



A-A⁺⁺

10125TD | 25W | SMD 2835 | Aluminium




Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Beam Angle	Input	Class				Notes
10125TD/W/C	White	Cool white	4000K	25W	2125lm	60°	230V		210mm	140mm	12	Complete with 600mA driver
10125TD/W/W	White	Warm white	3000K	25W	2125lm	60°	230V		210mm	140mm	12	Complete with 600mA driver

A-A⁺⁺

50140B | 40W | SMD 2835 | 595x595mm | Aluminium + Steel

Backlit



Optional suspension kit.
Order code 050017.

Optional
recessed kit (4pcs).
Order code 050108.

Optional DALI & Push
to DIM & 1-10V driver.
Order code 89045L.

Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Input	Class			Notes
50140B/W/C	White	Cool white	4000K	40W	4000lm	230V		50mm	4	Complete with 850mA driver
50140B/W/W	White	Warm white	3000K	40W	4000lm	230V		50mm	4	Complete with 850mA driver

LED Strips & Profiles




7902/B/B | 2m Surface profile + PC black diffuser | Aluminium | Suitable for 7820 LED Strip 12mm



new



Complete with 2 pairs end caps
& 6pcs fixing clips.




7904/B/B | 2m Surface profile + PC black diffuser | Aluminium
Suitable for 7820, 7825, 7829, 7830, 7835, 7844 & 7870 LED Strips 12mm



new



Complete with 2 pairs end caps
& 6pcs fixing clips.




7912/B/B | 2m Surface / Suspended profile + PC black diffuser | Aluminium
Suitable for 7825, 7845, 7870, 7875, 7880, 7882 & 7887 LED Strips 25mm



new



Complete with
2 pairs end caps.



Optional Trimless kit
(10pcs).
Order code 7838M.




Optional suspension
wire (1pc).
Order code 7900P.



Optional 180°
connector.
Order code 7900C.



Optional 90°
connector.
Order code 7900R.



7902R/B/B | 2m Recessed profile + PC black diffuser | Aluminium | Suitable for 7820 LED Strip 12mm



new



Complete with 2 pairs end caps.




7910R/B/B | 2m Recessed profile + PC black diffuser | Aluminium
Suitable for 7825, 7845, 7870, 7875, 7880, 7882 & 7887 LED strips 25mm



new



Complete with 2 pairs end caps
& 4pcs fixing clips with screws.






7912R/B/B | 2m Recessed profile + PC black diffuser | Aluminium
Suitable for 7825, 7829, 7830, 7835, 7844, 7845, 7870, 7875, 7880 & 7887 LED Strips 20mm



new



Complete with 2 pairs end cups
& 6pcs fixing clips.




7901TR/B | 2m Trimless profile + PC black diffuser | Aluminium
Suitable for 7820, 7823, 7829 & 7833 LED Strips 10mm



new



Complete with 2 pairs
end cups.





7904TR/B | 2m Trimless profile + PC black diffuser | Aluminium
Suitable for 7820, 7825, 7829, 7830, 7835, 7844, 7870 & 7875 LED Strips 20mm



new



Complete with 2 pairs
end cups.




7900/AL | 2m Profile for heat dissipation | Aluminium | Suitable for LED Strips up to 12mm





new








Office & Kitchen

 36002 60W LED Touch switch Aluminium new IP20 80 CRI DIMMABLE 3 YEAR LED BUILT IN CE UGR19    665mm 325mm 2000mm 									
Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Input	Class		Notes
36002/W/C	White	Cool white	4000K	60W	8000lm	230V	⊕	1	Complete with 2x700mA drivers
36002/B/C	Black	Cool white	4000K	60W	8000lm	230V	⊕	1	Complete with 2x700mA drivers



 36004 75W LED Touch switch Aluminium new IP20 80 CRI DIMMABLE 3 YEAR LED BUILT IN CE    1000mm 65mm 2000mm 									
Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Input	Class		Notes
36004/W/C	White	Cool white	4000K	75W	9700lm	230V	⊕	1	Complete with 700mA +1200mA drivers
36004/B/C	Black	Cool white	4000K	75W	9700lm	230V	⊕	1	Complete with 700mA + 1200mA drivers

Wall & Ceiling

 12105H 10W MR16 GU10 Aluminium new IP20 5 YEAR CE   68mm 115mm Suitable for GU10 LED lamp. 									
Order Code	Colour	Watts	Input	Class					Notes
12105H/DC	Dark chrome	10W	100-240V	⊕	30				-

 new DARK LIGHT IP20    Suitable for GU10 LED lamp.  							
12105F 10W MR16 GU10 Aluminium							
Order Code	Colour	Watts	Input	Class			Notes
12105F/BBS	Brushed brass	10W	100-240V			30	-
 new DARK LIGHT IP20    Suitable for GU10 LED lamp.  							
12105J 10W MR16 GU10 Aluminium							
Order Code	Colour	Watts	Input	Class			Notes
12105J/CU	Copper	10W	100-240V			30	-
 new DARK LIGHT IP20    12105K/DC  							
12105K 10W MR16 GU10 Aluminium							
Order Code	Colour	Watts	Input	Class			Notes
12105K/BBS	Brushed brass	10W	100-240V			30	-
12105K/DC	Dark chrome	10W	100-240V			30	-
 new DARK LIGHT IP20    12105L/BBS  12105L/DC  							
12105L 10W MR16 GU10 Aluminium							
Order Code	Colour	Watts	Input	Class			Notes
12105L/W	White	10W	100-240V			30	-
12105L/BBS	Brushed brass	10W	100-240V			30	-
12105L/DC	Dark chrome	10W	100-240V			30	-

Wall & Ceiling LED

 A-A⁺⁺ new IP20 85 CRI ADJUSTABLE LED BUILT IN CE 2 YEAR  80mm 90mm 36°										
65738 3W LED Aluminium With ON/OFF Switch.										
Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Beam Angle	Input	Class		Notes
65738/B/W	Black	Warm white	3000K	3W	160lm	36°	100-240V		24	Complete with 700mA driver
 A-A⁺⁺ new DARK LIGHT IP20 80 CRI LED BUILT IN CE 2 YEAR  107mm 64mm										
12108FD 8W SMD 2835 Die cast										
Order Code	Colour	Reflector	Light Colour	CCT (K)	Watts	Lumen (lm)	Input	Class		Notes
12108FD/B/BS	Black	Brass	Warm white	3000K	8W	400lm	230V		36	Complete with 300mA driver
 A-A⁺⁺ new DARK LIGHT IP20 80 CRI LED BUILT IN CE 2 YEAR  175mm 80mm										
12116FD 16W SMD 2835 Die cast										
Order Code	Colour	Reflector	Light Colour	CCT (K)	Watts	Lumen (lm)	Input	Class		Notes
12116FD/B/BS	Black	Brass	Warm white	3000K	16W	800lm	230V		20	Complete with 300mA driver



A-A** 12108D/W/W + 050206/W

12108D | 8W | COB LED | Aluminium


new
DARK LIGHT
IP20


97 CRI
LED BUILT IN
3 YEAR



12108D/B/W + 050206/BS

Reflector must be ordered separately.



050206/W White



050206/B Black



050206/BS Brass

Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Beam Angle	Input	Class		Notes
12108D/W/W	White	Warm white	3000K	8W	560lm	24°	230V	⊕	50	Complete with 700mA driver
12108D/B/W	Black	Warm white	3000K	8W	560lm	24°	230V	⊕	50	Complete with 700mA driver



A-A** 12122D/W/W + 050208/BS

12122D | 22W | COB LED | Aluminium


new
DARK LIGHT
IP20

97 CRI
LED BUILT IN
3 YEAR



12122D/B/W + 050208/B

Reflector must be ordered separately.






050208/W White



050208/B Black



050208/BS Brass

Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Beam Angle	Input	Class		Notes
12122D/W/W	White	Warm white	3000K	22W	1540lm	24°	230V	⊕	20	Complete with 500mA driver
12122D/B/W	Black	Warm white	3000K	22W	1540lm	24°	230V	⊕	20	Complete with 500mA driver

Wall & Ceiling LED

 new DARK LIGHT IP65 90 CRI CE 2 YEAR LED BUILT IN  83mm 127mm 										
67516A 15W COB LED Aluminium										
Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Beam Angle	Input	Class		Notes
67516A/W/W	White	Warm white	3000K	15W	1200lm	40°	230V		24	Complete with 350mA driver
 new DARK LIGHT IP65 90 CRI CE 2 YEAR LED BUILT IN  160mm 183mm 										
67516C 40W COB LED Aluminium										
Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Beam Angle	Input	Class		Notes
67516C/W/W	White	Warm white	3000K	40W	3200lm	40°	230V		6	Complete with 1000mA driver
 new IP65 80 CRI CE 2 YEAR LED BUILT IN  50mm 220mm 110mm 										
67512 8W SMD 2835 ABS + PC										
Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Input	Class			Notes
67512/W/W	White	Warm white	3000K	8W	400lm	230V		20		Complete with 200mA driver
67512/AN/W	Anthracite	Warm white	3000K	8W	400lm	230V		20		Complete with 200mA driver




A-A+ 67502A/W/W

67502A | 6W | SMD 2835 | ABS + PC



67502A/AN/W



Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Input	Class		Notes
67502A/W/W	White	Warm white	3000K	6W	120lm	230V		20	AC LED
67502A/AN/W	Anthracite	Warm white	3000K	6W	120lm	230V		20	AC LED




A-A+ 67502B/W/W

67502B | 6W | SMD 2835 | ABS + PC



67502B/AN/W



Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Input	Class		Notes
67502B/W/W	White	Warm white	3000K	6W	110lm	230V		20	AC LED
67502B/AN/W	Anthracite	Warm white	3000K	6W	110lm	230V		20	AC LED




A-A+ 67502C/W/W

67502C | 6W | SMD 2835 | ABS + PC



67502C/AN/W




Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Input	Class		Notes
67502C/W/W	White	Warm white	3000K	6W	330lm	230V		20	AC LED
67502C/AN/W	Anthracite	Warm white	3000K	6W	330lm	230V		20	AC LED







Plafo

 62026D 50W SMD 2835 Metal + PMMA   LED BUILT IN 80 CRI   new IP20  535mm 75mm 									
Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Input	Class		Notes
62026D/W/C	White	Cool white	4000K	50W	3750lm	230V		5	Complete with 430mA driver
62026D/W/W	White	Warm white	3000K	50W	3750lm	230V		5	Complete with 430mA driver


 62146 55W SMD 2835 Iron + PS   LED BUILT IN 80 CRI   new IP20  550mm 75mm 									
Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Beam Angle	Input	Class	Notes
62146/W/W	White	Warm white	3000K	55W	4100lm	120°	230V		Complete with 600mA driver


Bathroom & Mirror


 A-A		61126 7W SMD 2835 Touch switch Variable colour temperature ABS + glass Rechargeable USB socket.					
new IP20		 LED BUILT IN  DIMMABLE ADJUSTABLE  		 Complete with magnifying mirror.		 I 200mm I — 340mm — I 200mm I Charging time: 3Hrs 	
Order Code	Colour	Light Colour	CCT (K)	Watts	Class		Notes
61126/W	White	Warm white - Cool white - Daylight	3000K - 4000K - 6000K	7W		20	1x1500mAh lithium battery


 63136 12W E27 Metal + glass new IP20     Suitable for E27 LED lamp.  								
Order Code	Colour	Lampholder	Watts	Input	Class			Notes
63136/DC	Dark chrome	E27	12W	100-240V			2	-
 63138 12W E27 Metal + glass new IP20     Suitable for E27 LED lamp.  								
 63138 12W E27 Metal + glass new IP20     Suitable for E27 LED lamp.  								
Order Code	Colour	Lampholder	Watts	Input	Class			Notes
63138/A	Amber	E27	12W	100-240V			4	-
63138/DC	Dark chrome	E27	12W	100-240V			4	-

Decorative


 A-A⁺	62158A 4x9W G9 Metal + aluminium rods + glass						
					 Suitable for G9 LED lamps.		
Order Code	Colour	Lampholder	Watts	Input	Class		Notes
62158A	Chrome	G9	4x9W	100-240V		4	-


 A-A⁺	62158B 6x9W G9 Metal + aluminium rods + glass						
					 Suitable for G9 LED lamps.		
Order Code	Colour	Lampholder	Watts	Input	Class		Notes
62158B	Chrome	G9	6x9W	100-240V		1	-

 A-A⁺	60158 2x9W G9 Metal + aluminium rods + glass						
					 Suitable for G9 LED lamps.		
Order Code	Colour	Lampholder	Watts	Input	Class		Notes
60158	Chrome	G9	2x9W	100-240V		8	-




 A-A*	62168B 8x9W G9 Metal + aluminium tubes						
 					 Suitable for G9 LED lamps.		
Order Code	Colour	Lampholder	Watts	Input	Class		Notes
62168B	Chrome	G9	8x9W	100-240V		1	-


 A-A*	60168 2x9W G9 Metal + aluminium tubes						
 					 Suitable for G9 LED lamps.		
Order Code	Colour	Lampholder	Watts	Input	Class		Notes
60168	Chrome	G9	2x9W	100-240V		8	-


 A-A*	62164A 4x9W G9 Metal + glass rods + glass						
 					 Suitable for G9 LED lamps.		
Order Code	Colour	Lampholder	Watts	Input	Class		Notes
62164A	Chrome	G9	4x9W	100-240V		5	-

 A-A*	62164B 6x9W G9 Metal + glass rods + glass						
 					 Suitable for G9 LED lamps.		
Order Code	Colour	Lampholder	Watts	Input	Class		Notes
62164B	Chrome	G9	6x9W	100-240V		1	-

Decorative


 62162A 6x9W G9 Metal + plastic beads + glass  new IP20     Suitable for G9 LED lamps.  								
Order Code	Colour	Lampholder	Watts	Input	Class			Notes
62162A	Chrome	G9	6x9W	100-240V			1	-
 62162B 10x9W G9 Metal + plastic beads + glass  new IP20     Suitable for G9 LED lamps.  								
Order Code	Colour	Lampholder	Watts	Input	Class			Notes
62162B	Chrome	G9	10x9W	100-240V			1	-
 60162 2x9W G9 Metal + Plastic beads + glass  new IP20     Suitable for G9 LED lamps.  								
Order Code	Colour	Lampholder	Watts	Input	Class			Notes
60162	Chrome	G9	2x9W	100-240V			1	-


		62176A 3x9W G9 Metal + glass								
		 		  		 Suitable for G9 LED lamps.				
Order Code	Colour	Lampholder	Watts	Input	Class			Notes		
62176A	Chrome	G9	3x9W	100-240V			4	-		


		62176B 5x9W G9 Metal + glass								
		 		  		 Suitable for G9 LED lamps.				
Order Code	Colour	Lampholder	Watts	Input	Class			Notes		
62176B	Chrome	G9	5x9W	100-240V			1	-		


		60176 9W G9 Metal + glass								
		 		  		 Suitable for G9 LED lamps.				
Order Code	Colour	Lampholder	Watts	Input	Class			Notes		
60176	Chrome	G9	9W	100-240V			10	-		


Decorative


		62170A 4x9W G9 Metal + glass									
A-A+		new IP20		3 YEAR							
Suitable for G9 LED lamps.											
Order Code	Colour	Lampholder	Watts	Input	Class						Notes
62170A	Copper	G9	4x9W	100-240V					1		-


		62170B 6x9W G9 Metal + glass									
A-A+		new IP20		3 YEAR							
Suitable for G9 LED lamps.											
Order Code	Colour	Lampholder	Watts	Input	Class						Notes
62170B	Copper	G9	6x9W	100-240V					1		-


		62166B 5x9W G9 Metal + glass									
A-A+		new IP20		3 YEAR							
Suitable for G9 LED lamps.											
Order Code	Colour	Lampholder	Watts	Input	Class						Notes
62166B	Chrome	G9	5x9W	100-240V					2		-

		63166P 5x9W G9 Metal + glass									
A-A+		new IP20		3 YEAR							
Suitable for G9 LED lamps.											
Order Code	Colour	Lampholder	Watts	Input	Class						Notes
63166P	Chrome	G9	5x9W	100-240V					2		-




 A-A⁺	63130P 9x9W G9 Metal + glass rods + glass						
	 Suitable for G9 LED lamps.	 1200mm 490mm					
Order Code	Colour	Lampholder	Watts	Input	Class		Notes
63130P	Chrome	G9	9x9W	100-240V		1	-




 A-A⁺	63134P 4x8W E14 Fabric + glass						
	 Suitable for E14 LED lamps.	 1200mm 400mm					
Order Code	Colour	Lampholder	Watts	Input	Class		Notes
63134P	Dark grey	E14	4x8W	100-240V		1	-

 A-A⁺	63132P 8x8W E14 Aluminium + glass						
	 Suitable for E14 LED lamps.	 1200mm 550mm					
Order Code	Colour	Lampholder	Watts	Input	Class		Notes
63132P	Brass	E14	8x8W	100-240V		1	-





 A-A⁺	60132 2x8W E14 Aluminium + glass						
	 Suitable for E14 LED lamps.	 260mm 350mm					
Order Code	Colour	Lampholder	Watts	Input	Class		Notes
60132	Brass	E14	2x8W	100-240V		8	-



Decorative



 new IP20     Suitable for E27 LED lamp.  250mm 94mm 								
62172A 12W E27 Metal								
Order Code	Colour	Lampholder	Watts	Input	Class			Notes
62172A/BS	Brass	E27	12W	100-240V			10	-
 new IP20     Suitable for E27 LED lamps.  360mm 94mm 								
62172B 3x12W E27 Metal								
Order Code	Colour	Lampholder	Watts	Input	Class			Notes
62172B/BS	Brass	E27	3x12W	100-240V			5	-
 new IP20     Suitable for E27 LED lamps.  480mm 94mm 								
62172C 6x12W E27 Metal								
Order Code	Colour	Lampholder	Watts	Input	Class			Notes
62172C/BS	Brass	E27	6x12W	100-240V			5	-


 A-A⁺ 62174A 8W E14 Metal + glass   Suitable for E14 LED lamp.  								
Order Code	Colour	Lampholder	Watts	Input	Class			Notes
62174A/BS	Brass	E14	8W	100-240V	⚡	1		-
 A-A⁺ 62174B 4x8W E14 Metal + glass   Suitable for E14 LED lamps.  								
Order Code	Colour	Lampholder	Watts	Input	Class			Notes
62174B/BS	Brass	E14	4x8W	100-240V	⚡	1		-
 A-A⁺ 63174C 3x8W E14 Metal + glass   Suitable for E14 LED lamps.  								
Order Code	Colour	Lampholder	Watts	Input	Class			Notes
63174C/BS	Brass	E14	3x8W	100-240V	⚡	1		-


Decorative

 A-A⁺⁺		61120 3W LED + 12W E27 Metal + black fabric shade					With 2 x ON/OFF Switches.			
  new IP20		 Suitable for E27 LED lamp.								
Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Input	Class		Notes	
61120/B/W	Black	Warm white	3000K	3W LED + 12W E27	150lm	230V	⌚	4	Complete with 500mA driver	
 A-A⁺⁺		61122 3W LED + 8W E14 Metal + black fabric shade					With 2 x ON/OFF Switches.			
  new IP20		 Suitable for E14 LED lamp.								
Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Input	Class		Notes	
61122/C/W	Chrome	Warm white	3000K	3W LED + 8W E14	150lm	230V	⌚	4	Complete with 500mA driver	
 A-A⁺⁺		61124 3W LED + 12W E27 Metal + white fabric shade					With 2 x ON/OFF Switches.			
  new IP20		 Suitable for E27 LED lamp.								
Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Input	Class		Notes	
61124/B/W	Black	Warm white	3000K	3W LED + 12W E27	150lm	230V	⌚	8	Complete with 500mA driver	
 A-A⁺⁺ 65144/W/W		65144 3W + 6W Back light LED Metal + aluminium					With 2 x ON/OFF Switches.			
  new IP20		 65144/B/W								
Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Input	Class		Notes	
65144/W/W	White	Warm white	3000K	3W + 6W	530lm	230V	⌚	20	Complete with 700mA+500mA drivers	
65144/B/W	Black	Warm white	3000K	3W + 6W	530lm	230V	⌚	20	Complete with 700mA+500mA drivers	

 A-A⁺⁺ 65146/W/W new IP20									
65146 3W + 6W Side light LED Metal + aluminium With 2 x ON/OFF Switches. LED BUILT IN ADJUSTABLE CE 2 YEAR  65146/B/W  35mm 300mm 50mm									
Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Input	Class		Notes
65146/W/W	White	Warm white	3000K	3W+6W	480lm	230V	⊕	20	Complete with 700mA drivers
65146/B/W	Black	Warm white	3000K	3W+6W	480lm	230V	⊕	20	Complete with 700mA drivers

 A-A⁺⁺ 61132A/W/W new IP20									
61132A 3W + 6W Base light LED Metal + aluminium EU Plug / With 2 x ON/OFF Switches. LED BUILT IN ADJUSTABLE CE 2 YEAR  61132A/B/W  120mm 455mm 150mm									
Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Input	Class		Notes
61132A/W/W	White	Warm white	3000K	3W+6W	510lm	230V	⊕	6	Complete with 700mA+350mA drivers
61132A/B/W	Black	Warm white	3000K	3W+6W	510lm	230V	⊕	6	Complete with 700mA+350mA drivers

 A-A⁺⁺ 61132B/W/W new IP20									
61132B 3W + 8W Base light LED Metal + aluminium EU Plug / With 2 x ON/OFF Switches. LED BUILT IN ADJUSTABLE CE 2 YEAR  61132B/B/W  150mm 1400mm 240mm									
Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Input	Class		Notes
61132B/W/W	White	Warm white	3000K	3W+8W	730lm	230V	⊕	1	Complete with 700mA+350mA drivers
61132B/B/W	Black	Warm white	3000K	3W+8W	730lm	230V	⊕	1	Complete with 700mA+350mA drivers

 A-A⁺⁺ 61130/B new IP20									
61130 5W SMD LED Variable colour temperature Dimmable ABS + aluminium Suitable for wireless charging of smartphones. LED BUILT IN DIMMABLE ADJUSTABLE CE 2 YEAR  61130/W  245mm 375mm 180mm 120mm									
Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Input	Class		Notes
61130/W	White	Variable	2700K-3000K-4500K-6000K	5W	400lm	230V	⊕	20	With USB socket charger
61130/B	Black	Variable	2700K-3000K-4500K-6000K	5W	400lm	230V	⊕	20	With USB socket charger

Wall Recessed & Inground




68006N/BOX | Plastic | Suitable for 68006N/W

Gypsum installation.



new



Garden & Underwater




A-A+


67514 | 6W | SMD 2835 | Aluminium

new

IP65



Supplied with spike.



Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Beam Angle	Input	Class	⚡	📦	Notes
67514/AN/W	Anthracite	Warm white	3000K	6W	550lm	30°	230V	⚡	200cm	12	Complete with 700mA driver





B-A+

7072 | 20W | E27 | Plastic

Complete with SCHUKO plug.

new

IP65



Order Code	Colour	Lampholder	Watts	Input	Class	⚡	📦	Notes
7072	Stone	E27	20W	100-240V	📦	200cm	4	-




B-A+

7072A | 20W | E27 | Plastic

Complete with SCHUKO plug.

new

IP65



Order Code	Colour	Lampholder	Watts	Input	Class	⚡	📦	Notes
7072A	Stone	E27	20W	100-240V	📦	200cm	1	-



A-A⁺⁺ 67506/AN/C

67506 | 22W | SMD 2835 | Die cast







new

IP65

3 YEAR



67506/AN/W





Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Input	Class		Notes
67506/AN/C	Anthracite	Cool white	4000K	22W	1900lm	230V		1	Complete with 500mA driver
67506/AN/W	Anthracite	Warm white	3000K	22W	1900lm	230V		1	Complete with 500mA driver



A-A⁺⁺ 67506A/AN/C

67506A | 22W | SMD 2835 | Die cast







new

IP65

3 YEAR



67506A/AN/W





Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Input	Class		Notes
67506A/AN/C	Anthracite	Cool white	4000K	22W	1900lm	230V		1	Complete with 500mA driver
67506A/AN/W	Anthracite	Warm white	3000K	22W	1900lm	230V		1	Complete with 500mA driver



A-A⁺⁺ 67504/AN/C

67504 | 22W | SMD 2835 | Die cast







new

IP65

3 YEAR



67504/AN/W





Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Input	Class		Notes
67504/AN/C	Anthracite	Cool white	4000K	22W	1900lm	230V		1	Complete with 500mA driver
67504/AN/W	Anthracite	Warm white	3000K	22W	1900lm	230V		1	Complete with 500mA driver



A-A⁺⁺ 67504A/AN/C

67504A | 22W | SMD 2835 | Die cast







new

IP65

3 YEAR




67504A/AN/W







Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Input	Class		Notes
67504A/AN/C	Anthracite	Cool white	4000K	22W	1900lm	230V		1	Complete with 500mA driver
67504A/AN/W	Anthracite	Warm white	3000K	22W	1900lm	230V		1	Complete with 500mA driver




A-A++ 69066/C

69066 | 1W | LED | Stainless steel 316

Underwater only / 2m max depth.

new
IP68

69066/BL




Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Input	Class	5m	1m	1m	Box	Notes
69066/C	Stainless steel	Cool white	4000K	1W	70lm	12V DC	III	500cm	46mm	90mm	20	Requires 12V DC driver
69066/BL	Stainless steel	Blue	-	1W	-	12V DC	III	500cm	46mm	90mm	20	Requires 12V DC driver



A-A++ 69066A/C

69066A | 3x1W | LED | Stainless steel 316


Underwater only / 2m max depth.

new
IP68

69066A/BL





Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Input	Class	5m	1m	1m	Box	Notes
69066A/C	Stainless steel	Cool	4000K	3x1W	210lm	24V DC	III	500cm	88mm	85mm	20	Requires 24V DC driver
69066A/W	Stainless steel	Warm white	3000K	3x1W	210lm	24V DC	III	500cm	88mm	85mm	20	Requires 24V DC driver
69066A/BL	Stainless steel	Blue	-	3x1W	-	24V DC	III	500cm	88mm	85mm	20	Requires 24V DC driver




A-A++

69066B | 6x1W | LED | Stainless steel 316

Underwater only / 2m max depth.

new
IP68


Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Input	Class	5m	1m	1m	Box	Notes
69066B/BL	Stainless steel	Blue	-	6x1W	-	24V DC	III	500cm	140mm	110mm	10	Requires 24V DC driver



A-A++


69066D | 12x1W | LED | Stainless steel 316

Underwater only / 2m max depth.

new
IP68

Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Input	Class	5m	1m	1m	Box	Notes
69066D/BL	Stainless steel	Blue	-	12x1W	-	24V DC	III	500cm	175mm	130mm	10	Requires 24V DC driver


LED Drivers




89004T | 2-4W | 350mA | TRIAC | Dimmable



new
IP66




Order Code	Input	Power	Output	Class	Dimmable		Notes
89004T	230V	2-4W	350mA		YES	200	Use TRIAC dimmer



89004AT | 2-4W | 700mA | TRIAC | Dimmable



new
IP66



Order Code	Input	Power	Output	Class	Dimmable		Notes
89004AT	230V	2-4W	700mA		YES	200	Use TRIAC dimmer



89040AT | 21-40W | 700mA | TRIAC | Dimmable



new
IP20




Order Code	Input	Power	Output	Class	Dimmable		Notes
89040AT	230V	21-40W	700mA		YES	25	Use TRIAC dimmer



89150VLL | 150W | 24V DC | DALI & Push to DIM | Dimmable



new
IP20



Order Code	Input	Power	Output	Class	Dimmable		Notes
89150VLL	230V	150W	24V DC		YES	20	DALI & Push to DIM

**89008UT** | TRIAC | Dimmable

Adjustable output using DIP switch.



new

IP20

Output Current	300mA	350mA
Output Power	3,6-6,6W	4,2-7,7W



Order Code	Input	Power	Output	Class	Dimmable		Notes
89008UT	230V	Refer to table	Adjustable		YES	90	Use TRIAC dimmer

**89016UT** | TRIAC | Dimmable

Adjustable output using DIP switch.



new

IP20

Output Current	200mA	250mA	300mA	350mA
Output Power	5-8W	6,25-10W	7,5-12W	8,75-14W



Order Code	Input	Power	Output	Class	Dimmable		Notes
89016UT	230V	Refer to table	Adjustable		YES	90	Use TRIAC dimmer

**89024UT** | TRIAC | Dimmable

Adjustable output using DIP switches.



new

IP20

Output Current	400mA	450mA	500mA	550mA
Output Power	10-16W	11,25-18W	12,5-20W	13,75-22W



Order Code	Input	Power	Output	Class	Dimmable		Notes
89024UT	230V	Refer to table	Adjustable		YES	72	Use TRIAC dimmer

**89030UT** | TRIAC | Dimmable

Adjustable output using DIP switch.



new

IP20

Output Current	550mA	600mA	650mA	700mA
Output Power	13,75-22W	15-24W	16,25-26W	17,5-28W



Order Code	Input	Power	Output	Class	Dimmable		Notes
89030UT	230V	Refer to table	Adjustable		YES	72	Use TRIAC dimmer

LED Drivers



89050TLD | DALI, Push to DIM, 1-10V, TRIAC | Dimmable

Adjustable output using DIP switches.




new
IP20

LED Current Selection

180mA	●	●	●	●	○	○	○	○	○	○	○	○	○	○	○	○
200mA	●	●	●	●	○	○	○	○	○	○	○	○	○	○	○	○
250mA	●	●	●	○	○	○	○	○	○	○	○	○	○	○	○	○
300mA	●	●	○	○	○	○	○	○	○	○	○	○	○	○	○	○
350mA	●	●	○	○	○	○	○	○	○	○	○	○	○	○	○	○
400mA	●	●	○	○	○	○	○	○	○	○	○	○	○	○	○	○
450mA	●	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○
500mA	●	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○
	1	2	3	4				1	2	3	4					

Operation Current Selection



Output Current	180mA	200mA	250mA	300mA	350mA	400mA	450mA	500mA	600mA	700mA	900mA	1000mA	1050mA	1200mA	1400mA	1500mA
Output Power	8W	9W	12W	14W	16W	19W	21W	24W	28W	33W	43W	48W	50W	50W	50W	50W
Order Code	Input	Power		Output		Class		Dimmable				Notes				
89050TLD	230V	Refer to table		Adjustable				YES		36		DALI, Push to DIM, 1-10V, TRIAC Dimmer				




89100LP | DALI & Push to DIM Dimmer 12-36V | 4x60W@12V / 4x120W@24V / 4x180W@36V | 4 channels x 5A



new

IP67



Order Code	Input	Power	Output	Class	Dimmable		Notes
89100LP	12-36V DC	4x60W@12V / 4x120W@24V / 4x180W@36V	12-36V		YES	18	DALI & Push to DIM




89104LT | DALI / Push to DIM to TRIAC Dimmer | 100W@110V / 200W@240V



new

IP20



Order Code	Input	Power	Output	Class	Dimmable		Notes
89104LT	100-240V	100W@110V / 200W@240V	100-240V	-	YES	50	-

Accessories



050099/DC | Dark chrome reflector for 10105RM



new