



# **Product Datasheet**

# 02 Recessed Spots Fixed LED>The Super Mini Series

# 10101L/W/W



1W Recessed Star Light LED spot, IP44.

Requires 350mA driver. Driver cannot pass through the cut-out hole.

Complies with standard EN60598-1 and any other specific standards.



#### Downloads









#### Dimensions



#### Gallery



#### Must be ordered separately







89004T

### Item Group 02 Recessed Spots Fixed LED The Super Mini Series Family 10101L/W/W Order Code Colour White Aluminium Material Shape Circular Height 21mm Diameter 16mm **Cutout Hole Diameter** 12mm Recessed Ceiling Yes Recessed wall Yes Depth Required 30mm Indoor Yes Adjustable No

#### **Electrical Characteristics**

Physical Specification

Fitting	
Input Type	Constant Current
Input Current	350mA
Safety Class	<u> </u>
Power(Watts)	1W
IP Rating	IP44
Light Source	LED built in
LED Brand	Bridgelux
Cable Length	100cm
F Mark	F

#### Illumination Data

Colour Temperature	3000K
Lumen Output	95lm
Light Efficiency	95lm/W
CRI	90
Illumination Diagram	

Packing Info		
Box Length	6,5cm	
Box Width	6,5cm	
Box Height	4,5cm	
Box Weight	0.040kg	
Pcs/Carton	100	
Barcode	5291889050322	
HS Code	9405413990	

## Certification & Warranty

Warranty 3 years



