

02 Recessed Spots Fixed LED>The 1W/3W LED Dark Light Range

## 10103DL/B/BS/W



1W/3W Recessed Dark Light LED spot with removable head, IP20.

Requires 350mA/700mA driver.

Complies with standard EN60598-1 and any other specific standards.



### Downloads



### Dimensions



### Must be ordered separately



89004



89004A



89004AT



89004T

### Physical Specification

Item Group

02 Recessed Spots Fixed LED

Family

The 1W/3W LED Dark Light Range

Order Code

10103DL/B/BS/W

Colour

Black-Brass

Material

Aluminium



Shape

Circular


|                      |      |
|----------------------|------|
| Height               | 50mm |
| Diameter             | 48mm |
| Cutout Hole Diameter | 40mm |
| Recessed Ceiling     | Yes  |
| Depth Required       | 70mm |
| Indoor               | Yes  |
| Adjustable           | No   |

## Electrical Characteristics

### Fitting

|               |                                                                                       |
|---------------|---------------------------------------------------------------------------------------|
| Input Type    | Constant Current                                                                      |
| Input Current | 350mA/700mA                                                                           |
| Safety Class  |  |
| Power(Watts)  | 1W/3W                                                                                 |
| IP Rating     | IP20                                                                                  |
| Light Source  | LED built in                                                                          |
| LED Type      | COB                                                                                   |
| LED Brand     | Epistar                                                                               |
| Cable Length  | 40cm                                                                                  |
| F Mark        |  |

## Illumination Data

|                      |                                                                                       |
|----------------------|---------------------------------------------------------------------------------------|
| Colour Temperature   | 3000K                                                                                 |
| Lumen Output         | 200lm@3W                                                                              |
| Light Efficiency     | 66,67lm/W                                                                             |
| CRI                  | 80                                                                                    |
| Beam Angle           | 36°                                                                                   |
| Illumination Diagram |  |
| Dark Light           | Yes                                                                                   |

## Packing Info

|            |               |
|------------|---------------|
| Box Length | 9cm           |
| Box Width  | 6cm           |
| Box Height | 5,5cm         |
| Pcs/Carton | 50            |
| Barcode    | 5291889061250 |
| HS Code    | 9405409900    |

## Certification & Warranty

|                |         |
|----------------|---------|
| Warranty       | 2 Years |
| Weee Directive | Yes     |

switch to  
**one light!**

one  
LIGHT

