



## **Product Datasheet**

New 2025 Edition 2>Downlights Fixed LED

### 10107B/W/V



7W LED CCT Variable recessed downlight, IP54. Suitable for bathroom installations.

Complete with non-dimmable driver.

Complies with standard EN60598-1 and any other specific standards.













Downloads










Dimensions







45mm

Gallery







#### **Physical Specification**

Item Group Family Order Code Colour Material Diffuser Material Shape

New 2025 Edition 2

Downlights Fixed LED

10107B/W/V

White

Die Cast

Plastic

Circular

Height	45mm
Diameter	80mm
Cutout Hole Diameter	65mm
Recessed Ceiling	Yes
Depth Required	70mm
Indoor	Yes
Outdoor	Yes
Adjustable	No
Electrical Characteristics	
Gear	External-Included
Fitting + Driver	
Input Voltage	220-240V
50 Hz	Yes
60 Hz	Yes
Safety Class	
Power(Watts)	7W
IP Rating	IP54
Light Source	LED built in
Dimmable	No
F Mark	F
Fitting	
Input Type	Constant Current
Input Current	180mA
Safety Class	
IP Rating	IP54
Light Source	LED built in
LED Type	SMD 2835

F Mark	F
Gear	
Gear Type	Led Driver
Input Voltage	220-240V
50 Hz	Yes
60 Hz	Yes
Constant Current	Yes
Output	180mA
IP Rating	IP20
Safety Class	
Dimmable	No
Brand	0
lumination Data	
Colour Temperature	3000K-4000K-5000K
Lumen Output	540lm
Lumen Output  Light Efficiency	
	540lm
Light Efficiency	540lm 77lm/W
Light Efficiency CRI	540lm 77lm/W 80
CRI Beam Angle	540lm 77lm/W 80 90°
Light Efficiency  CRI  Beam Angle  Illumination Diagram	540lm 77lm/W 80 90°
Light Efficiency  CRI  Beam Angle  Illumination Diagram  acking Info	540lm 77lm/W 80 90°
Light Efficiency  CRI  Beam Angle  Illumination Diagram	540lm 77lm/W 80 90°
Light Efficiency  CRI  Beam Angle  Illumination Diagram  acking Info	540lm  77lm/W  80  90°

#### Certification & Warranty

# switch to one light!

