



05 Downlights Fixed>The COB Downlight Range CCT V

10107CA/B/V



7W CCT Variable LED recessed downlight, IP20.

Complete with non-dimmable driver.


Complies with standard EN60598-1 and any other specific standards.



Downloads



Dimensions



Physical Specification

Item Group	05 Downlights Fixed
Family	The COB Downlight Range CCT V
Order Code	10107CA/B/V
Colour	Black
Material	Aluminium
Shape	Circular
Height	50mm
Diameter	95mm
Cutout Hole Diameter	75mm
Recessed Ceiling	Yes
Depth Required	70mm
Indoor	Yes

Adjustable

No

Electrical Characteristics

Gear

External-Included

Fitting + Driver

Input Voltage

220-240V

50 Hz

Yes

60 Hz

Yes

Safety Class



Power(Watts)

7W

IP Rating

IP20

Light Source

LED built in

Dimmable

No

F Mark



Fitting

Input Type

Constant Current

Input Current

160mA

Light Source

LED built in

LED Type

COB

Gear

Gear Type

Led Driver

Input Voltage

220-240V

50 Hz

Yes

60 Hz

Yes

Output

160mA

Illumination Data

Colour Temperature	3000K-4000K-5000K
Lumen Output	600lm
Light Efficiency	85,71m/W
CRI	90
Beam Angle	60°
Illumination Diagram	

Packing Info

Box Weight	0.208kg
Pcs/Carton	50
Barcode	5291889085270

Certification & Warranty

Warranty	3 Years
Weee Directive	Yes

switch to
one light!

one
LIGHT

