



02 Recessed Spots Fixed LED>The Fire Rated IP65 Range

10107DFV/W/V



7W COB LED Fire Rated 90 minutes recessed Spot, IP65 with variable CCT, 2700K-3000K-4000K.

Supplied with Triac dimmable LED driver.

Complete with white ring.


Complies with standard EN60598-1 and any other specific standards.



Downloads




Dimensions



Gallery



Related items



050178/B



050178/C

Physical Specification

Item Group



02 Recessed Spots Fixed LED

Family
Order Code
Colour
Material
Shape
Height
Diameter
Cutout Hole Diameter
Recessed Ceiling
Depth Required
Indoor
Outdoor
Adjustable

The Fire Rated IP65 Range
10107DFV/W/V
White
Metal
Circular
65mm
78mm
65mm
Yes
80mm
Yes
Yes
No

Electrical Characteristics

Gear
Fitting + Driver
Input Voltage
50 Hz
60 Hz
Safety Class
Power(Watts)
IP Rating
Light Source
Dimmable
Dimmer type
F Mark

Built In
220-240V
Yes
Yes

7W
IP65
LED built in
Yes
Triac


Fitting
Input Type


Constant Current

Power(Watts)
IP Rating
Light Source
LED Type
F Mark

7W
IP65
LED built in
SMD



Gear

Gear Type
Input Voltage
50 Hz
60 Hz
IP Rating
Safety Class
Output Terminal

Led Driver
220-240V
Yes
Yes
IP20

Connector

Illumination Data

Colour Temperature
Lumen Output
Light Efficiency
CRI
Beam Angle
Illumination Diagram

2700K-3000K-4000K
510lm
72,86lm/W
80
60°


Packing Info

Box Weight
Pcs/Carton
Barcode
HS Code

0.291kg
36
5291889066248
9405413990

Certification & Warranty

switch to  
**one light!**

one  
LIGHT

