



Product Datasheet

02 Recessed Spots Fixed LED>The COB IP65 Dark Light Range

10107WP/B/V



6,5W CCT Variable COB LED recessed spot suitable for indoor and outdoor installation, IP65.

Requires 700mA driver.

Complies with standard EN60598-1 and any other specific standards.


















Downloads







Dimensions



Physical Specification

Item Group	02 Recessed Spots Fixed LED
Family	The COB IP65 Dark Light Range
Order Code	10107WP/B/V
Colour	Black
Material	Aluminium
Shape	Circular
Height	65mm
Diameter	67mm
Cutout Hole Diameter	56mm
Recessed Ceiling	Yes
Depth Required	90mm
Indoor	Yes

Outdoor	Yes
Adjustable	No
To strice I Characteristics	
Electrical Characteristics	
Fitting	
Input Type	Constant Current
Input Current	700mA
Safety Class	₹III>
Power(Watts)	6,5W
IP Rating	IP65
Light Source	LED built in
LED Type	СОВ
Cable Length	40cm
F Mark	F
mination Data	
mination Data	
mination Data Colour Temperature	3000K-3500K-4000K
	3000K-3500K-4000K 650lm
Colour Temperature	
Colour Temperature _umen Output	650lm
Colour Temperature Lumen Output Light Efficiency CRI	650lm 100lm/W 90 38°
Colour Temperature Lumen Output Light Efficiency	650lm 100lm/W 90
Colour Temperature Lumen Output Light Efficiency CRI Beam Angle	650lm 100lm/W 90 38°
Colour Temperature Lumen Output Light Efficiency CRI Beam Angle Ilumination Diagram	650lm 100lm/W 90 38°
Colour Temperature Lumen Output Light Efficiency CRI Beam Angle Ilumination Diagram	650lm 100lm/W 90 38°
Colour Temperature Lumen Output Light Efficiency CRI Beam Angle Ilumination Diagram Dark Light	650lm 100lm/W 90 38°
Colour Temperature Lumen Output Light Efficiency CRI Beam Angle Ilumination Diagram Dark Light	650lm 100lm/W 90 38°
Colour Temperature Lumen Output Light Efficiency CRI Beam Angle Illumination Diagram Dark Light Cking Info	650lm 100lm/W 90 38° Yes
Colour Temperature Lumen Output Light Efficiency CRI Beam Angle Illumination Diagram Dark Light Cking Info Box Weight	650lm 100lm/W 90 38° Yes 0.210kg
Colour Temperature Lumen Output Light Efficiency CRI Beam Angle Illumination Diagram Dark Light Cking Info Box Weight Pos/Carton	650lm 100lm/W 90 38° Yes 0.210kg 50

Warranty 5 years

switch to one light!

