



Product Datasheet

02 Recessed Spots Fixed LED>The COB IP65 Dark Light Range

10107WP/W/V



6,5W CCT Variable COB LED recessed spot suitable for indoor and outdoor installation, IP65.

Requires 700mA driver.

Complies with standard EN60598-1 and any other specific standards.


















Downloads







Dimensions



Physical Specification

Item Group	02 Recessed Spots Fixed LED
Family	The COB IP65 Dark Light Range
Order Code	10107WP/W/V
Colour	White
Material	Aluminium
Shape	Circular
Height	65mm
Diameter	67mm
Cutout Hole Diameter	56mm
Recessed Ceiling	Yes
Depth Required	90mm
Indoor	Yes

Outdoor	Yes
Adjustable	No
Electrical Characteristics	
Fitting	
Fitting	
Input Type	Constant Current
Input Current	700mA
Safety Class	
Power(Watts)	6,5W
IP Rating	IP65
Light Source	LED built in
LED Type	COB
Cable Length	40cm
F Mark	F
mination Data	
mination Data Colour Temperature	3000K-3500K-4000K
	3000K-3500K-4000K 650lm
Colour Temperature	
Colour Temperature Lumen Output	650lm
Colour Temperature Lumen Output Light Efficiency	650lm 100lm/W 90 38°
Colour Temperature Lumen Output Light Efficiency CRI	650lm 100lm/W 90
Colour Temperature Lumen Output Light Efficiency CRI Beam Angle Ilumination Diagram	650lm 100lm/W 90 38°
Colour Temperature Lumen Output Light Efficiency CRI Beam Angle	650lm 100lm/W 90 38°
Colour Temperature Lumen Output Light Efficiency CRI Beam Angle Ilumination Diagram	650lm 100lm/W 90 38°
Colour Temperature Lumen Output Light Efficiency CRI Beam Angle Illumination Diagram Dark Light	650lm 100lm/W 90 38° Yes
Colour Temperature Lumen Output Light Efficiency CRI Beam Angle Illumination Diagram Dark Light Cking Info Box Weight	650lm 100lm/W 90 38° Yes 0.210kg
Colour Temperature Lumen Output Light Efficiency CRI Beam Angle Ilumination Diagram Dark Light	650lm 100lm/W 90 38° Yes
Colour Temperature Lumen Output Light Efficiency CRI Beam Angle Illumination Diagram Dark Light Cking Info Box Weight	650lm 100lm/W 90 38° Yes 0.210kg
Colour Temperature Lumen Output Light Efficiency CRI Beam Angle Illumination Diagram Dark Light Cking Info Box Weight Pos/Carton	650lm 100lm/W 90 38° Yes 0.210kg

Warranty 5 years

switch to one light!

