



05 Downlights Fixed>The COB Downlight Range CCT V

10110CA/B/V



10W CCT Variable LED recessed downlight, IP20.

Complete with non-dimmable driver.


Complies with standard EN60598-1 and any other specific standards.



Downloads



Dimensions



Physical Specification

Item Group
Family
Order Code
Colour
Material
Shape
Height
Diameter
Cutout Hole Diameter
Recessed Ceiling
Depth Required
Indoor

05 Downlights Fixed
The COB Downlight Range CCT V
10110CA/B/V
Black
Aluminium
Circular
70mm
125mm
100mm
Yes
100mm
Yes

Adjustable

No

Electrical Characteristics

Gear

External-Included

Fitting + Driver

Input Voltage

220-240V

50 Hz

Yes

60 Hz

Yes

Safety Class



Power(Watts)

10W

IP Rating

IP20

Light Source

LED built in

Dimmable

No

F Mark



Fitting

Input Type

Constant Current

Input Current

250mA

Light Source

LED built in

LED Type

COB

Gear

Gear Type

Led Driver

Input Voltage

220-240V

50 Hz

Yes

60 Hz

Yes

Output

250mA

Illumination Data

Colour Temperature	3000K-4000K-5000K
Lumen Output	850lm
Light Efficiency	85lm/W
CRI	90
Beam Angle	60°
Illumination Diagram	

Packing Info

Pcs/Carton	50
------------	----

Certification & Warranty

Warranty	3 Years
Weee Directive	Yes

switch to
one light!

one
LIGHT

