



02 Recessed Spots Fixed LED>The COB Curved Reflector IP65 Range

10112C/W/V



12W CCT Variable COB recessed spot, IP65.

Requires 700mA driver.


Complies with standard EN60598-1 and any other specific standards.



Downloads



Dimensions



Physical Specification

|                      |                                     |
|----------------------|-------------------------------------|
| Item Group           | 02 Recessed Spots Fixed LED         |
| Family               | The COB Curved Reflector IP65 Range |
| Order Code           | 10112C/W/V                          |
| Colour               | White                               |
| Material             | Aluminium                           |
| Shape                | Circular                            |
| Height               | 83mm                                |
| Diameter             | 86mm                                |
| Cutout Hole Diameter | 75mm                                |
| Recessed Ceiling     | Yes                                 |
| Depth Required       | 100mm                               |
| Indoor               | Yes                                 |

|            |
|------------|
| Outdoor    |
| Adjustable |

|     |
|-----|
| Yes |
| No  |

Electrical Characteristics

Fitting

|               |
|---------------|
| Input Type    |
| Input Current |
| Safety Class  |
| Power(Watts)  |
| IP Rating     |
| Light Source  |
| LED Type      |
| Cable Length  |
| F Mark        |

|                                                                                       |
|---------------------------------------------------------------------------------------|
| Constant Current                                                                      |
| 700mA                                                                                 |
|    |
| 12W                                                                                   |
| IP65                                                                                  |
| LED built in                                                                          |
| COB                                                                                   |
| 40cm                                                                                  |
|  |

Illumination Data

|                      |
|----------------------|
| Colour Temperature   |
| Lumen Output         |
| Light Efficiency     |
| CRI                  |
| Beam Angle           |
| Illumination Diagram |
| Dark Light           |

|                                                                                       |
|---------------------------------------------------------------------------------------|
| 3000K-3500K-4000K                                                                     |
| 1200lm                                                                                |
| 100lm/W                                                                               |
| 90                                                                                    |
| 38°                                                                                   |
|  |
| Yes                                                                                   |

Packing Info

|            |
|------------|
| Box Weight |
| Pcs/Carton |
| Barcode    |
| HS Code    |

|               |
|---------------|
| 0.350kg       |
| 50            |
| 5291889084266 |
| 9405413990    |

Warranty

5 years

switch to  
**one light!**

