



05 Downlights Fixed>The COB Downlight Range CCT V

10115CA/B/V



15W CCT Variable LED recessed downlight, IP20.

Complete with non-dimmable driver.


Complies with standard EN60598-1 and any other specific standards.



Downloads



Dimensions



Physical Specification

Item Group	05 Downlights Fixed
Family	The COB Downlight Range CCT V
Order Code	10115CA/B/V
Colour	Black
Material	Aluminium
Shape	Circular
Height	75mm
Diameter	145mm
Cutout Hole Diameter	125mm
Recessed Ceiling	Yes
Depth Required	100mm
Indoor	Yes

Adjustable

No

Electrical Characteristics

Gear

External-Included

Fitting + Driver

Input Voltage

220-240V

50 Hz

Yes

60 Hz

Yes

Safety Class



Power(Watts)

15W

IP Rating

IP20

Light Source

LED built in

Dimmable

No

F Mark



Fitting

Input Type

Constant Current

Input Current

350mA

Light Source

LED built in

LED Type

COB

Gear

Gear Type

Led Driver

Input Voltage

220-240V

50 Hz

Yes

60 Hz

Yes

Output

350mA

Protection

Short Circuit and Overload

Illumination Data

Colour Temperature
Lumen Output
Light Efficiency
CRI
Beam Angle
Illumination Diagram

3000K-4000K-5000K

1275lm

85lm/W

90

60°



Packing Info

Pcs/Carton

30

Certification & Warranty

Warranty

3 Years

Weee Directive

Yes

switch to
one light!

one
LIGHT

