



05 Downlights Fixed>The IP54 & IP65 Downlights CCT V

10120BX/W/V



20W CCT Variable SMD recessed downlight.

Complete with non-dimmable driver.


Complies with standard EN60598-1 and any other specific standards.



Downloads



Dimensions



Physical Specification

Item Group	05 Downlights Fixed
Family	The IP54 & IP65 Downlights CCT V
Order Code	10120BX/W/V
Colour	White
Material	Aluminium
Shape	Circular
Height	50mm
Diameter	135mm
Cutout Hole Diameter	120mm
Recessed Ceiling	Yes
Depth Required	60mm
Indoor	Yes

Outdoor
Adjustable

Yes
No

Electrical Characteristics

Gear

External-Included

Fitting + Driver

Input Voltage
50 Hz
60 Hz
Safety Class
Power(Watts)
IP Rating
Light Source
F Mark

220-240V
Yes
Yes

20W
IP54
LED built in


Fitting

Input Type
Input Current
Light Source
LED Type

Constant Current
500mA
LED built in
SMD

Gear

Gear Type
Input Voltage
50 Hz
60 Hz
Output

Led Driver
220-240V
Yes
Yes
500mA

Illumination Data

Colour Temperature
Lumen Output
Light Efficiency
CRI
Beam Angle
Illumination Diagram

3000K-4000K-5000K
1800lm
90lm/W
90
90


Packing Info

Certification & Warranty

Warranty
Weee Directive

5 years
Yes

switch to
one light!

