



05 Downlights Fixed>The IP54 & IP65 Downlights CCT V

10125BX/W/V



25W CCT Variable SMD recessed downlight.

Complete with non-dimmable driver.


Complies with standard EN60598-1 and any other specific standards.



Downloads



Dimensions



Physical Specification

Item Group	05 Downlights Fixed
Family	The IP54 & IP65 Downlights CCT V
Order Code	10125BX/W/V
Colour	White
Material	Aluminium
Shape	Circular
Height	50mm
Diameter	190mm
Cutout Hole Diameter	170mm
Recessed Ceiling	Yes
Depth Required	80mm
Indoor	Yes

Outdoor
Adjustable

Yes
No

Electrical Characteristics

Gear

External-Included

Fitting + Driver

Input Voltage

220-240V

50 Hz

Yes

60 Hz

Yes

Safety Class



Power(Watts)

25W

IP Rating

IP65

Light Source

LED built in

F Mark



Fitting

Input Type

Constant Current

Input Current

650mA

Light Source

LED built in

LED Type

SMD

Gear

Gear Type

Led Driver

Input Voltage

220-240V

50 Hz

Yes

60 Hz

Yes

Output

650mA

Illumination Data

Colour Temperature
Lumen Output
Light Efficiency
CRI
Beam Angle
Illumination Diagram

3000K-4000K-5000K

2250lm

90lm/W

90

90



Packing Info

Certification & Warranty

Warranty
Weee Directive

5 years

Yes

switch to
one light!

