

04 Recessed Spots Adjustable LED>Moving Inner Cylinder Range

11103M/W/W




3W LED Recessed Moving Inner Cylinder Range adjustable LED Spot, IP20.

Requires 350mA driver.

Complies with standard EN60598-1 and any other specific standards.



Downloads Dimensions



Gallery



Must be ordered separately



89004





89004T

Physical Specification

Item Group	04 Recessed Spots Adjustable LED
Family	Moving Inner Cylinder Range
Order Code	11103M/W/W
Colour	White
Material	Aluminium
Shape	Circular
Cutout Hole Diameter	44mm
Recessed Ceiling	Yes
Depth Required	35mm
Indoor	Yes
Adjustable	2 Directions


Electrical Characteristics

Fitting

Input Type	Constant Current
Input Current	350mA
Safety Class	
Power(Watts)	3W
IP Rating	IP20
Light Source	LED built in
LED Type	COB
LED Brand	Citizen
LED Number	1
Cable Length	40cm
F Mark	

Illumination Data

Colour Temperature	3000K
--------------------	-------

Lumen Output	280lm
Light Efficiency	93,33lm/W
CRI	90
Beam Angle	36°
Illumination Diagram	
Dark Light	Yes

Packing Info

Box Length	6,5cm
Box Width	6,5cm
Box Height	6,5cm
Box Weight	0,085Kg
Pcs/Carton	100
Barcode	5291889055242
HS Code	9405409900

Certification & Warranty

Warranty	3 Years
Weee Directive	Yes

switch to
one light!

one
LIGHT

