

03 Recessed Spots Adjustable > The Dual Ring Range Aluminium

11105ABG/AL



Recessed adjustable MR16 spot with GU10 lamp holder.


Complies with standard EN60598-1 and any other specific standards.



Downloads



Dimensions



Physical Specification

Item Group	03 Recessed Spots Adjustable
Family	The Dual Ring Range Aluminium
Order Code	11105ABG/AL
Colour	Aluminium
Material	Aluminium
Shape	Circular
Height	30mm
Diameter	92mm
Cutout Hole Diameter	80mm
Recessed Ceiling	Yes
Depth Required	100mm
Indoor	Yes

Adjustable

2 Directions

Electrical Characteristics

Gear

No

Fitting + Driver

Input Voltage

100-240V

50 Hz

Yes

60 Hz

Yes

Safety Class



Power(Watts)

10W

IP Rating

IP20

Light Source

Replaceable lamp

Lamp Holder

GU10

Number of Lamps

1

Dimmable

N/A

Cable Length

15cm

F Mark



Illumination Data

Illumination Diagram



Packing Info

Box Length

10cm

Box Width

10cm

Box Height

5cm

Box Weight

0,153kg

Pcs/Carton

50

Barcode

5291889037033

HS Code

9405409900

Warranty

5 Years

Weee Directive

Yes

switch to
one light!

one
LIGHT

