



### **Product Datasheet**

#### Special Offers>Recessed Spots Adjustable

#### 11105C/ABS



Recessed adjustable MR16 spot with GU5.3 lampholder.

Complies with standard EN60598-1 and any other specific standards.



Downloads







Dimensions



#### **Physical Specification**

| Item Group           | Special Offers            |
|----------------------|---------------------------|
| Family               | Recessed Spots Adjustable |
| Order Code           | 11105C/ABS                |
| Colour               | Antique Brass             |
| Material             | Die Cast                  |
| Shape                | Circular                  |
| Height               | 30mm                      |
| Diameter             | 94mm                      |
| Cutout Hole Diameter | 82mm                      |
| Recessed Ceiling     | Yes                       |
| Depth Required       | 60mm                      |
| Indoor               | Yes                       |
|                      |                           |

#### **Electrical Characteristics**

| Fitting         |                  |
|-----------------|------------------|
| Input Type      | Constant Voltage |
| Input Voltage   | 12V AC/DC        |
| Safety Class    |                  |
| Power(Watts)    | 50W              |
| IP Rating       | IP20             |
| Light Source    | Replaceable lamp |
| Lamp Holder     | GU5.3            |
| Number of Lamps | 1                |
| Cable Length    | 40cm             |
|                 |                  |

#### Illumination Data

Illumination Diagram



## Packing Info

 Box Length
 10cm

 Box Width
 10cm

 Box Height
 5cm

 Box Weight
 0.126kg

 Pcs/Carton
 100

 Barcode
 5291889003113

9405413990

#### Certification & Warranty

HS Code

# switch to one light!

