



04 Recessed Spots Adjustable LED>The IP54 COB Outdoor/Bathroom Range

11106PK/W/W



8W Dark light adjustable recessed spot.

Supplied with dimmable driver.

Complies with standard EN60598-1 and any other specific standards.



Downloads



Dimensions



Physical Specification

| | |
|----------------------|-------------------------------------|
| Item Group | 04 Recessed Spots Adjustable LED |
| Family | The IP54 COB Outdoor/Bathroom Range |
| Order Code | 11106PK/W/W |
| Colour | White |
| Material | Plastic |
| Shape | Circular |
| Height | 84mm |
| Diameter | 106mm |
| Cutout Hole Diameter | 92mm |
| Recessed Ceiling | Yes |
| Depth Required | 120mm |
| Indoor | Yes |

| |
|------------|
| Outdoor |
| Adjustable |

| |
|-------------|
| Yes |
| 1 Direction |



Electrical Characteristics

| |
|------|
| Gear |
|------|

| |
|----------|
| Built In |
|----------|

Fitting + Driver

| |
|---------------|
| Input Voltage |
| 50 Hz |
| 60 Hz |
| Safety Class |
| Power(Watts) |
| IP Rating |
| Light Source |
| Dimmable |
| Dimmer type |
| F Mark |

| |
|---|
| 220-240V |
| Yes |
| Yes |
|  |
| 8W |
| IP54 |
| LED built in |
| Yes |
| Triac |
|  |

Fitting

| |
|---------------|
| Input Type |
| Input Current |
| Voltage |
| Power(Watts) |
| IP Rating |
| Light Source |
| LED Type |
| LED Brand |

| |
|------------------|
| Constant Current |
| 100mA |
| 70V |
| 7W |
| IP54 |
| LED built in |
| SMD 2835 |
| Jufei |

Gear

| |
|---------------|
| Gear Type |
| Input Voltage |


| |
|------------|
| Led Driver |
| 220-240V |

| |
|------------------|
| 50 Hz |
| 60 Hz |
| Power(Watts) |
| Power Factor |
| Constant Current |
| 100mA |
| IP Rating |
| Safety Class |
| Housing Material |
| Output Terminal |

| |
|---|
| Yes |
| Yes |
| 6-8W |
| 0,9 |
| Yes |
| 0 |
| IP20 |
|  |
| Plastic |
| Cable |

Illumination Data

| |
|----------------------|
| Colour Temperature |
| Lumen Output |
| Light Efficiency |
| CRI |
| Beam Angle |
| Illumination Diagram |
| Dark Light |

| |
|---|
| 3000K |
| 850lm |
| 106,25lm/W |
| 80 |
| 60° |
|  |
| Yes |

Packing Info

| |
|------------|
| Box Weight |
| Pcs/Carton |
| Barcode |
| HS Code |

| |
|---------------|
| 0.240kg |
| 30 |
| 5291889076162 |
| 9405114090 |

Certification & Warranty

switch to
one light!

one
LIGHT

