



04 Recessed Spots Adjustable LED>The 7W COB Range

11107B/W/V



7W CCT Variable COB LED Adjustable recessed spot, IP20.

Complete with non-dimmable driver.


Complies with standard EN60598-1 and any other specific standards.



Downloads



Dimensions






Physical Specification

|                      |                                  |
|----------------------|----------------------------------|
| Item Group           | 04 Recessed Spots Adjustable LED |
| Family               | The 7W COB Range                 |
| Order Code           | 11107B/W/V                       |
| Colour               | White                            |
| Material             | Aluminium                        |
| Shape                | Circular                         |
| Height               | 55mm                             |
| Diameter             | 90mm                             |
| Cutout Hole Diameter | 75mm                             |
| Recessed Ceiling     | Yes                              |
| Depth Required       | 75mm                             |
| Indoor               | Yes                              |

|            |             |
|------------|-------------|
| Adjustable | 1 Direction |
|------------|-------------|


Electrical Characteristics

|                  |   |
|------------------|---|
| Gear             | External-Included   |
| Fitting + Driver |   |
| Input Voltage    | 220-240V  |
| 50 Hz            | Yes   |
| 60 Hz            | Yes   |
| Safety Class     |    |
| Power(Watts)     | 7W  |
| IP Rating        | IP20  |
| Light Source     | LED built in  |
| Dimmable         | No  |
| F Mark           |  |

|              |   |
|--------------|---|
| Fitting      |   |
| Input Type   | Constant Current  |
| Light Source | LED built in  |
| LED Type     | COB   |
| F Mark       |  |

|               |            |
|---------------|------------|
| Gear          |            |
| Gear Type     | Led Driver |
| Input Voltage | 220-240V   |
| 50 Hz         | Yes        |
| 60 Hz         | Yes        |
| Output        | 200mA      |
| Dimmable      | No         |

Illumination Data

|                      |   |
|----------------------|---|
| Colour Temperature   | 3000K-3500K-4000K   |
| Lumen Output         | 560lm   |
| Light Efficiency     | 80lm/W  |
| CRI                  | 90  |
| Beam Angle           | 60°   |
| Illumination Diagram |  |

Packing Info

|            |               |
|------------|---------------|
| Box Weight | 0.228kg       |
| Pcs/Carton | 50            |
| Barcode    | 5291889086833 |
| HS Code    | 9405413990    |

Certification & Warranty

|          |         |
|----------|---------|
| Warranty | 3 years |
|----------|---------|

switch to  
one light!

one  
LIGHT

