



04 Recessed Spots Adjustable LED>The Interchangeable Rings Range
Aluminium

11107K/W/V



6,5W CCT Variable COB Dark Light adjustable recessed spot IP20.

Reflector must be ordered separately.

Requires 700mA driver.


Complies with standard EN60598-1 and any other specific standards.



Downloads



Dimensions



Must be ordered separately



050102/B



050102/BS



050102/CU



050102/W

Physical Specification

Item Group
Family
Order Code
Colour
Material
Shape

04 Recessed Spots Adjustable LED
The Interchangeable Rings Range Aluminium
11107K/W/V
White
Aluminium
Circular

Height	73mm
Diameter	85mm
Cutout Hole Diameter	76mm
Recessed Ceiling	Yes
Depth Required	100mm
Indoor	Yes
Adjustable	1 Direction

Electrical Characteristics

Fitting

Input Type	Constant Current
Input Current	700mA
Voltage	9,3V
Safety Class	
Power(Watts)	6,5W
IP Rating	IP20
Light Source	LED built in
LED Type	COB
LED Number	1
Cable Length	40cm
F Mark	

Illumination Data

Colour Temperature	3000K-3500K-4000K
Lumen Output	650lm
Light Efficiency	100lm/W
CRI	90
Beam Angle	35°
Illumination Diagram	

Dark Light	Yes
------------	-----

Packing Info

Box Weight	0.300kg
Pcs/Carton	30
Barcode	5291889089162
HS Code	9405413990

Certification & Warranty

Warranty	5 years
----------	---------

switch to
one light!

