



# **Product Datasheet**

04 Recessed Spots Adjustable LED>The IP54 COB Outdoor/Bathroom Range 11107WD/W/V



6,5W CCT Variable LED Recessed adjustable spot, IP54.

Requires 700mA driver.

Complies with standard EN60598-1 and any other specific standards.





















#### Downloads







#### Dimensions



### **Physical Specification**

Item Group	04 Recessed Spots Adjustable LED
Family	The IP54 COB Outdoor/Bathroom Range
Order Code	11107WD/W/V
Colour	White
Material	Aluminium
Shape	Circular
Height	83mm
Diameter	90mm
Cutout Hole Diameter	83mm
Recessed Ceiling	Yes
Depth Required	110mm
Indoor	Yes

Outdoor	Yes
Adjustable	1 Direction
Floatrical Characteristics	

#### Electrical Characteristics

Fitting	
Input Type	Constant Current
Input Current	700mA
Safety Class	
Power(Watts)	6,5W
IP Rating	IP54
Light Source	LED built in
LED Type	СОВ
Cable Length	40cm
F Mark	F

# Illumination Data

Colour Temperature	3000K-3500K-4000K
Lumen Output	600lm
Light Efficiency	92,3 lm/W
CRI	90
Beam Angle	38°
Illumination Diagram	
Dark Light	Yes

# Packing Info

Box Weight	0.297kg
Pcs/Carton	36
Barcode	5291889087410
HS Code	9405413990

Warranty 5 years

# switch to one light!

