

04 Recessed Spots Adjustable LED>The IP54 COB Outdoor/Bathroom Range Die cast

11107WD/W/W



6,5W LED Dark Light Recessed adjustable spot, IP54.

Requires 700mA driver.


Complies with standard EN60598-1 and any other specific standards.



Downloads



Dimensions



Gallery



Must be ordered separately



89008A



89008AT

Physical Specification

Item Group	04 Recessed Spots Adjustable LED
Family	The IP54 COB Outdoor/Bathroom Range Die cast
Order Code	11107WD/W/W
Colour	White
Material	Die Cast
Shape	Circular
Height	83mm
Diameter	90mm
Cutout Hole Diameter	83mm
Recessed Ceiling	Yes
Depth Required	100mm
Indoor	Yes
Outdoor	Yes
Adjustable	1 Direction

Electrical Characteristics

Fitting

Input Type	Constant Current
Input Current	700mA
Safety Class	
Power(Watts)	6,5W
IP Rating	IP54
Light Source	LED built in
LED Type	COB
LED Brand	Bridgelux
LED Number	1
Cable Length	40cm
F Mark	

Illumination Data

Colour Temperature	3000K
Lumen Output	600lm
Light Efficiency	92lm/W
CRI	90
Beam Angle	36°
Illumination Diagram	
Dark Light	Yes

Packing Info

Box Length	10,5cm
Box Width	9,5cm
Box Height	9,5cm
Box Weight	0.344kg
Pcs/Carton	36
Barcode	5291889050698
HS Code	9405413990

Certification & Warranty

Warranty	5 years
----------	---------

switch to
one light!

one
LIGHT

