



04 Recessed Spots Adjustable LED>The IP54 COB Outdoor/Bathroom Range 11207WD/W/V



2x6,5W CCT Variable COB Recessed adjustable spot, IP54.

Requires 2x700mA drivers.


Complies with standard EN60598-1 and any other specific standards.



Downloads



Dimensions



Gallery



Physical Specification

Item Group	04 Recessed Spots Adjustable LED
Family	The IP54 COB Outdoor/Bathroom Range
Order Code	11207WD/W/V
Colour	White
Material	Aluminium
Shape	Rectangular
Length	168mm

Width	90mm
Height	83mm
Cutout Hole Width	160mm
Cutout Hole Length	83mm
Recessed Ceiling	Yes
Depth Required	100mm
Indoor	Yes
Outdoor	Yes
Adjustable	1 Direction

Electrical Characteristics

Fitting

Input Type	Constant Current
Input Current	700mA
Safety Class	
Power(Watts)	2x6,5W
IP Rating	IP54
Light Source	LED built in
LED Type	COB
LED Number	2
Cable Length	40cm
F Mark	

Illumination Data

Colour Temperature	3000K-3500K-4000K
Lumen Output	2x600lm
Light Efficiency	92lm/W
CRI	90
Beam Angle	36°

Illumination Diagram



Dark Light

Yes

Packing Info

Box Length

Box Weight

Pcs/Carton

Barcode

HS Code

0.675kg

16

5291889090076

9405413990

Certification & Warranty

Warranty

5 years

switch to
one light!

one
LIGHT

