



13 Wall & Ceiling LED>The Dark Light Ceiling Lights

12110H/W/W



10W Dark light surface ceiling spot, IP20.

Complete with 700mA driver.


Complies with standard EN60598-1 and any other specific standards.



Downloads



Dimensions



Physical Specification

|                  |                               |
|------------------|-------------------------------|
| Item Group       | 13 Wall & Ceiling LED         |
| Family           | The Dark Light Ceiling Lights |
| Order Code       | 12110H/W/W                    |
| Colour           | White                         |
| Material         | Aluminium                     |
| Shape            | Circular                      |
| Height           | 83mm                          |
| Diameter         | 72mm                          |
| Recessed Ceiling | Yes                           |
| Indoor           | Yes                           |
| Adjustable       | No                            |

| Gear             | External-Included                                                                   |
|------------------|-------------------------------------------------------------------------------------|
| Fitting + Driver |                                                                                     |
| Input Voltage    | 220-240V                                                                            |
| 50 Hz            | Yes                                                                                 |
| 60 Hz            | Yes                                                                                 |
| Safety Class     |  |
| Power(Watts)     | 10W                                                                                 |
| IP Rating        | IP20                                                                                |
| Light Source     | LED built in                                                                        |
| Dimmable         | No                                                                                  |

|               |                                                                                       |
|---------------|---------------------------------------------------------------------------------------|
| Fitting       |                                                                                       |
| Input Type    | Constant Current                                                                      |
| Input Current | 700mA                                                                                 |
| Voltage       | 12V                                                                                   |
| Safety Class  |  |
| Power(Watts)  | 8,4W                                                                                  |
| IP Rating     | IP20                                                                                  |
| Light Source  | LED built in                                                                          |
| LED Type      | SMD 3535                                                                              |
| LED Brand     | Bridgelux                                                                             |
| LED Number    | 4                                                                                     |
| F Mark        |  |

|               |            |
|---------------|------------|
| Gear          |            |
| Gear Type     | Led Driver |
| Input Voltage | 220-240V   |
| 50 Hz         | Yes        |
| 60 Hz         | Yes        |

|                  |                                                                                     |
|------------------|-------------------------------------------------------------------------------------|
| Power(Watts)     | 7,7-11,9W                                                                           |
| Power Factor     | 0,85                                                                                |
| Constant Current | Yes                                                                                 |
| 700mA            | 11-17V                                                                              |
| IP Rating        | IP20                                                                                |
| Safety Class     |  |
| Dimmable         | No                                                                                  |
| Ambient Temp     | -20°C...+45°C                                                                       |
| Operating Temp   | 75°C                                                                                |
| Brand            | Eaglerise                                                                           |
| Protection       | Over Load Protection, Over Voltage Protection, Short circuit Protection             |

Illumination Data

|                      |                                                                                       |
|----------------------|---------------------------------------------------------------------------------------|
| Colour Temperature   | 3000K                                                                                 |
| Lumen Output         | 700lm                                                                                 |
| Light Efficiency     | 70lm/W                                                                                |
| CRI                  | 90                                                                                    |
| Beam Angle           | 38°                                                                                   |
| Illumination Diagram |  |
| Dark Light           | Yes                                                                                   |

Packing Info

|            |               |
|------------|---------------|
| Box Weight | 0.306kg       |
| Pcs/Carton | 30            |
| Barcode    | 5291889074694 |
| HS Code    | 9405413990    |

Certification & Warranty

switch to  
**one light!**

one  
LIGHT

