

12 Wall & Ceiling LED>The Dark Light Cylinders CCT V

12112E/B/V



12W CCT Variable LED surface mounted downlight.

Complete with non-dimmable driver.


Complies with standard EN60598-1 and any other specific standards.



Downloads



Dimensions



Physical Specification

Item Group	12 Wall & Ceiling LED
Family	The Dark Light Cylinders CCT V
Order Code	12112E/B/V
Colour	Black
Material	Aluminium
Shape	Circular
Height	100mm
Diameter	75mm
Surface Ceiling	Yes
Indoor	Yes
Adjustable	No

Gear

Built In

Fitting + Driver

Input Voltage

220-240V

50 Hz

Yes

60 Hz

Yes

Safety Class



Power(Watts)

12W

IP Rating

IP20

Light Source

LED built in

Dimmable

No

F Mark



Fitting

Input Type

Constant Current

Light Source

LED built in

LED Type

COB

Gear

Gear Type

Led Driver

Input Voltage

220-240V

50 Hz

Yes

60 Hz

Yes

Output

300mA

Dimmable

No

Illumination Data

Colour Temperature

3000K-3500K-4000K

Lumen Output

840lm

Light Efficiency

70lm/W

CRI	90
Beam Angle	38°
Illumination Diagram	
Dark Light	Yes

Packing Info

Certification & Warranty

Warranty	3 Years
Weee Directive	Yes

switch to
one light!

one
LIGHT

