




12 Wall & Ceiling LED>The Dark Light Cylinders CCT V

12114E/B/V



14W CCT Variable LED surface mounted downlight.

Complete with non-dimmable driver.


Complies with standard EN60598-1 and any other specific standards.



Downloads



Dimensions



Physical Specification

Item Group	12 Wall & Ceiling LED
Family	The Dark Light Cylinders CCT V
Order Code	12114E/B/V
Colour	Black
Material	Aluminium
Shape	Circular
Height	110mm
Diameter	88mm
Surface Ceiling	Yes
Indoor	Yes
Adjustable	No

Electrical Characteristics

Gear	Built In
Fitting + Driver	
Input Voltage	220-240V
50 Hz	Yes
60 Hz	Yes
Safety Class	
Power(Watts)	14W
IP Rating	IP20
Light Source	LED built in
Dimmable	No
F Mark	

Fitting	
Input Type	Constant Current
Light Source	LED built in
LED Type	COB

Gear	
Gear Type	Led Driver
Input Voltage	220-240V
50 Hz	Yes
60 Hz	Yes
Output	350mA
Dimmable	No

Illumination Data

Colour Temperature	3000K-3500K-4000K
Lumen Output	980lm
Light Efficiency	70lm/W

CRI
Beam Angle
Illumination Diagram
Dark Light

90
38°

Yes

Packing Info

Certification & Warranty

Warranty
Weee Directive

3 Years
Yes

switch to
one light!

