

12 Wall & Ceiling LED > The Interchangeable Reflectors Cylinders CCT V

12118R/B/V



18W CCT Variable COB LED Cylinder.

Complete with non-dimmable LED driver.


Complies with standard EN60598-1 and any other specific standards.



Downloads



Dimensions



Related items



050106C/BS



050106C/W

Physical Specification

Item Group	12 Wall & Ceiling LED
Family	The Interchangeable Reflectors Cylinders CCT V
Order Code	12118R/B/V
Colour	Black
Material	Aluminium
Shape	Circular
Height	100mm

Diameter	100mm
Surface Ceiling	Yes
Indoor	Yes

### Electrical Characteristics

Gear	Built In
Fitting + Driver	
Input Voltage	220-240V
50 Hz	Yes
60 Hz	Yes
Safety Class	
Power(Watts)	18W
IP Rating	IP20
Light Source	LED built in
Dimmable	No
F Mark	

Fitting	
Input Type	Constant Current
IP Rating	IP20
Light Source	LED built in
LED Type	COB

Gear	
Gear Type	Led Driver
Input Voltage	220-240V
50 Hz	Yes
60 Hz	Yes
Output	450mA
IP Rating	IP20

Dimmable

No

## Illumination Data

Colour Temperature

3000K-3500K-4000K

Lumen Output

1800lm

Light Efficiency

100lm/W

CRI

90

Beam Angle

38°

Illumination Diagram



## Packing Info

## Certification & Warranty

Warranty

5 Years

Weee Directive

Yes

switch to  
**one light!**

one  
LIGHT

