

12 Wall & Ceiling LED>The Interchangeable Reflectors Cylinders CCT V

**12125R/B/V**



25W CCT Variable COB LED Cylinder.

Complete with non-dimmable LED driver.


Complies with standard EN60598-1 and any other specific standards.



Downloads



Dimensions



Related items



050106D/BS



050106D/W

Physical Specification

Item Group

12 Wall & Ceiling LED

Family

The Interchangeable Reflectors Cylinders CCT V

Order Code

12125R/B/V

Colour

Black

Material

Aluminium

Shape

Circular

Height

120mm

Diameter	120mm
Surface Ceiling	Yes
Indoor	Yes

#### Electrical Characteristics

Gear	Built In
Fitting + Driver	
Input Voltage	220-240V
50 Hz	Yes
60 Hz	Yes
Safety Class	
Power(Watts)	25W
IP Rating	IP20
Light Source	LED built in
Dimmable	No
F Mark	

#### Fitting

Input Type	Constant Current
IP Rating	IP20
Light Source	LED built in
LED Type	COB

#### Gear

Gear Type	Led Driver
Input Voltage	220-240V
50 Hz	Yes
60 Hz	Yes
Output	650mA
IP Rating	IP20

Dimmable

No

## Illumination Data

Colour Temperature

3000K-3500K-4000K

Lumen Output

2500lm

Light Efficiency

100lm/W

CRI

90

Beam Angle

38°

Illumination Diagram



## Packing Info

## Certification & Warranty

Warranty

5 Years

Weee Directive

Yes

switch to  
**one light!**

one  
LIGHT

