



12 Wall & Ceiling LED>The COB Adjustable Display Spots

12208LA/W/V



2x8W CCT Variable COB LED adjustable ceiling downlight.

Complete with non-dimmable LED driver.


Complies with standard EN60598-1 and any other specific standards.



Downloads



Dimensions



Physical Specification

Item Group	12 Wall & Ceiling LED
Family	The COB Adjustable Display Spots
Order Code	12208LA/W/V
Colour	White
Material	Aluminium
Shape	Circular
Height	40mm
Diameter	2x78mm
Surface Ceiling	Yes
Surface Wall	Yes
Indoor	Yes
Adjustable	2 Directions

Gear		Built In	
Fitting + Driver			
Input Voltage		220-240V	
50 Hz		Yes	
60 Hz		Yes	
Safety Class			
Power(Watts)		2x8W	
IP Rating		IP20	
Light Source		LED built in	
Dimmable		No	
F Mark			
Fitting			
Input Type		Constant Current	
IP Rating		IP20	
Light Source		LED built in	
LED Type		COB	
Gear			
Gear Type		Led Driver	
Input Voltage		220-240V	
50 Hz		Yes	
60 Hz		Yes	
Output		2x350mA	
IP Rating		IP20	
Safety Class			
Dimmable		No	

Illumination Data

Colour Temperature	3000K-3500K-4000K
Lumen Output	2x600lm
Light Efficiency	75lm/W
CRI	90
Beam Angle	25°
Illumination Diagram	

Packing Info

Box Length	
Box Width	
Box Height	
Box Weight	
Pcs/Carton	
Barcode	

Certification & Warranty

Warranty	5 Years
Weee Directive	Yes

switch to
one light!

one
LIGHT

