

Product Datasheet

16 Bathroom & Mirror>The Mirror LED Range

38114EL/C



23W LED fitting ideal for installation above the bathroom mirror, IP44.

Supplied with non-dimmable LED driver.

Complies with standard EN60598-1 and any other specific standards.



Downloads	Dimensions
	40mm

Gallery



Physical Specification

Item Group

16 Bathroom & Mirror

_	\sim	\sim	`'	\ /
_	а			v
	Q			y

The Mirror LED Range

Order Code	38114EL/C
Colour	Chrome
Material	Die Cast
Diffuser Material	Acrylic
Shape	Rectangular



Length	580mm
Width	80mm
Height	40mm
Surface Wall	Yes
Indoor	Yes

Electrical Characteristics

Gear	Built In
Fitting + Driver	
Input Voltage	220-240V
50 Hz	Yes
60 Hz	Yes
Safety Class	
Power(Watts)	23W
IP Rating	IP44
Light Source	LED built in
Dimmable	No
F Mark	F

Fitting

Input Type	Constant Current
Input Current	250mA
Voltage	90V
Power(Watts)	22,5W

IP Rating	IP44
Light Source	LED built in
LED Type	SMD 2835
LED Brand	Epistar

Gear



Gear Type	Led Driver
Input Voltage	220-240V
50 Hz	Yes
60 Hz	Yes
Power(Watts)	13,33-23W
Power Factor	0,9
Constant Current	Yes
250mA	50-95V
IP Rating	IP20
Safety Class	
Dimmable	No
Brand	3AAA

Illumination Data

Colour Temperature	4000K
Lumen Output	1650lm
Light Efficiency	71,73lm/W
CRI	80
Illumination Diagram	

Packing Info

Box Length	61cm
Box Width	11cm
Box Height	7cm
Box Weight	0,9kg

Pcs/Carton	8
Barcode	5291889054566
HS Code	9405409900



Warranty	2 Years
Weee Directive	Yes

switch to one light!

Certification & Warranty



