



Product Datasheet

18 Bathroom>The Mirror LED Round Aluminium + PC

38120C/C



20W LED fitting ideal for installation above the bathroom mirror, IP44.

Supplied with non-dimmable LED driver.

Complies with standard EN60598-1 and any other specific standards.



Downloads









Dimensions

		53mm
900mm		1 1
	65mr	n (°)

Gallery



Physical Specification

18 Bathroom
The Mirror LED Round Aluminium + PC
38120C/C
Chrome
Aluminium
PC
Rectangular

Length	900mm
Width	65mm
Height	53mm
Surface Wall	Yes
Indoor	Yes
ectrical Characteristics	
_	
Gear	Built In
Ewit B.	
Fitting + Driver	
Input Voltage	220-240V
50 Hz	Yes
60 Hz	Yes
Safety Class	
Power(Watts)	20W
IP Rating	IP44
Light Source	LED built in
Dimmable	No
F Mark	F
Fitting	
Input Type	Constant Current
Input Current	500mA
Voltage	38V
Power(Watts)	19W
IP Rating	IP44
Light Source	LED built in
LED Type	SMD 2835
LED Brand	ETI

Gear Type	Led Driver
Input Voltage	220-240V
50 Hz	Yes
60 Hz	Yes
Power(Watts)	15-21,5W
Power Factor	0,9
Constant Current	Yes
500mA	30-43V
IP Rating	IP20
Safety Class	
Dimmable	No
Brand	Yingjiao
Ilumination Data	
Colour Temperature	4000K
Lumen Output	1700lm
Light Efficiency	85lm/W
CRI	80
Illumination Diagram	
Packing Info	
Box Length	92cm
Box Width	6cm
Box Height	7,5cm
Box Weight	0.930kg
Pcs/Carton	10
Barcode	5291889046257
HS Code	9405413990

Certification & Warranty

switch to one light!

