

## **Product Datasheet**

www.1-light.eu

21 Industrial & Floodlights>The Batten For T8 LED

38120E



Empty fitting, suitable for 600mm T8 LED tube.

Complies with standard EN60598-1 and any other specific standards.



Downloads






Dimensions



Wiring Diagram



Gallery



**Physical Specification** 

Item Group	21 Industrial & Floodlights
Family	The Batten For T8 LED
Order Code	38120E
Colour	White
Material	Metal
Shape	Rectangular
Length	600mm
Width	41mm
Height	62mm
Surface Ceiling	Yes
Surface Wall	Yes
Indoor	Yes
Electrical Characteristics	
Gear	No
Gear	No
Gear Fitting + Driver	No
	No 100-240V
Fitting + Driver	
Fitting + Driver Input Voltage	100-240V
Fitting + Driver  Input Voltage  50 Hz	100-240V Yes
Fitting + Driver  Input Voltage  50 Hz  60 Hz	100-240V Yes
Fitting + Driver  Input Voltage  50 Hz  60 Hz  Safety Class	100-240V Yes
Fitting + Driver  Input Voltage  50 Hz  60 Hz  Safety Class  Power(Watts)	100-240V Yes Yes
Fitting + Driver  Input Voltage  50 Hz  60 Hz  Safety Class  Power(Watts)  IP Rating	100-240V Yes Yes
Fitting + Driver  Input Voltage  50 Hz  60 Hz  Safety Class  Power(Watts)  IP Rating  Light Source	100-240V Yes Yes IP20 Replaceable lamp
Fitting + Driver  Input Voltage  50 Hz  60 Hz  Safety Class  Power(Watts)  IP Rating  Light Source	100-240V Yes Yes IP20 Replaceable lamp
Fitting + Driver  Input Voltage  50 Hz  60 Hz  Safety Class  Power(Watts)  IP Rating  Light Source  Number of Lamps	100-240V Yes Yes IP20 Replaceable lamp
Fitting + Driver  Input Voltage  50 Hz  60 Hz  Safety Class  Power(Watts)  IP Rating  Light Source  Number of Lamps	100-240V Yes Yes IP20 Replaceable lamp

## Packing Info


 Box Weight
 0,35Kg

 Pcs/Carton
 20

 Barcode
 5291889052265

 HS Code
 9405409900

## Energy Label



## Certification & Warranty

Warranty 5 Years

Weee Directive Yes

switch to one light!

