



Product Datasheet

16 Bathroom & Mirror>The Mirror LED Range

38121EL/C



23W LED fitting ideal for installation above the bathroom mirror, IP44.

Supplied with non-dimmable LED driver.

Complies with standard EN60598-1 and any other specific standards.



Downloads









Dimensions



Gallery




Physical Specification

Item Group	16 Bathroom & Mirror
Family	The Mirror LED Range
Order Code	38121EL/C
Colour	Chrome
Material	Die Cast
Diffuser Material	Acrylic
Shape	Rectangular

Length	880mm
Width	80mm
Height	40mm
Surface Wall	Yes
Indoor	Yes
Electrical Characteristics	
Gear	Built In
Fitting + Driver	
Input Voltage	220-240V
50 Hz	Yes
60 Hz	Yes
Safety Class	
Power(Watts)	23W
IP Rating	IP44
Light Source	LED built in
Dimmable	No
F Mark	F
Fitting	
Input Type	Constant Current
Input Current	250mA
Voltage	90V
Power(Watts)	22,5W
IP Rating	IP44
Light Source	LED built in
LED Type	SMD 2835
LED Brand	Epistar
Gear	

Gear Type	Led Driver
Input Voltage	220-240V
50 Hz	Yes
60 Hz	Yes
Power(Watts)	13,33-23W
Power Factor	0,9
Constant Current	Yes
250mA	50-95V
IP Rating	IP20
Safety Class	
Dimmable	No
Brand	3AAA
Illumination Data	
Colour Temperature	4000K
Lumen Output	1650lm
Lumen Output Light Efficiency	1650lm 71,73lm/W
Light Efficiency	71,73lm/W
Light Efficiency CRI	71,73lm/W
CRI Illumination Diagram	71,73lm/W
Light Efficiency CRI	71,73lm/W
CRI Illumination Diagram	71,73lm/W
Light Efficiency CRI Illumination Diagram Packing Info	71,73lm/W 80
Light Efficiency CRI Illumination Diagram Packing Info Box Length	71,73lm/W 80 91cm
Light Efficiency CRI Illumination Diagram Packing Info Box Length Box Width	71,73lm/W 80 91cm 11cm
Light Efficiency CRI Illumination Diagram Packing Info Box Length Box Width Box Height	71,73lm/W 80 91cm 11cm 7cm
Light Efficiency CRI Illumination Diagram Packing Info Box Length Box Width Box Height Box Weight	71,73lm/W 80 91cm 11cm 7cm 1,4kg
Light Efficiency CRI Illumination Diagram Packing Info Box Length Box Width Box Height Box Weight Pcs/Carton	71,73lm/W 80 91cm 11cm 7cm 1,4kg

Energy Label



Certification & Warranty

Warranty	2 Years
Weee Directive	Yes



