



New 2025 Edition 3>Industrial & Floodlights

38150M/V



70W LED CCT Variable & Power variable industrial fitting.
Stainless steel clips included. Polycarbonate body and diffuser.

Supplied with non-dimmable LED driver.


Complies with standard EN60598-1 and any other specific standards.



Downloads



Dimensions



Gallery



Physical Specification

Item Group	New 2025 Edition 3
Family	Industrial & Floodlights
Order Code	38150M/V
Colour	Grey
Material	PC
Diffuser Material	PC
Shape	Rectangular

Length	1500mm
Width	77mm
Height	66mm
Surface Ceiling	Yes
Surface Wall	Yes
Indoor	Yes
Outdoor	Yes
Adjustable	No
IK Rating	8

Electrical Characteristics

Gear	Built In
Fitting + Driver	
Input Voltage	220-240V
50 Hz	Yes
60 Hz	Yes
Safety Class	
Power(Watts)	48W/55W/62W/70W
IP Rating	IP65
Light Source	LED built in
Dimmable	No
F Mark	

Fitting	
Input Type	Constant Current
Input Current	500mA
IP Rating	IP65
Light Source	LED built in
LED Type	SMD 2835

Gear

Gear Type

Input Voltage

50 Hz

60 Hz

IP Rating

Dimmable

Led Driver

220-240V

Yes

Yes

IP20

No

Illumination Data

Colour Temperature

3000K-4000K-6500K

Lumen Output

7000lm @ 70W

Light Efficiency

100lm/W

CRI

80

Illumination Diagram



Packing Info

Certification & Warranty

Warranty

3 Years

Weee Directive

Yes

switch to
one light!

