

Product Datasheet

www.1-light.eu

21 Industrial & Floodlights>The Batten For T8 LED

38220E



Empty fitting, suitable for 2x600mm T8 LED tube.

Complies with standard EN60598-1 and any other specific standards.



Downloads






Dimensions



Wiring Diagram



Gallery



Physical Specification



Item Group	21 Industrial & Floodlights
Family	The Batten For T8 LED
Order Code	38220E
Colour	White
Material	Metal
Shape	Rectangular
Length	600mm
Width	100mm
Height	62mm
Surface Ceiling	Yes
Surface Wall	Yes
Indoor	Yes
Electrical Characteristics	
Gear	No
Gear	No
Gear Fitting + Driver	No
	No 100-240V
Fitting + Driver	
Fitting + Driver Input Voltage	100-240V
Fitting + Driver Input Voltage 50 Hz	100-240V Yes
Fitting + Driver Input Voltage 50 Hz 60 Hz	100-240V Yes
Fitting + Driver Input Voltage 50 Hz 60 Hz Safety Class	100-240V Yes
Fitting + Driver Input Voltage 50 Hz 60 Hz Safety Class Power(Watts)	100-240V Yes Yes
Fitting + Driver Input Voltage 50 Hz 60 Hz Safety Class Power(Watts) IP Rating	100-240V Yes Yes
Fitting + Driver Input Voltage 50 Hz 60 Hz Safety Class Power(Watts) IP Rating Light Source	100-240V Yes Yes IP20 Replaceable lamp
Fitting + Driver Input Voltage 50 Hz 60 Hz Safety Class Power(Watts) IP Rating Light Source	100-240V Yes Yes IP20 Replaceable lamp
Fitting + Driver Input Voltage 50 Hz 60 Hz Safety Class Power(Watts) IP Rating Light Source Number of Lamps	100-240V Yes Yes IP20 Replaceable lamp
Fitting + Driver Input Voltage 50 Hz 60 Hz Safety Class Power(Watts) IP Rating Light Source Number of Lamps	100-240V Yes Yes IP20 Replaceable lamp

Packing Info


 Box Weight
 0,36Kg

 Pcs/Carton
 20

 Barcode
 5291889052289

 HS Code
 9405409900

Energy Label



Certification & Warranty

Warranty 5 Years

Weee Directive Yes

switch to one light!

