


New 2025 Edition 3>Plug & Play

42100PAL/W/V



15W DALI DT8 CCT Tunable LED Plug & Play 48V DC linear light.

Max 15m/driver. Max 250W/circuit.

Complies with standard EN60598-1 and any other specific standards.



Downloads



Dimensions



Must be ordered separately



42004PA/W



42004PB/W




42004PC/W




42004PD/W



42004PE/W



42004PF/W



42004PG/W



42004PH/W



42004PJ/W



42004PK/W



42004PL/W



42004PM/W



42004PN/W



42004PP/W



42004PR/W

Physical Specification

Item Group	New 2025 Edition 3
Family	Plug & Play
Order Code	42100PAL/W/V
Colour	White
Material	Aluminium
Shape	Rectangular
Length	380mm
Width	27mm
Height	38mm
Surface Ceiling	Yes
Surface Wall	Yes
Indoor	Yes
Adjustable	1 Direction

Electrical Characteristics

Fitting	
Input Type	Constant Voltage
Input Voltage	48V DC
Safety Class	III
Power(Watts)	15W
IP Rating	IP20
Light Source	LED built in

Illumination Data

Colour Code	3000K-4000K Tunable
Lumen Output	1200lm
Light Efficiency	80lm/W
CRI	90

Beam Angle	
Illumination Diagram	

110°



Packing Info

Pcs/Carton	
Barcode	
HS Code	

30

5291889084860

9405413990

Certification & Warranty

Warranty	
----------	--

3 years

switch to
one light!

