

New 2025 Edition 3>Plug & Play

42100PCL/B/V



32W DALI DT8 CCT Tunable LED Plug & Play 48V DC linear light.

Max 15m/driver. Max 250W/circuit.

Complies with standard EN60598-1 and any other specific standards.



Downloads



Dimensions



Must be ordered separately



42004PA/B



42004PB/B



42004PC/B



42004PD/B



42004PE/B



42004PF/B



42004PG/B



42004PH/B



42004PJ/B



42004PK/B



42004PL/B



42004PM/B



42004PN/B



42004PP/B



42004PR/B

Physical Specification

Item Group	New 2025 Edition 3
Family	Plug & Play
Order Code	42100PCL/B/V
Colour	Black
Material	Aluminium
Shape	Rectangular
Length	980mm
Width	27mm
Height	38mm
Surface Ceiling	Yes
Surface Wall	Yes
Indoor	Yes
Adjustable	1 Direction

Electrical Characteristics

Fitting	
Input Type	Constant Voltage
Input Voltage	48V DC
Safety Class	
Power(Watts)	32W
IP Rating	IP20
Light Source	LED built in

Illumination Data

Colour Code	3000K-4000K Tunable
Lumen Output	2560lm
Light Efficiency	80lm/W
CRI	90

Beam Angle	
Illumination Diagram	

110°



Packing Info

Pcs/Carton	
Barcode	
HS Code	

10

5291889084891

9405413990

Certification & Warranty

Warranty	
----------	--

3 years

switch to
one light!

