



New 2025 Edition 3>Magnetic Lights

42106AL/W/V



12W DALI DT8 CCT Tunable LED Linear spots for magnetic profile.

Adjustable 1 direction MAXI, Adjustable 2 direction MINI.

Suitable for MINI, MAXI & P&P magnetic profiles.


Complies with standard EN60598-1 and any other specific standards



Downloads



Dimensions



Physical Specification

Item Group	
Family	
Order Code	
Colour	
Material	
Shape	
Length	
Width	
Height	
Surface Ceiling	
Surface Wall	
Track mounted	

New 2025 Edition 3
Magnetic Lights
42106AL/W/V
White
Aluminium
Rectangular
135mm
34mm
95mm
Yes
Yes
Yes

Indoor
Adjustable

Yes
1 Direction

Electrical Characteristics

Fitting

Input Type
Input Voltage
Safety Class
Power(Watts)
IP Rating
Light Source
F Mark

Constant Voltage
48V DC

12W
IP20
LED built in


Illumination Data

Colour Code
Lumen Output
Light Efficiency
CRI
Beam Angle
Illumination Diagram

3000K-4000K DT8 Tunable
960lm
80lm/W
90
38°


Packing Info

Box Weight
Pcs/Carton
Barcode
HS Code

0.493kg
30
5291889086901
9405413990

Certification & Warranty

switch to
one light!

