



New 2025 Edition 3>Magnetic Lights

42108AL/W/V



2x6W DALI DT8 CCT Tunable LED spot for magnetic profiles.

Suitable for MINI, MIDI, MAXI and P&P magnetic profiles.


Complies with standard EN60598-1 and any other specific standards.



Downloads



Dimensions



Physical Specification

Item Group
Family
Order Code
Colour
Material
Shape
Height
Diameter
Surface Ceiling
Surface Wall
Track mounted
Indoor

New 2025 Edition 3
Magnetic Lights
42108AL/W/V
White
Aluminium
Circular
72mm
35mm
Yes
Yes
Yes
Yes

Adjustable	2 Directions
------------	--------------

Electrical Characteristics

Fitting

Input Type	Constant Voltage
Input Voltage	48V DC
Safety Class	
Power(Watts)	2x6W
IP Rating	IP20
Light Source	LED built in
F Mark	

Illumination Data

Colour Code	3000K-4000K DT8 Tunable
Lumen Output	2x480lm
Light Efficiency	80lm/W
CRI	90
Beam Angle	38°
Illumination Diagram	

Packing Info

Box Weight	0.460kg
Pcs/Carton	20
Barcode	5291889086482
HS Code	9405413990

Certification & Warranty

switch to
one light!

