



New 2025 Edition 3>Magnetic Lights

42110/B/V



8W CCT Variable LED spot with honeycomb for magnetic profiles.

Suitable for MINI, MIDI, MAXI and P&P magnetic profiles.

Complies with standard EN60598-1 and any other specific standards.

IP20

MINI

✓

MIDI

✓

MAXI

✓

P&P

✓

90

CRI


DARK

LIGHT

Downloads



Dimensions



Physical Specification

|                 |                    |
|-----------------|--------------------|
| Item Group      | New 2025 Edition 3 |
| Family          | Magnetic Lights    |
| Order Code      | 42110/B/V          |
| Colour          | Black              |
| Material        | Aluminium          |
| Shape           | Circular           |
| Height          | 86mm               |
| Diameter        | 43mm               |
| Surface Ceiling | Yes                |
| Surface Wall    | Yes                |
| Track mounted   | Yes                |
| Indoor          | Yes                |

Adjustable

2 Directions

Electrical Characteristics

Fitting

| Input Type    |
|---------------|
| Input Voltage |
| Safety Class  |
| Power(Watts)  |
| IP Rating     |
| Light Source  |
| F Mark        |

| Constant Voltage                                                                      |
|---------------------------------------------------------------------------------------|
| 48V DC                                                                                |
|    |
| 8W                                                                                    |
| IP20                                                                                  |
| LED built in                                                                          |
|  |

Illumination Data

| Colour Temperature   |
|----------------------|
| Lumen Output         |
| Light Efficiency     |
| CRI                  |
| Beam Angle           |
| Illumination Diagram |
| Dark Light           |

|                                                                                       |
|---------------------------------------------------------------------------------------|
| 3000K-3500K-4000K                                                                     |
| 640lm                                                                                 |
| 80lm/W                                                                                |
| 90                                                                                    |
| 15°                                                                                   |
|  |
| Yes                                                                                   |

Packing Info

|            |
|------------|
| Box Weight |
| Pcs/Carton |
| Barcode    |
| HS Code    |

|               |
|---------------|
| 0.380kg       |
| 30            |
| 5291889086512 |
| 9405413990    |

Certification & Warranty

switch to  
**one light!**

