



New 2025 Edition 3>Magnetic Lights

42110L/B/V



8W DALI DT8 CCT Tunable LED spot with honeycomb for magnetic profiles.

Suitable for MINI, MIDI, MAXI and P&P magnetic profiles.

Complies with standard EN60598-1 and any other specific standards.



IP20



MINI

MIDI

MAXI

P&P



90 CRI




DARK LIGHT



Downloads



Dimensions



Physical Specification

Item Group	
Family	
Order Code	
Colour	
Material	
Shape	
Height	
Diameter	
Surface Ceiling	
Surface Wall	
Track mounted	
Indoor	

New 2025 Edition 3
Magnetic Lights
42110L/B/V
Black
Aluminium
Circular
86mm
43mm
Yes
Yes
Yes
Yes

Adjustable

2 Directions

Electrical Characteristics

Fitting

Input Type
Input Voltage
Safety Class
Power(Watts)
IP Rating
Light Source
F Mark

Constant Voltage
48V DC

8W
IP20
LED built in


Illumination Data

Colour Code
Lumen Output
Light Efficiency
CRI
Beam Angle
Illumination Diagram
Dark Light

3000K-4000K DT8 Tunable
640lm
80lm/W
90
15°

Yes

Packing Info

Box Weight
Pcs/Carton
Barcode
HS Code

0.380kg
30
5291889086970
9405413990

Certification & Warranty

switch to
one light!

