



New 2025 Edition 3>Magnetic Lights

42112AAL/W/V



12W DALI DT8 CCT Tunable LED Linear light for magnetic profile.

Suitable for MINI and MIDI magnetic profiles.

Complies with standard EN60598-1 and any other specific standards.



IP20



MINI

✓

MIDI

✓

90

CRI

DALI

DIMMABLE




CE

Downloads



Dimensions



Physical Specification

Item Group
Family
Order Code
Colour
Material
Shape
Length
Width
Height
Surface Ceiling
Surface Wall
Track mounted

New 2025 Edition 3
Magnetic Lights
42112AAL/W/V
White
Aluminium
Rectangular
246mm
24mm
29mm
Yes
Yes
Yes



Indoor
Adjustable

Yes
No

Electrical Characteristics

Fitting

Input Type
Input Voltage
Safety Class
Power(Watts)
IP Rating
Light Source
F Mark

Constant Voltage
48V DC

12W
IP20
LED built in


Illumination Data

Colour Code
Lumen Output
Light Efficiency
CRI
Beam Angle
Illumination Diagram

3000K-4000K DT8 Tunable
960lm
80lm/W
90
50°


Packing Info

Box Weight
Pcs/Carton
Barcode
HS Code

0.258kg
50
5291889086925
9405413990

Certification & Warranty

switch to  
**one light!**

one  
LIGHT

