

06 Downlights Fixed LED>The COB Project Square Range Die cast

50120K/G/W



20W COB LED project round range downlight, IP53.

Complete with driver.


Complies with standard EN60598-1 and any other specific standards.




Downloads



Dimensions



Gallery



Physical Specification

Item Group

06 Downlights Fixed LED

Family

The COB Project Square Range Die cast

Order Code

50120K/G/W

Colour

Grey

Material

Die Cast

Shape



Rectangular

Length

165mm

Width	165mm
Height	130mm
Cutout Hole Width	147mm
Cutout Hole Length	147mm
Recessed Ceiling	Yes
Depth Required	160mm
Indoor	Yes
Adjustable	No

Electrical Characteristics

Gear	External-Included
Fitting + Driver	
Input Voltage	220-240V
50 Hz	Yes
60 Hz	Yes
Safety Class	
Power(Watts)	20W
IP Rating	IP53
Light Source	LED built in
Dimmable	No
F Mark	


Fitting	
Input Type	Constant Current
Input Current	700mA
Voltage	28V
Safety Class	
Power(Watts)	19,6W
IP Rating	IP53
Light Source	LED built in

LED Brand
F Mark

GH


Gear

Gear Type
Input Voltage
50 Hz
60 Hz
Power(Watts)
Power Factor
Constant Current
700mA
IP Rating
Safety Class
Dimmable
Ambient Temp
Operating Temp
Housing Material
Output Terminal

Led Driver
220-240V
Yes
Yes
12,6-21,7W
0,9
Yes
18-31V
IP20

No
40°C
80°C
Plastic
Cable

Illumination Data

Colour Temperature
Lumen Output
Light Efficiency
CRI
Beam Angle
Illumination Diagram

3000K
930lm
46,5lm/W
80
100°


Packing Info

Box Weight

1,4kg

Pcs/Carton

12

Barcode

5291889028284

HS Code

9405409900

Energy Label



Certification & Warranty

Warranty

2 Years

Weee Directive

Yes

switch to
one light!

one
LIGHT

