




New 2025 Edition 3>Downlights Fixed

50140FA/V



36W CCT Variable 62x62 recessed frame light LED panel for T-rail false ceiling.

Complete with non-dimmable driver.

Complies with standard EN60598-1 and any other specific standards.



Downloads



Dimensions



Physical Specification

Item Group	New 2025 Edition 3
Family	Downlights Fixed
Order Code	50140FA/V
Material	Aluminium
Diffuser Material	PC
Shape	Rectangular
Length	620mm
Width	620mm
Height	15mm
Recessed T-Ceiling	Yes
Depth Required	50mm
Indoor	Yes

Adjustable

No

Electrical Characteristics

Gear

External-Included

Fitting + Driver

Input Voltage

220-240V

50 Hz

Yes

60 Hz

Yes

Safety Class



Power(Watts)

36W

IP Rating

IP20

Light Source

LED built in

Dimmable

No

F Mark



Fitting

Input Type

Constant Current

Light Source

LED built in

LED Type

SMD

Gear

Gear Type

Led Driver

Input Voltage

220-240V

50 Hz

Yes

60 Hz

Yes

Output

950mA

Dimmable

No

Illumination Data

Colour Temperature
Lumen Output
Light Efficiency
CRI
Illumination Diagram

3000K-4000K-5500K

3600lm

100lm/W

90



Packing Info

Box Weight
Pcs/Carton
Barcode
HS Code

0.825kg

4

5291889083122

9405119090

Certification & Warranty

Warranty
Weee Directive

2 years

Yes

switch to
one light!

one
LIGHT

